

**MA2C03: TUTORIAL 13 PROBLEMS**  
**GRAPH THEORY**

- 1) Let  $(V, E)$  be the graph with vertices  $a, b, c, d$ , and  $e$  and edges  $ab, bd, be, ac, cd$ , and  $ae$ . Does this graph have a Hamiltonian circuit? Justify your answer.
- 2) For what type of  $n$  does the complete graph  $K_n$  have an Eulerian circuit? Justify your answer.
- 3) For what type of  $n$  does the complete graph  $K_n$  have an Eulerian trail? Justify your answer.
- 4) For what type of  $n$  does the complete graph  $K_n$  have a Hamiltonian circuit? Justify your answer.
- 5) For what type of  $p$  and  $q$  does the complete bipartite graph  $K_{p,q}$  have an Eulerian circuit? Justify your answer.
- 6) For what type of  $p$  and  $q$  does the complete bipartite graph  $K_{p,q}$  have an Eulerian trail? Justify your answer.
- 7) For what type of  $p$  and  $q$  does the complete bipartite graph  $K_{p,q}$  have a Hamiltonian circuit? Justify your answer.

**Solution:** 1) Yes, it has a Hamiltonian circuit. One example is  $aebdca$ .

2) In a complete graph  $K_n$  every vertex is connected to every other vertex, so the degree of every vertex is  $n - 1$ . By the theorem we proved in class, we need  $n - 1$  to be even, so  $n$  must be odd. Note that we need  $n \geq 3$  to have a circuit in the first place, so for  $n \geq 3$ ,  $n$  odd  $K_n$  has an Eulerian circuit.

3) Since all vertices have the same degree in the complete graph  $K_n$ , we cannot be in the case where all but two of the vertices have odd degree and the rest have even degree unless  $n = 2$ . Therefore,  $K_n$  has an Eulerian trail only for  $n = 2$ .

4) Since every vertex is connected to every other vertex in  $K_n$ , not only does  $K_n$  have a Hamiltonian circuit for every  $n \geq 3$  but furthermore we can get a Hamiltonian circuit for every possible listing of the vertices where the first and the last coincide.

5) Recall that a bipartite graph satisfies that its vertices are partitioned into two sets  $V_1$  and  $V_2$  such that  $V_1 \cap V_2 = \emptyset$  and  $V_1 \cup V_2 = V$ , the set of all vertices. In the case of the complete bipartite graph  $K_{p,q}$ , the number of elements in  $V_1$  is  $p$ , and the number of elements in  $V_2$  is  $q$ . Therefore,  $\forall v \in V_1$ ,  $\deg v = q$ , and  $\forall v \in V_2$ ,  $\deg v = p$  as the graph is a complete bipartite graph. For the degrees of all vertices to be even,

we must have that both  $p$  and  $q$  are even to guarantee the existence of an Eulerian circuit. Furthermore, the total number of vertices should be at least 3 for a circuit to exist, so  $p \geq 2$ ,  $q \geq 2$  and both are even.

6) Either  $p \geq 1$  is odd and  $q = 2$  or vice versa  $p = 2$  and  $q \geq 1$  is odd as we need two vertices to have odd degree and the rest to have even degrees and the degrees of vertices in the same set of the partition,  $V_1$  and  $V_2$ , is the same.

7) We must have  $p = q \geq 2$  for a Hamiltonian circuit to exist as we hop from a vertex in  $V_1$  to a vertex in  $V_2$  and back.

