WEEK 9

Convert given first order logic statement into Conjunctive Normal Form (CNF).

```
def getAttributes(string):
    expr = '\([^)]+\)'
    matches = re.findall(expr, string)
    return [m for m in str(matches) if m.isalpha()]

def getPredicates(string):
    expr = '[a-z~]+\([A-Za-z,]+\)'
    return re.findall(expr, string)

def Skolemization(statement):
    SKOLEM_CONSTANTS = [f'{chr(c)}' for c in range(ord('A'), ord('Z')+1)]
    matches = re.findall('[∃].', statement)
    for match in matches[::-1]:
        statement = statement.replace(match, '')
        for predicate in getPredicates(statement):
            attributes = getAttributes(predicate)
            if ''.join(attributes).islower():
                statement =
statement.replace(match[1],SKOLEM_CONSTANTS.pop(0))
    return statement

import re

def fol_to_cnf(fol):
    statement = fol.replace("=>", "-")
    expr = '\[([^]]+)\]'
    statements = re.findall(expr, statement)
    for i, s in enumerate(statements):
        if '[' in s and ']' not in s:
            statements[i] += ']'
    for s in statements:
        statement = statement.replace(s, fol_to_cnf(s))
    while '-' in statement:
        i = statement.index('-')
    br = statement.index('[') if '[' in statement else 0
    new_statement = '~' + statement[br:i] + '|' + statement[i+1:]
    statement = statement[:br] + new_statement if br > 0 else new_statement
return Skolemization(statement)
```

Output:



```
[12] print(Skolemization(fol_to_cnf("∀x food(x) => likes(John, x)")))

     ~ food(A) | likes(John, A)

[13] print(Skolemization(fol_to_cnf("∀x[∃z[loves(x,z)]]")))

     [loves(x,B(x))]

     print(fol_to_cnf("[american(x)&weapon(y)&sells(x,y,z)&hostile(z)]=>criminal(x)"))

     [~american(x)|~weapon(y)|~sells(x,y,z)|~hostile(z)]|criminal(x)
```