


Shashank Swami

RE-2022-495337.pdf

 Peninsula College

Document Details

Submission ID

trn:oid:::27450:85227086

Submission Date

Mar 10, 2025, 10:33 AM GMT+5:30

Download Date

Mar 10, 2025, 10:35 AM GMT+5:30

File Name

RE-2022-495337.pdf

File Size

477.7 KB

5 Pages

3,074 Words

18,138 Characters





8% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.




Filtered from the Report

- Bibliography
- Quoted Text

Match Groups

-  **20 Not Cited or Quoted 7%**
Matches with neither in-text citation nor quotation marks
-  **1 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 5%  Internet sources
- 2%  Publications
- 5%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 20 Not Cited or Quoted 7%**
Matches with neither in-text citation nor quotation marks
- 1 Missing Quotations 0%**
Matches that are still very similar to source material
- 0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 5% Internet sources
- 2% Publications
- 5% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	www.researchgate.net	1%
2	Internet	journal.ijresm.com	1%
3	Submitted works	MIT Academy of Engineering on 2023-12-16	<1%
4	Internet	rsisinternational.org	<1%
5	Submitted works	Durban University of Technology on 2023-06-11	<1%
6	Submitted works	University of Hertfordshire on 2024-12-19	<1%
7	Internet	ijrsrset.com	<1%
8	Internet	pijaeducation.com	<1%
9	Internet	ijariie.com	<1%
10	Submitted works	Notre Dame of Marbel University on 2023-12-01	<1%

11	Submitted works	Victoria University College on 2019-09-27	<1%
12	Internet	ijsrem.com	<1%
13	Internet	www.ijmerr.com	<1%
14	Publication	Bala Naga Venkata, Sai Prasanth Boddapati, Saritha Vanka, Venkata Rohith Kuma...	<1%

SMART FLOOR CLEANING SYSTEM

1st Shivakumar k v

Electronics and communication
engineering

Alva's institute of engineering and
technology
Mangalore, India

4a21ec079shiva@gmail.com

2nd Shashank Swamy

Electronics and communication
engineering

Alva's institute of engineering and
technology

Mangalore, India

4a21ec077@gmail.com

3rd Prasanna Kumar B.I

Electronics and communication
engineering

Alva's institute of engineering and
technology

Mangalore, India

4a21ec064@gmail.com

4th Shashank Viresh Sheeti

Electronics and communication
engineering

Alva's institute of engineering and
technology

4a21ec078@gmail.com

5th prof. Sudhakara H M

Electronics and communication
engineering

Alva's institute of engineering and
technology

sudhi123@aiet.org.in

Abstract

The smart floor cleaning system is an innovative technology that automates and improves the efficiency of floor cleaning processes. This system uses advanced technology including robotics, sensors, and artificial intelligence to perform self-cleaning tasks. The device has a variety of sensors that allow it to detect obstacles, navigate complex settings, and distinguish different types of dirt and waste. It uses clever algorithms to optimize cleaning patterns and adapt to various floor surfaces. The system also includes features like remote control, scheduling, and real-time monitoring via mobile applications. This smart cleaning solution reduces human labour, enhances cleaning consistency, and boosts overall hygiene standards in both home and commercial settings. Integrating IoT (Internet of Things) technology enables data collecting and analysis. Enabling ongoing improvement in cleaning performance and energy efficiency. This abstract introduces the smart floor cleaning system, including its major components and possible benefits in modern cleaning operations.

Keywords—Arduino Uno, Servo motor, Motor driver L298N, Water Pump, DC Motors, Bluetooth Sensor HC-05

I. INTRODUCTION

Cleaning is a necessary duty, but many people disregard it because of their hectic schedules. Using traditional cleaning procedures can be time-consuming and exhausting. However, cleanliness is critical for physical health, emotional well-being, and productivity. To solve this, novel cleaning methods, particularly floor scrubbers, have been created. Previous models had drawbacks like as inefficiency and intricate wiring, making them

difficult to use. Now, the smart floor cleaning system provides a significant leap by operating autonomously, removing the need for human cleaning. This equipment saves time, effort, and energy by completing dry cleaning operations simultaneously. Many individuals struggle to clean their houses every day, but this approach allows them to maintain cleanliness easily. A clean atmosphere lowers dust and germs, resulting in a healthier and more pleasant space while lowering stress. Furthermore, businesses benefit from this method since it gives a low-cost alternative to keep offices clean without hiring additional employees. Traditional cleaning methods are time-consuming, but smart technology streamlines the process, making it faster and more efficient.

As technology advances, technologies such as the smart floor cleaning system enhance hygiene and ease, allowing people to focus on work, family, and personal interests without worrying about everyday chores. Technology is transforming how people clean their homes and workplaces. The smart floor cleaning system is an excellent illustration of this. It makes cleaning easier, faster, and more effective. It conserves time, energy, and effort. It also promotes good hygiene and overall well-being. In the future, more advanced cleaning technologies could be created. These advancements will continue to make life simpler. The idea is to lessen the amount of housekeeping. This allows people to relax and enjoy their time without having to tidy up. The smart floor cleaning technology is a step toward a more

convenient and efficient future. This technique frees people from the pressure of domestic tasks by expediting the cleaning process, allowing them to focus on other important things like jobs, family time, or personal interests.

II. LITERATURE SURVEY

The robot comes equipped with a tiny vacuum cleaner for dust collection and a motorized mop that cleans the floor with water. The author emphasizes the ease of emptying the vacuum after cleaning. Future advancements, such as mapping technology, may increase the robot's capacity to clean every area of space effectively. The author's goal with this project is to create a basic yet effective robotic solution for automatic floor cleaning [1].

The author explores how modern science continues to improve in ways that make daily life simpler. One such innovation is the Smart Floor Cleaning Robot, which is intended to automate floor cleaning efficiently. The author highlights the significance of cleaning and hygiene, pointing out that busy lifestyles frequently leave people with little time for housework. This robot addresses that issue by providing remote control capabilities via a built-in Wi-Fi module [1].

The author outlines the creation of a smart cleaning robot designed to ease and automate household cleaning activities. The major purpose of this robot is to reduce human involvement in the cleaning process. The proposed system includes both mopping and vacuuming functions. The mopping component comprises a mop that is attached to a tiny water container, allowing it to stay wet for excellent floor cleaning. Meanwhile, the vacuum portion has a vacuum pump that captures dust particles. An Arduino Mega microcontroller manages the entire system, including hardware and software activities [2].

A GSM module is used to allow the robot and the user to communicate wirelessly. Upon activation and when the mop needs to be replaced, the robot gives the user an acknowledgment message. Users can choose between dry and wet cleaning modes depending on their preferences. In addition to the remote control, the robot can be turned on and off manually using external buttons. The robot is designed to sweep and mop, and it has obstacle avoidance and collision-free navigation skills, ensuring effective cleaning when the user commands it [2].

The author covers the uses and benefits of smart floor-cleaning robots in a variety of settings, including homes, airports and train platforms, hospitals, bus stops, malls, and other commercial

places. Traditional cleaning methods based on brooms and mops have been replaced with robotic alternatives, which improve efficiency and reduce manual labor. The robot is implemented using an Arduino controller, which supervises its activities [3].

The robot can execute a variety of cleaning duties, such as sweeping, mopping, dust collection, and sanitization. It functions independently, ensuring that floors remain clean without the need for human interaction. Once engaged, the robot can clean and maintain hygiene throughout the house, eliminating the need for manual labor. The designed equipment is autonomous, making it a practical and efficient answer for today's cleaning demands [3].

The author addresses the rapid progress of science and technology, which are always evolving to improve human comfort. The primary goal of this study is to create an automatic Smart Floor Cleaner that can be controlled from an Android device. This robot is intended to efficiently remove dust and grime from various surfaces, including floors, upholstery, and draperies [4].

The system incorporates a controller that powers the motors and suction unit, as well as sensors that identify and avoid obstructions. This idea intends to improve people's quality of life by lowering the amount of effort required to clean. Researchers are increasingly interested in robots as they try to make everyday living more convenient and efficient, thanks to constant technological improvements [4].

The author Analyzes the impact of robotics on human life, highlighting how technological improvements have made daily jobs easier and more convenient. This study describes a low-cost smart cleaning robot designed for people who do not have access to high-end robotic solutions. While there are several autonomous cleaning robots on the market, they all perform well based on their capabilities, but none are economical [5].

The suggested system includes a transmitter application that runs on an Android mobile app and allows the user to control the robot using communicated instructions. The system is based on an Arduino UNO microcontroller, which has fourteen input/output pins and is equipped with a cleaning mechanism and a robotic arm. When the microcontroller gets instructions from the Android device via a Bluetooth receiver, it decodes them and sends the motors to move the robot in the desired direction [5].

III. METHODOLOGY

The smart floor cleaning system is intended to automate the cleaning process by utilizing modern components, ensuring efficiency and convenience of use. This system's methodology is based on the use of an Arduino Uno microcontroller as the central processing unit, coordinating multiple sensors, motors, and cleaning mechanisms. The system is powered by a rechargeable battery and includes numerous ultrasonic sensors, an infrared sensor, a motor driver, and a Bluetooth Low Energy (BLE) module. The ultrasonic sensors are strategically placed to detect impediments in the cleaning route, reducing collisions and allowing for smooth navigation. The IR sensor improves the detecting capabilities by identifying dirt and surface irregularities, allowing the system to adjust cleaning intensity appropriately.

The BLE module enables wireless connectivity, allowing users to manage and monitor the cleaning system from their smartphones or distant devices. The motor driver regulates the functioning of several motors (M1, M2, M3, and M4) that control the cleaning system




Figure 1: proposed system overview

The rechargeable battery provides a long-lasting power supply, allowing the device to run autonomously. When turned on, the cleaning system moves across the targeted area, using its sensors to avoid impediments and navigate effectively. The combination of motorized brushes and suction mechanisms effectively removes dust, dirt, and stains from the floor surface. The device can clean both dry and wet surfaces, making it suitable for a variety of contexts including homes, offices, and commercial areas.

Users can personalize cleaning schedules and settings via the mobile app, making the device very flexible to individual needs. The use of smart navigation technology enables the system to map the

cleaning area and optimize its route, reducing redundancy and increasing productivity. This automation lowers the need for manual intervention, making cleaning more convenient and time-efficient. The smart floor cleaning system is especially useful for individuals with hectic schedules, senior users, and organizations searching for cost-effective maintenance solutions. Compared to traditional cleaning methods, this automated solution requires less human labor while increasing cleaning efficiency. Its tiny size lets it reach tight places and corners that are typical.

Difficult to clean by hand. The usage of real-time monitoring via Bluetooth connectivity allows customers to track cleaning progress and battery status remotely. This technological development not only enhances cleaning but also contributes to a better living environment by lowering allergens and bacteria. As technology advances, smart cleaning devices like these will play an important part in upgrading domestic and commercial cleaning solutions. With its user-friendly interface, efficient operation, and automatic functionality, the smart floor cleaning system is a big step toward smarter and more convenient cleaning procedures. Movement, ensuring smooth mobility across various surfaces.

Furthermore, a Brushless DC (BLDC) motor is included for efficient suction and scrubbing action, which improves cleaning performance. The Electronic Control Unit (ECU) controls power delivery to various components, ensuring efficient energy use and system longevity. The Smart Floor Cleaning System flowchart depicts the system's step-by-step operation, which includes numerous sensors, motors, and communication components for autonomous cleaning. The process begins with the Start phase, in which the system is powered on and ready for use.

The first important stage is Initializing Components, in which the Arduino Uno activates and configures all necessary modules, such as ultrasonic sensors, an IR sensor, a motor driver, the Bluetooth module, and power distribution via the battery. After initialization, the system starts the Sensor Data and Bluetooth Command Processing phase.




Figure 2: Flowchart of the proposed system

The ultrasonic and infrared sensors collect environmental data to detect impediments and evaluate floor conditions, while the Bluetooth module listens for prospective user orders. If a Bluetooth Command is received, the system grants User Control, allowing manual navigation via a smartphone or remote device. However, when operating independently, the system checks for impediments using the Detect Obstacle. Decision point. If an impediment is spotted, the system calls the Change Direction function, which adjusts the path to prevent collisions. If no obstacles are discovered, the system proceeds to Move Forward and continues its cleaning procedure. Regardless of the navigation technique, the system assures effective cleaning during the Clean Floor phase, which involves motorized brushes and suction mechanisms working together to remove dirt, dust, and debris. The device can vary between dry and wet cleaning modes based on the user's choices or the floor conditions.

This process is continued indefinitely until the system requires recharging. The automated obstruction detection technology ensures safety by avoiding damage to furniture and unwanted stops. Overall, this methodology improves automation in residential and industrial cleaning, paving the path for more intelligent, self-sufficient cleaning systems. As technology improves, improvements in AI and machine learning may further optimize this system, allowing for real-time learning for better navigation and cleaning precision. The Smart Floor Cleaning System is a significant advancement in cleaning technology, providing the ideal

combination of automation, efficiency, and human control to ensure a hassle-free and successful cleaning experience.

S/N	Components	Quantity
1.	Arduino Uno	1
2.	Servo motor	3
3.	Motor driver L298N	1
4.	Water Pump	1
5.	DC Motors	5
6.	Bluetooth Sensor HC-05	1
7.	Ultrasonic Sensor	1
8.	Connecting Wires	As Required
9.	Wheels	4
10.	Rotating Cotton Bush	1
11.	Vacuum Pump	1

IV. IMPLEMENTATION

1. SOFTWARE IMPLEMENTATION:

This project's software is implemented using the Arduino IDE, with code written in C/C++. Essential libraries such as 'Servo.h' for servo motor control and 'SoftwareSerial.h' for Bluetooth connectivity are utilized to make the hardware interface easier. The system contains a Bluetooth controller for sending wireless commands, which can be a custom-developed Android app or an existing application such as Bluetooth Terminal. These commands are received by the Arduino via the Bluetooth module, processed, and executed to operate the associated components. Bluetooth connectivity enables real-time data sharing between the mobile device and Arduino, resulting in smooth automation. The software analyzes incoming commands to control devices such as servo motors, DC motors, and water pumps, ensuring that the system is responsive and efficient for its intended purpose.

2. HARDWARE IMPLEMENTATION:

The project's hardware implementation is made up of different components that operate together under the supervision of an Arduino Uno, the main microcontroller in charge of processing commands and handling hardware operations. A servo motor is used to perform precise angular motions, such as opening and shutting a valve or altering a specified position. The L298N motor driver controls DC motors by managing speed and direction using PWM signals from the Arduino. A water pump is built into the system and may be turned on and off


using a relay module or MOSFET, ensuring effective fluid management. DC motors are used for Movement, hence they are perfect for robotic or mechanical applications. Finally, the Bluetooth module HC-05 enables seamless wireless connectivity between the Arduino and a mobile device, allowing for remote control and real-time data exchange for more efficient system operation

V. RESULT

The study developed an autonomous floor cleaning robot controlled via an Arduino Uno microcontroller. Key components include DC motors for movement, ultrasonic and IR sensors for obstacle detection and navigation, a Bluetooth module for remote control, and cleaning mechanisms like brushes and suction. The system can operate in both dry and wet cleaning modes. It uses sensors to map its environment, avoid obstacles, and optimize cleaning paths. Users can control and monitor the robot remotely via a smartphone app.

Key advantages include:

- Reduced manual labour and time savings for cleaning tasks
- Improved cleaning efficiency and consistency
- Ability to reach tight spaces and corners
- Cost-effective solution for homes and businesses
- Promotes better hygiene by reducing allergens and bacteria.



VI. CONCLUSION

The Smart Floor Cleaning System concept offers an appealing alternative for automating one of the most common household tasks: cleaning floors. The Arduino UNO microprocessor, motor driver L298N, Bluetooth module HC-05, servo motors, and water pump all contribute to the system's high degree of functionality and precision. The servo motors enable arm lifting and manipulation, allowing the cleaner to effectively clean a variety of surfaces. The water pump allows the system to spray water for an even more thorough clean, efficiently removing dirt and grime. The inclusion of Bluetooth technology allows for smooth system control via a mobile application.

The project includes important design factors including energy efficiency, cost-effectiveness, and user ease. It is a potential alternative for homeowners or small companies wishing to automate their floor cleaning activities since it uses readily available and inexpensive components. Furthermore, the system's simplicity and ease of use make it suitable for people of various ages and technical backgrounds. In the future, this system might be improved to incorporate capabilities like obstacle identification, autonomous route planning, and the capacity to clean many sorts of surfaces. With more research and development, the Smart Floor Cleaner might grow into a completely autonomous robot that not only cleans but also adapts to different settings, representing a huge breakthrough in home automation. Overall, the Smart Floor Cleaning System demonstrates the tremendous potential of IoT and automation to ease daily duties and improve quality of life. It symbolizes a step toward smarter houses, in which technology is incorporated into many aspects of our everyday lives.

VII. REFERENCE

- [1]. Indronil Dey Niloy, Sayed Mohaiminul Hoque, Mashfiqul Hoque, Afif Bin Arfan, Israt Jahan, Islam Bin Mursalin, Mohammad Shidujaman, Mohammad Rejwan Uddin, and Mahady Hasan. "Smart Floor Cleaning Robot." Fab Lab IUB, Independent University, Bangladesh. DOI:10.1109/TENSYMP55890.2023.10223665. Published on ResearchGate: <https://www.researchgate.net/publication/373709780>.
- [2]. Sharada L. Kore, et al. "Floor Cleaning Smart Robot." International Journal of Engineering Research and Applications (IJERA). ISSN: 2248-9622, Vol. 12, Issue 9, September 2022, pp. 61-65. Department of E&TC, BVCOEW, Pune, Maharashtra, India. Published on IJERA: www.ijera.com. ResearchGate: <https://www.researchgate.net/publication/363503605>.
- [3]. Prof.Dattatray M. Kumbhar, Mrs.Vidya Shetti. "Smart Floor Cleaning Robot." Journal of Emerging Technologies and Innovative Research (JETIR). ISSN: 2349-5162, Volume 7, Issue 10, October 2020. E&CE Department, HSIT, Nidasoshi, Karnataka, India. Published on JETIR: www.jetir.org.
- [4]. Pooja D. Rathod, Puja V. Wandile, Kiran S. Mohitkar, Pallavi G. Jiwtode. "Multipurpose Smart Floor Cleaning System by Using Android Device." International Journal of Scientific Research in Science, Engineering and Technology (IJSRSET). Print ISSN: 2395-1990, Online ISSN: 2394-4099, Volume 4, Issue 7, 2018. Electrical Engineering Department, Datta Meghe Institute of Engineering, Technology and Research, Salod (Hirapur), Wardha, Maharashtra, India. Themed Section: Engineering and Technology. Published on IJSRSET.
- [5]. Shritika Walker, Prashant Tiwari, Vishal Kumar, Kunal Limbu, Amay Tawade. "Smart Floor Cleaning Robot Using Android." Department of Electronics and Telecommunication, Dr. D.Y. Patil Institute of Engineering, Management and Research, Akurdi, Pune, Maharashtra, India. International Journal of Engineering Research & Technology (IJERT). E-ISSN: 2395-0056, p-ISSN: 2395-0072, Volume 09, Issue 01, January 2022. Published on IJERT.