



IMPORTING DATA IN PYTHON

Introduction to relational databases



What is a relational database?

- Based on relational model of data
- First described by Edgar "Ted" Codd

Example: Northwind database

Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France

Employees table

EmployeeID	LastName	FirstName	Title	TitleOfCourtesy	BirthDate	HireDate	Address	City	Region
1	Davolio	Nancy	Sales Representative	Ms.	12/8/1948 12:00:00 AM	5/1/1992 12:00:00 AM	507 - 20th Ave. E.\r\nApt. 2A	Seattle	WA
2	Fuller	Andrew	Vice President, Sales	Dr.	2/19/1952 12:00:00 AM	8/14/1992 12:00:00 AM	908 W. Capital Way	Tacoma	WA
3	Leverling	Janet	Sales Representative	Ms.	8/30/1963 12:00:00 AM	4/1/1992 12:00:00 AM	722 Moss Bay Blvd.	Kirkland	WA



Importing Data in Python

The Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31



Tables are linked

Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France

Employees table

EmployeeID	LastName	FirstName	Title	TitleOfCourtesy	BirthDate	HireDate	Address	City	Region
1	Davolio	Nancy	Sales Representative	Ms.	12/8/1948 12:00:00 AM	5/1/1992 12:00:00 AM	507 - 20th Ave. E.\r\nApt. 2A	Seattle	WA
2	Fuller	Andrew	Vice President, Sales	Dr.	2/19/1952 12:00:00 AM	8/14/1992 12:00:00 AM	908 W. Capital Way	Tacoma	WA
3	Leverling	Janet	Sales Representative	Ms.	8/30/1963 12:00:00 AM	4/1/1992 12:00:00 AM	722 Moss Bay Blvd.	Kirkland	WA



Relational model

- Widely adopted
- Todd's 12 Rules/Commandments
 - Consists of 13 rules (zero-indexed!)
 - Describes what a Relational Database Management System should adhere to to be considered relational

Relational Database Management Systems

- PostgreSQL
- MySQL
- SQLite
- SQL = Structured Query Language











Let's practice!





Creating a database engine in Python



Creating a database engine

- SQLite database
 - Fast and simple
- SQLAlchemy
 - Works with many Relational
 Database Management Systems

```
In [1]: from sqlalchemy import create_engine
In [2]: engine = create_engine('sqlite:///Northwind.sqlite')
```



Getting table names

```
In [1]: from sqlalchemy import create_engine
In [2]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [3]: table_names = engine.table_names()
In [4]: print(table_names)
['Categories', 'Customers', 'EmployeeTerritories',
'Employees', 'Order Details', 'Orders', 'Products',
'Region', 'Shippers', 'Suppliers', 'Territories']
```





Let's practice!





Querying relational databases in Python



Basic SQL query

```
SELECT * FROM Table_Name
```

- Returns all columns of all rows of the table
- Example:

```
SELECT * FROM Orders
```

• We'll use SQLAlchemy and pandas



Workflow of SQL querying

- Import packages and functions
- Create the database engine
- Connect to the engine
- Query the database
- Save query results to a DataFrame
- Close the connection





Your first SQL query

```
In [1]: from sqlalchemy import create_engine
In [2]: import pandas as pd
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
In [4]: con = engine.connect()
In [5]: rs = con.execute("SELECT * FROM Orders")
In [6]: df = pd.DataFrame(rs.fetchall())
In [7]: con.close()
```



Printing your query results

```
In [8]: print(df.head())
                                      3
                                                           4
         VINET
  10248
                5 7/4/1996 12:00:00 AM
                                         8/1/1996 12:00:00 AM
  10251
         VICTE
                3 7/8/1996 12:00:00 AM 8/5/1996 12:00:00 AM
                5 7/11/1996 12:00:00 AM 8/8/1996 12:00:00 AM
  10254
         CHOPS
         WELLI 3 7/15/1996 12:00:00 AM
                                         8/12/1996 12:00:00 AM
  10256
                                         8/14/1996 12:00:00 AM
  10258
         ERNSH
                1 7/17/1996 12:00:00 AM
```



Set the DataFrame column names

```
In [1]: from sqlalchemy import create_engine
In [2]: import pandas as pd
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
In [4]: con = engine.connect()
In [5]: rs = con.execute("SELECT * FROM Orders")
In [6]: df = pd.DataFrame(rs.fetchall())
In [7]: df.columns = rs.keys()
  [8]: con.close()
```



Set the data frame column names

```
In [9]: print(df.head())
                                             OrderDate
  OrderID CustomerID
                      EmployeeID
    10248
               VINET
                               5 7/4/1996 12:00:00 AM
                               3 7/8/1996 12:00:00 AM
    10251
               VICTE
                               5 7/11/1996 12:00:00 AM
    10254
           CHOPS
                               3 7/15/1996 12:00:00 AM
    10256
               WELLI
                                  7/17/1996 12:00:00 AM
    10258
               ERNSH
```





Using the context manager





Let's practice!





IMPORTING DATA IN PYTHON

Querying relational databases directly with pandas





The pandas way to query

```
In [1]: from sqlalchemy import create_engine
In [2]: import pandas as pd
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
In [4]: with engine.connect() as con:
       rs = con.execute("SELECT * FROM Orders")
   ...: df = pd.DataFrame(rs.fetchall())
       df.columns = rs.keys()
```

```
In [5]: df = pd.read_sql_query("SELECT * FROM Orders", engine)
```





Let's practice!





Advanced querying: exploiting table relationships



Tables are linked

Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France

Employees table

EmployeeID	LastName	FirstName	Title	TitleOfCourtesy	BirthDate	HireDate	Address	City	Region
1	Davolio	Nancy	Sales Representative	Ms.	12/8/1948 12:00:00 AM	5/1/1992 12:00:00 AM	507 - 20th Ave. E.\r\nApt. 2A	Seattle	WA
2	Fuller	Andrew	Vice President, Sales	Dr.	2/19/1952 12:00:00 AM	8/14/1992 12:00:00 AM	908 W. Capital Way	Tacoma	WA
3	Leverling	Janet	Sales Representative	Ms.	8/30/1963 12:00:00 AM	4/1/1992 12:00:00 AM	722 Moss Bay Blvd.	Kirkland	WA



JOINing tables

Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France





INNER JOIN in Python (pandas)

```
In [1]: from sqlalchemy import create_engine
In [2]: import pandas as pd
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
In [4]: df = pd.read_sql_query("SELECT OrderID, CompanyName FROM
Orders INNER JOIN Customers on Orders.CustomerID =
Customers.CustomerID", engine)
In [5]: print(df.head())
  OrderID
                          CompanyName
     10248 Vins et alcools Chevalier
                Victuailles en stock
    10251
                    Chop-suey Chinese
     10254
               Wellington Importadora
     10256
                         Ernst Handel
     10258
```





Let's practice!





Final Thoughts



DataCamp



What you've learned:

- Relational databases
- Queries
 - SELECT
 - WHERE
 - JOIN





Congratulations!