# **Packages**

#### Are you struggling?

## Plan for today

- Brief recap
- Packages

#### Recap of using variables

- Most of the time, we want to do more than add, subtract, multiply etc.
- We want to act on our variables. We do this with operators & functions
  - Each function has a unique name
  - Each function requires some input, and the function can be modified using arguments
  - *Each function* will produce an output
- Remember:
  - objects are *nouns*
  - functions & operators are verbs
  - o arguments are *adverbs*

#### Recap of using variables

Where do you find functions?

• Some exist in R by default

```
o t.test()
o cor()
o scale()
```

Lots of people all over the world write their own functions. And they (rightly!) think it's useful to share these functions.


## **Packages**

#### What is a **package**?


- A collection of functions and datasets
- Open source


Packages are the reason R is so powerful!


• While you can definitely write your own functions, most of what you need to do someone else has already done for you!





File	s Plots	Packages	Help	Viewer		
0	Install 🛛 🕡	Update	Packra	at 🔍		(@
	Name	Descripti	on		Ver	
Sys	em Librar	y				0
	abind	Combine Arrays	e Multidi	mensiona	I 1.4- 5	⊕ ⊗
	acepack	Multiple	ACE and AVAS for Selecting Multiple Regression Transformations			⊕ ⊗
	arm	Regressi	Data Analysis Using Regression and Multilevel/Hierarchical Models			⊕ ⊗
	AsioHea	. 'Asio' C+	+ Head	er Files	1.12.2 1	⊕ ⊗
	askpass	Safe Pas Git, and		ntry for R,	1.1	⊕ ⊗
	assertthat	Easy Pre Assertio		t	0.2.1	⊕ ⊗
	backports		Reimplementations of Functions Introduced Since R-3.0.0			⊕ ⊗
<b>✓</b>	base	The R Ba	se Packa	age	4.0.0	
	base64	Tools fo	r base64	encoding	0.1- 3	⊕ ⊗














### How do I get packages?

Packages can be downloaded from the CRAN (Comprehensive R Archive Network)

You will do this from inside R


Need to be connected to the internet!

### 2 ways to install packages


- 1. Install button in the Packages tab
- 2. R Code

Either way, you need to know the name of the package


#### **Install Button**



#### **Install Button**



#### **Install Button**



## R code to install packages

install.packages("psych")

## **Packages**

#### INSTALLING

- Downloading the package and saving it to your computer
- Like installing Microsoft Word on your computer
- Do this **ONCE**

#### **LOADING**

- Like opening Microsoft Word to write a paper
- Once a package is loaded, you can use all of it's functions and datasets are ready to use
- You need to do this **EVERY TIME** you open a new R session

### 2 ways to load packages

- 1. Checkbox in the packages tab (not recommended)
- 2. R code

Either way, you need to know the name of the package

## R code to load packages

library(psych)

#### Dependencies

```
library(lme4)
Loading required package: Matrix
Loading required package: Rcpp
```

Uses functions from other packages

Installed automatically

Loaded automatically

## Help! (again)

Ways to find documentation:

?psych -- opens documentation specific to that pacakge or function

??psych -- searches for this in all documentation (that you have installed and loaded)

To find a package that does what you need: Google

### **Summary**

#### Packages are a collection of functions and data sets

- 1. You **install** the package once; must be connected to the internet
- 2. You **load** the package every time you use it; do not need to be connected to the internet

#### How do you find the function you need? How do you now what package it's in?

- G-o-o-g-l-e!
- "structural equation modeling in R"

#### How do you know how to use the function? What are the function's arguments?

- Help documentation in R
- ? function.name