## Chapter 3. Classical Demand Theory

(Part 2)

Xiaoxiao Hu

October 28, 2019

# 3.D. Utility Maximization Problem (UMP) (Continued)

We return to Chapter 3, specifically, p.53 of Section 3.D.

The utility maximization problem:

$$\begin{aligned} \max_{x \in \mathbb{R}^L} u(x) \\ \text{s.t. } \sum_{l=1}^L p_l \cdot x_l = p \cdot x \leq w, \\ x_l \geq 0 \text{ for all } l=1,...,L. \end{aligned}$$

## **Utility Maximization Problem (UMP)**


• Lagrange Function:

$$\mathcal{L}(x,\lambda) = u(x) - \lambda(p \cdot x - w).$$
 $x \in \mathbb{R}^{L}_{+}, \lambda$ 

Kuhn-Tucker conditions

#### **Interior Solution**

$$\nabla u(x^*) = \lambda p. \tag{3.D.4}$$



#### **Interior Solution**


For any two goods l and k, we have

$$\frac{\partial u(x^*)/\partial x_l}{\partial u(x^*)/\partial x_k} = \frac{p_l}{p_k}.$$
 (3.D.5)

 $\frac{\partial u(x^*)/\partial x_l}{\partial u(x^*)/\partial x_k}$  is the marginal rate of substitution of good l for good k at  $x^*$ ,  $MRS_{lk}(x^*)$ .

### **Boundary Solution**

- $\partial u(x^*)/\partial x_l \leq \lambda p_l$  for those l with  $x_l^*=0$ ;
- $\partial u(x^*)/\partial x_l = \lambda p_l$  for those l with  $x_l^* > 0$ .



#### The constraint $p \cdot x \leq w$ .

- If  $p\cdot x=w$ , then  $\lambda$  measures the marginal, or shadow, value of relaxing the constraint  $p\cdot x=w$ , or the consumer's marginal utility of wealth.
- If  $p\cdot x < w$ , then the budget constraint is not binding. In this case, relaxing the budget doesn't increase utility, so  $\lambda=0.$

#### **Utility Maximization Problem**

**Example 3.D.1.** Derive Walrasian Demand Function for Cobb-

Douglas Utility Function:  $u(x_1, x_2) = x_1^{\alpha} x_2^{1-\alpha}$ .

#### **Indirect Utility Function**

For each  $(p,w)\gg 0$ , the utility value of UMP (i.e.,  $u(x^*)$ ) is denoted  $v(p,w)\in\mathbb{R}.$  v(p,w) is called the *indirect utility* function.

#### **Indirect Utility Function**

**Example 3.D.2.** Derive the indirect utility function for Cobb-

Douglas Utility Function:  $u(x_1, x_2) = x_1^{\alpha} x_2^{1-\alpha}$ .

## **Indirect Utility Function**

**Proposition 3.D.3.** Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X = \mathbb{R}_+^L$ . v(p, w) is

- (i) Homogeneous of degree zero.
- (ii) Strictly increasing in w and nonincreasing in  $p_l$  for any l.
- (iii) Quansiconvex; that is, the set  $\{(p,w):v(p,w)\leq \bar{v}\}$  is convex for any  $\bar{v}$ .
- (iv) Continuous in  $p \gg 0$  and w.

## 3.E. Expenditure Minimization Problem (EMP)

The expenditure minimization problem:

$$\min_{x \in \mathbb{R}^L} p \cdot x$$
 s.t.  $u(x) \geq u$  &  $x \geq 0$ .

The problem is equivalent to

$$\max_{x \in \mathbb{R}^L} - p \cdot x$$
 s.t.  $u \leq u(x)$  &  $x \geq 0$ .

#### **Expenditure Minimization Problem**

• Lagrange Function:

$$\mathcal{L}(x,\lambda) = -p \cdot x - \lambda(u - u(x))$$
 $x \in \mathbb{R}^{L}_{+}, \lambda$ 

Kuhn-Tucker conditions

#### **UMP and EMP**

- ullet UMP computes the maximal level of utility that can be obtained given wealth w.
- ullet EMP computes the minimal level of wealth required to reach utility level u.
- The two problems are "dual" problems: they capture the same aim of efficient use of consumer's purchasing power.

#### **UMP and EMP**

**Proposition 3.E.1.** Suppose  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X=\mathbb{R}_+^L$  and that the price vector is  $p\gg 0$ . We have

(i) If  $x^*$  is optimal in the UMP when wealth is w>0, i.e.,  $x^*=x(p,w)$ , then  $x^*$  is optimal in the EMP when the required utility is  $u(x^*)$ . Moreover, the minimized expenditure in the EMP is w.

#### **UMP and EMP**

#### Proposition 3.E.1 (continued).

(ii) If  $x^*$  is optimal in the EMP when the required utility level is u>u(0), then  $x^*$  is optimal in the UMP when wealth is  $p\cdot x^*$ . Moreover, the maximized utility in the UMP is u. (\*No excess utility)

#### The Expenditure Function


Let  $x^*$  be the/a solution to the EMP. Then  $p \cdot x^*$  is the minimized expenditure. Let this be called the *Expenditure Function* and denoted by e(p,u).

## The Expenditure Function

**Proposition 3.E.2.** Suppose that  $u(\cdot)$  is a continuous utility representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X = \mathbb{R}^L_+$ . e(p,u) is

- (i) Homogeneous of degree one in p.
- (ii) Strictly increasing in u and nondecreasing in  $p_l$  for all l.
- (iii) Concave in p, i.e.,  $\alpha e(p,u) + (1-\alpha)e(p',u) \le e(ap+(1-\alpha)p',u)$ .
- (iv) Continuous in  $p \gg 0$  and u.

## Intuition of Concavity of e(p, u).




## Relationship between e(p, u) and v(p, w)

$$e(p, v(p, w)) = w$$
 and  $v(p, e(p, u)) = u$ . (3.E.1)

- The optimal bundle in EMP is denoted as  $h(p,u) \subset \mathbb{R}^L_+$  and is called the *Hicksian* (or Compensated) demand function/correspondence.
- ullet As prices vary, h(p,u) gives the level of demand that would arise if the consumer's wealth were simultaneously adjusted to keep her utility level at u.
- This type of wealth compensation is called *Hicksian wealth* compensation.

21



**Proposition 3.E.3.** Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on  $X=\mathbb{R}^L_+$ . Then for any  $p\gg 0$ , the Hicksian demand correspondence h(p,u) (i.e., expenditure minimizing demand) possesses the following properties:

- 1. Homogeneity of degree zero in p:  $h(\alpha p, u) = h(p, u)$  for all p, u and  $\alpha > 0$ .
- 2. No excess utility: For any  $x \in h(p, u)$ , u(x) = u.

Proposition 3.E.3 (continued).

(iii) Convexity/uniqueness: If  $\succsim$  is convex, then h(p,u) is a convex set; and if  $\succsim$  is strictly convex, then there is a unique element in h(p,u).

#### Hicksian and Walrasian demand

$$h(p,u) = x(p,e(p,u)) \quad \text{ and } \quad x(p,w) = h(p,v(p,w)). \label{eq:sum}$$
 (3.E.4)

## Hicksian Demand and the Compensated Law of Demand

**Proposition 3.E.4.** Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  and that h(p,u) consists of a single element for all  $p\gg 0$ . Then the Hicksian demand function h(p,u) satisfies the compensated law of demand: for all p' and p'',

$$(p'' - p') \cdot [h(p'', u) - h(p'.u)] \le 0.$$
 (3.E.5)

## **Hicksian Demand and Expenditure Function**

**Example 3.E.1.** Suppose  $p\gg 0$  and u>0. Derive the Hicksian Demand and Expenditure Functions for Cobb-Douglas Utility Function:  $u(x_1,x_2)=x_1^\alpha x_2^{1-\alpha}$ .

## 3.G. Relationships between Demand, Indirect Utility, and Expenditure Functions

This section concern three relationships:

- Hicksian Demand Function & Expenditure Function;
- Hicksian & Walrasian Demand Functions;
- Walrasian Demand Function & Indirect Utility Function.

## **Hicksian Demand and Expenditure Function**

**Proposition 3.G.1.** Suppose that  $u(\cdot)$  is continuous, representing locally nonsatiated and strictly convex preference relation  $\succsim$  defined on  $X = \mathbb{R}^L_+$ . For all p and u,

$$h(p, u) = \nabla_p e(p, u).$$

**Key observation:** At the optimum in EMP, a change in p may change x through the objective function  $p \cdot x$ , but changes in x has no FIRST ORDER EFFECT on  $\mathcal{L}^*$ .

#### Hicksian Demand and Expenditure Function

**Example.** Verify  $h(p, u) = \nabla_p e(p, u)$  for Cobb-Douglas Utility

Function:  $u(x_1, x_2) = x_1^{\alpha} x_2^{1-\alpha}$ .

#### **Hicksian Demand**

**Proposition 3.G.2.** Suppose  $u(\cdot)$  is continuous utility function representing a locally nonsatiated and strictly convex  $\succsim$  on  $X=\mathbb{R}^L_+$ . Suppose h(p,u) is continuously differentiable at (p,u), and denote the  $L\times L$  derivative matrix by  $D_ph(p,u)$ . Then

(i) 
$$D_p h(p, u) = D_p^2 e(p, u)$$
.

- (ii)  $D_ph(p,u)$  is negative semidefinite.
- (iii)  $D_ph(p,u)$  is symmetric.

(iv) 
$$D_p h(p, u) p = 0$$
.

#### **Hicksian Demand**

Remark 1. Negative semidefiniteness of  $D_ph(p,u)$  is the differential analog of compensated law of demand (3.E.5).

Remark 2. Symmetry of  $D_ph(p,u)$  is not obvious at all ex ante. It's only obvious after we know that  $h(p,u)=\nabla_p e(p,u)$ .

Remark 3. Two goods l and k are called substitutes at (p,u) if  $\frac{\partial h_l(p,u)}{\partial p_k} \geq 0$ ; and complements at (p,u) if  $\frac{\partial h_l(p,u)}{\partial p_k} \leq 0$ . Since  $\frac{\partial h_l(p,u)}{\partial p_l} \leq 0$ , there must exist a good k such that  $\frac{\partial h_l(p,u)}{\partial p_k} \geq 0$ ; that is, every good has at least one substitute.

#### Hicksian and Walrasian Demand Functions

**Proposition 3.G.3** (The Slutsky Equation). Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated and strictly convex  $\succsim$  on  $X=\mathbb{R}^L_+$ . Then for all (p,w), and u=v(p,w), we have

For all l, k,

$$\frac{\partial h_l(p, u)}{\partial p_k} = \frac{\partial x_l(p, w)}{\partial p_k} + \frac{\partial x_l(p, w)}{\partial w} x_k(p, w)$$

or

$$D_p h(p, u) = D_p x(p, w) + D_w x(p, w) x(p, w)^T$$

#### **Hicksian and Walrasian Demand Functions**

Remark. Recall,

- Slutsky compensation:  $\Delta w_{\mathsf{Slutsky}} = p' \cdot x(\bar{p}, \bar{w}) \bar{w};$
- Hicksian Compensation:  $\Delta w_{\mathsf{Hicksian}} = e(p', \bar{u}) \bar{w}$ .

In general,  $\Delta w_{\rm Hicksian} \leq \Delta w_{\rm Slutsky}$ . We have just shown that for a differential change in price, Slutsky and Hicksian compensations are identical. This observation is useful because the RHS terms are directly observable.

#### Hicksian and Walrasian Demand Functions

**Example.** Verify the Slutsky equation for Cobb-Douglas Utility

Function:  $u(x_1, x_2) = x_1^{\alpha} x_2^{1-\alpha}$ .

## Walrasian Demand and Indirect Utility Function

**Proposition 3.G.4** (Roy's Identity). Suppose that  $u(\cdot)$  is A continuous utility function representing a locally nonsatiated and strictly convex  $\succsim$  on  $X=\mathbb{R}^L_+$ . Suppose also that the indirect utility function is differentiable at  $(\bar{p},\bar{w})\gg 0$ .

Then

$$x(\bar{p}, \bar{w}) = -\frac{1}{\nabla_w v(\bar{p}, \bar{w})} \nabla_p v(\bar{p}, \bar{w})$$

*i.e.,* for every l = 1, ..., L :


$$x_l(\bar{p}, \bar{w}) = \frac{-\partial v(\bar{p}, \bar{w})/\partial p_l}{\partial v(\bar{p}, \bar{w})/\partial w}.$$

## Walrasian Demand and Indirect Utility Function

**Example.** Verify Roy's identity for Cobb-Douglas Utility Func-

tion: 
$$u(x_1, x_2) = x_1^{\alpha} x_2^{1-\alpha}$$
.

## **Summary**



We'll take a break from Chapter 3 and may revisit the remaining sections (F, H, I, J) later as needed.