



East West University

Design of a Full-Fledged Network with Subnets

Project Report

Computer Networks

CSE405

Submitted by:

Name: Md. Rokibul Hasan

ID: 2019-1-60-114

Section: 03

Submitted to:

Dr. Anisur Rahman

Associate Professor

Department of Computer Science and Engineering

East West University

Submission Date: 20/01/2022

Preface:

I would like to thank our honorable faculty Dr. Anisur Rahman for giving me the opportunity to undertake this salient project. The experience and insights I gained while working on this project will undoubtedly help me in my future career.

The purpose of this project was to create a network complex. This project also provided me the knowledge about how to practically implement a sophisticated network design.

Objective:


Design a full-fledged network for an organization with multiple subnets.

On top of that, a webpage for APOLLO International University was to be made and it would be located through the address <http://www.apollo.edu>. Each Campus was also given a wireless access point to access the network. All the 6 campuses of the university were in the complex network along with sub-nets inside each campus.

Implementation Details:

The network design was implemented in Cisco Packet Tracer. To incorporate all the 6 different campuses as well as connecting it to a separate Server Room, a dynamic network of routers was used. Every network was designed in such a way that all are using subnet for future extend.

Physical Diagram:



The Network elements used in the project were:

1. Connectors (Straight Through Cable and Serial DCE).
2. Routers.
3. Switches.
4. Servers.
5. PCs.
6. Wireless Access points.
7. There were 3 servers that were used. Those were DHCP, DNS and Web Server. All these servers were kept in a Server Room, separate from all the other Campus networks. The DHCP server was used to dynamically provide IP addresses to all the hosts present in the 6 campuses including the different Sub-Nets in each campus.
8. Laptops.

DHCP(192.168.20.150)

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: serverPool

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

Start IP Address: 192.168.20.1

Subnet Mask: 255.255.255.0

Maximum Number of Users: 255

TFTP Server: 0.0.0.0


WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool7	192.168.0.254	192.168.20.100	192.168.0.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool6	192.168.60.254	192.168.20.100	192.168.60.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool5	192.168.50.254	192.168.20.100	192.168.50.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool4	192.168.40.254	192.168.20.100	192.168.40.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool3	192.168.30.254	192.168.20.100	192.168.30.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool2	192.168.10.254	192.168.20.100	192.168.10.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool1	192.168.20.254	192.168.20.100	192.168.20.1	255.255.255.0	255	0.0.0.0	0.0.0.0
serverPool	0.0.0.0	0.0.0.0	192.168.20.0	255.255.255.0	255	0.0.0.0	0.0.0.0


☐ Top

The Web Server was used to provide the webpage of APOLLO International University which can be accessed through any of the hosts in any network.



The DNS server was used so that all the hosts can access the webpage in the Web Server through the required web address instead of the IP address of the Web Server.

The wireless connections were possible through wireless Access Points present in each network. The Access Points were secured through WEP protection and the connecting devices would require password to connect to the wireless network.



Thus, the entire network was properly connected and communications between any devices in the complex network was established.

Special Requirements:

As per the special requirements for creating this network,

- The servers were kept in a separate LAN in the form of a server room.
- DHCP server was used to dynamically provide IP address to hosts belonging to all the different networks.
- Sub-Nets were incorporated in each of the Campus Networks.

Limitations:

For consistency of this complex network we used many devices which is very costly. Moreover, the unique server room need extra cost and maintenance.

Codes to configure the router:

Interfaces:

Campus 1

enable

config t

interface fa0/0

ip address 192.168.20.254 255.255.255.0

no shut

do wr

exit

interface fa1/0

ip address 192.168.30.354 255.255.255.0

no shut

do wr

exit

interface se2/0

ip address 192.168.90.1 255.255.255.0

clock rate 64000

no shut

do wr

exit


```
ip address 192.168.100.2 255.255.255.0
```

```
clock rate 64000
```

```
no shut
```

```
do wr
```

```
exit
```

```
interface se6/0
```

```
ip address 192.168.130.1 255.255.255.0
```

```
clock rate 64000
```

```
no shut
```

```
do wr
```

```
exit
```

```
**Campus 2**
```

```
no
```

```
enable
```

```
config t
```

```
interface fa0/0
```

```
ip address 192.168.50.254 255.255.255.0
```

```
no shut
```

```
do wr
```

```
exit
```

```
interface se2/0
```

```
ip address 192.168.100.0 255.255.255.0
```

```
no shut
```

```
do wr
```

```
exit
```

```
interface se3/0
```

```
ip address 192.168.20.2 255.255.255.0
```

```
clock rate 64000
```

```
no shut
```

```
do wr
```

```
exit
```

```
interface se6/0
```

```
ip address 192.168.30.1 255.255.255.0
```

```
clock rate 64000
```

```
no shut
```

```
do wr
```

```
exit
```

```
**Campus 3**
```

```
no
```

```
enable
```

```
config t
```

```
interface fa0/0
```

```
ip address 192.168.70.254 255.255.255.0
```

```
no shut
```

```
do wr
```

```
exit
```

```
interface fa1/0
```

```
ip address 192.168.130.0 255.255.255.0
```

```
no shut
```

```
do wr
```

```
exit
```

```
interface se2/0
ip address 192.168.140.0 255.255.255.0
no shut
do wr
exit
```

```
interface se3/0
ip address 192.168.120.0 255.255.255.0
no shut
do wr
exit
```

```
interface se6/0
ip address 192.168.150.0 255.255.255.0
clock rate 64000
no shut
do wr
exit
```

****Campus 4****

```
no
enable
config t
interface fa0/0
ip address 192.168.80.254 255.255.255.0
no shut
do wr
exit
```

```
interface se2/0
ip address 192.168.160.1 255.255.255.0
clock rate 64000
no shut
do wr
exit
```

****Campus 5****

```
no
enable
config t
interface fa0/0
ip address 192.168.60.254 255.255.255.0
no shut
do wr
exit
```

```
interface se2/0
ip address 192.168.110.0 255.255.255.0
no shut
do wr
exit
```

****Campus 6****

no

enable

config t

interface fa0/0

ip address 192.168.40.254 255.255.255.0

no shut

do wr

exit

interface fa1/0

ip address 192.168.10.254 255.255.255.0

no shut

do wr

exit

interface se2/0

ip address 192.168.168.0 255.255.255.0

no shut

do wr

exit

Routing Table

router ospf 6

network 192.168.20.0 0.0.0.255 area 6

network 192.168.20.0 0.0.0.255 area 6

network 192.168.10.0 0.0.0.255 area 6

```
router ospf 3
```

```
network 192.168.20.0 0.0.0.255 area 3
```

```
network 192.168.40.0 0.0.0.255 area 3
```

```
network 192.168.10.0 0.0.0.255 area 3
```

```
network 192.168.30.0 0.0.0.255 area 3
```

```
router ospf 1
```

```
network 192.168.70.0 0.0.0.255 area 1
```

```
network 192.168.140.0 0.0.0.255 area 1
```

```
network 192.168.150.0 0.0.0.255 area 1
```

```
network 192.168.160.0 0.0.0.255 area 1
```

```
router ospf 2
```

```
network 192.168.50.0 0.0.0.255 area 2
```

```
network 192.1168.100.0 0.0.0.255 area 2
```

```
network 192.168.140.0 0.0.0.255 area 2
```

```
router ospf 4
```

```
network 192.168.20.0 0.0.0.255 area 4
```

```
network 192.168.30.0 0.0.0.255 area 4
```

```
network 192.168.90.0 0.0.0.255 area 4
```

```
network 192.160.100.0 0.0.0.255 area 4
```

```
router ospf 5
```

```
network 192.168.60.0 0.0.255.255 area 5
```

```
network 192.168.110.0 0.0.0.255 area 5
```

Conclusion:

Overall, it can be concluded that complex network of APOLLO International University given design was performed properly. The network design incorporated in a way that all campus can conduct together their daily activities. There was many problem establishing the network. Overall it was amazing to create this full-fledged complex network.