

A.S.S. Patient Summary

Patient Study Based on Lesion Graph

Lesion Count According to Classification

| Time Layer | complex | disappeared | lone | merged | new | persistent | split |
|------------|---------|-------------|------|--------|-----|------------|-------|
| 0 | 0 | 0 | 1 | 0 | 6 | 0 | 1 |
| 1 | 0 | 2 | 0 | 0 | 1 | 7 | 0 |
| 2 | 0 | 0 | 11 | 2 | 0 | 3 | 0 |

Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous
One

| Time Stamp | Total Volume [cc] | Volume Difference Percentage | Volume Difference [cc] |
|------------|-------------------|------------------------------|------------------------|
| 0 | 386.61 | - | - |
| 1 | 200.98 | -48% | -185.63 |
| 2 | 319.73 | +59% | +118.75 |

Individual Lesion Changes

New Lesions

Lesions 1, 4, 7, 8, 9, 10, 11, 12, 13, 14, 16 appeared for the first time in the last scan.

Disappeared Lesions

Over time, 2 lesions disappeared.

2 lesions were last identified in 03.05.17.

0 lesions were last identified in 09.07.17.

Lesions Appearing in Multiple Scans



