

# C\_A\_ Patient Summary

## Patient Study Based on Lesion Graph

**Lesion Count According to Classification**

Time Layer	complex	disappeared	lone	merged	new	persistent	split
0	0	0	5	0	11	0	0
1	0	1	0	0	1	10	0
2	0	1	0	0	3	10	0
3	0	5	0	0	0	8	0
4	0	1	0	0	1	7	0
5	0	2	0	0	3	5	1
6	0	3	2	1	1	5	0
7	0	2	0	0	0	4	1
8	0	0	1	0	0	7	0

**Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous One**

Time Stamp	Total Volume [cc]	Volume Difference Percentage	Volume Difference [cc]
0	16.9	-	-
1	1.46	-91%	-15.44
2	1.64	+12%	+0.17
3	3.34	+104%	+1.7
4	12.96	+288%	+9.62
5	15.79	+22%	+2.83
6	13.21	-16%	-2.58
7	12.1	-8%	-1.11
8	8.61	-29%	-3.49

# Individual Lesion Changes

## New Lesions

Lesion 9 appeared for the first time in the last scan.

## Disappeared Lesions

Over time, 15 lesions disappeared.

1 lesion was last identified in 05.11.17.

1 lesion was last identified in 10.01.18.

5 lesions were last identified in 22.04.18.

1 lesion was last identified in 13.12.18.


2 lesions were last identified in 31.03.19.




3 lesions were last identified in 28.04.19.

2 lesions were last identified in 14.01.20.



0 lesions were last identified in 07.04.20.

## Lesions Appearing in Multiple Scans







Volume monotonically decreased over time by -16% relative to the previous scan.



The current lesion volume has increased over time by 64% relative to the previous scan.



Volume monotonically decreased over time by -62% relative to the previous scan.



Volume monotonically decreased over time by -49% relative to the previous scan.