
# A. S. H. Patient Summary Patient Study Based on Lesion Graph



Di Veroli B., Joskowicz L. A Graph Theoretic Approach for Analysis of Lesion Changes and Lesions Detection Review in Longitudinal Ontological Imaging, CASMIP Hebrew University, 2023

**Lesion Counting According to Their Classification** 

Time Layer	complex	disappeared	lone	merged	new	persistent	split
0	0	0	0	0	13	0	0
1	0	0	0	2	0	6	0
2	0	0	0	0	1	8	0
3	0	0	2	1	0	7	0

## Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous One

Time Stamp	Total Volume [cm³]	Volume Difference Percentage	Volume Difference [cm³]	
0	647.47	-	-	
1	712.19	+10%	+64.73	

2	690.31	-3%	-21.88
3	785.18	+14%	+94.87

### **Individual Lesion Changes**

#### **New Lesions**

Lesions 6, 9 appeared for the first time in the last scan.

#### Lesions that have disappeared over time

Over time, no lesions disappeared.

#### Lesions appearing throughout several scans

• The History of Lesion 5

Lesion volume has decreased by 94% from previous scan to current scan. Volume shows both increases and decreases over time from first scan to last scan.


Classification of connected component: linear.

$$27.64[\text{cm}^3]$$
  $27.96[\text{cm}^3]$   $31.69[\text{cm}^3]$   $35.93[\text{cm}^3]$   
 $01.09.19$   $06.01.20$   $20.02.20$   $06.04.20$ 

Lesion volume has decreased by 13% from previous scan to current scan. Volume shows both increases and decreases over time from first scan to last scan.


Classification of connected component: linear.

#### • The History of Lesion 2



Lesion volume has decreased by 45% from previous scan to current scan. Volume shows both increases and decreases over time from first scan to last scan.

Classification of connected component: merge.



Lesion volume has decreased by 12% from previous scan to current scan. Volume shows both increases and decreases over time from first scan to last scan.

Classification of connected component: merge.

#### • The History of Lesion 4

1.19[cm<sup>3</sup>] 2.06[cm<sup>3</sup>] 1.48[cm<sup>3</sup>] 2.17[cm<sup>3</sup>] 
$$\xrightarrow{5}$$
 - +72%  $\xrightarrow{5}$  -28%  $\xrightarrow{4}$  - +46%  $\xrightarrow{4}$  01.09.19 06.01.20 20.02.20 06.04.20

Lesion volume has decreased by 46% from previous scan to current scan. Volume shows both increases and decreases over time from first scan to last scan.

Classification of connected component: linear.

Lesion volume has decreased by 78% from previous scan to current scan. Volume consistently decreased over time by 91% from first scan to last scan.

Classification of connected component: linear.

#### • The History of Lesion 8

Lesion volume has decreased by 32662% from previous scan to current scan. Volume consistently decreased over time by 25% from first scan to last scan.

Classification of connected component: linear.

Lesion volume has decreased by 4% from previous scan to current scan. Volume consistently increased over time by 4% from first scan to last scan.

Classification of connected component: linear.