



UniHack Solution Guide

Updated automatically every 5 minutes

1. What you are actually building

Unilog builds product content for industrial distributors - the manufacturer names, titles, descriptions, attributes and images that let a buyer find the right part online. The raw data a distributor hands over is rarely usable: descriptions are cryptic ("3/8 CPLG BRS 150#"), the same manufacturer appears under six different spellings, units are written five different ways, and most fields are simply empty.

Your challenge is the enrichment pipeline that sits in between. Given a messy row, produce a complete, standardised, search-ready product record.

Input analysis → de-duplication → taxonomy & classification → attribute extraction → enrichment from manufacturer sources → cleansing and normalisation → description building → digital assets.

You are not expected to automate all of it. Picking two or three steps and doing them convincingly, with evidence, beats a shallow attempt at everything. But, yeah, if you wanna do all! Feel free to...



2. The datasets, one by one

There are files fall into four groups. Only two contain items to be processed; the rest tell you how to process them.

Dataset	What it contains	Why it matters / how to use it
A. WORKING DATA - the items you actually process		
Sample-1000_Items.xlsx	1,000 raw catalogue rows, 6 columns: Mfg_Part_Num, Part_Desc, E1_Brand, Unilog_Brand, DIB_Brand, Part_Manuf.	This is your main input at scale. Descriptions are short, abbreviated and inconsistent; brand fields are often placeholders such as "--Unbranded --". Use it to test your

UniHack Solution Guide

Updated automatically every 5 minutes

		raw rows (adds Dept / Class / Fine and SKU). Delivery Format = the same 200 items fully enriched across 252 columns.	important fill in the pack: i is your labelled ground truth Input is what your model receives; Delivery Format is what a correct answer looks like. Use it to design your output  sche score accu
B. THE RULE BOOK - how output must be written			
	UNILog_INTERNAL_CONTENT_GUIDELINES.docx	The master content standard: construction formulas, character limits and casing rules for every field, plus category-specific rules, sourcing rules and digital-asset specs.	Treat this as the specification for your generation logic. Formulas her (e.g. Product Title = Brand Series + MPN + Item Type + key attribute: can be encoded directly as prompts or validation rules.
	Unilog_Master_UOM_Standards_Abbreviations_and_Terms.xlsx	Sheet 1: ~500 approved unit-of-measure abbreviations across 89 measurement types, with the exact capture form and a worked example. Sheet 2: 22 house-style rules (hyphenation, symbols, technical abbreviations).	The only permitted wa to write a un anywhere in your output. Convert "inches", "IN.", "inch" to the single approved form, and always keep a space between the number and the unit (24 i not 24in).
	Decimal_Fraction.xlsx	63 exact inch conversions from 1/64 (0.015625) to 63/64 (0.984375), laid out as four side-by-side Fraction Decimal blocks.	A simple lookup table. Manufacture publish decimals; trade buyers search fractions. Convert 0.5 t 1/2 and 50.2!

UniHack Solution Guide		Updated automatically every 5 minutes	
			stacked pairs of columns, not one.
	C. MASTER DATA & CONTROLLED VOCABULARIES - the allowed values		
	UniCat_Manufacturer_and_Brand_List.xlsx	27,000+ approved rows: MANUFACTURER_NAME, MANUFACTURER_CODE, BRAND_NAME, BRAND_CODE - with exact legal casing, spacing, suffixes (Inc / LLC / Ltd) and ® / ™ symbols.	Use it to normalise messy supplier strings to a canonical manufacture then pick the paired brand Where  item bran manufacture name is used instead. Good candidate for fuzzy matching.
	Unicat_Lov_v1_0_Updated_With_Remarks.xlsx	The cross-category List of Values: ~161,000 rows of Classpath Leaf Node Filtering Y/N Attribute Label Attribute Values Normalized Label Normalized Values Guidelines Remarks.	Tells you which attributes apply to a given classpath, which are filterable, and the normalised form each value must take. Effectively a constrained vocabulary your model must generate within, rather than free text
	FAUCETS_LOV.xlsx	A strict category spec for Kitchen and Bath Sink Faucets. Four sheets each: Summary (classpath, UNSPSC), Online Description build order, Attribute Detail (sequence, filtering flag, permitted values, definitions, synonyms), and a visual style guide.	A worked example of one category done to full depth. Attribute order and title word order are fixed here so it is an excellent scope for a demo: narrow, well-specified, easy to evaluate.
	Fittings_LOV.xlsx	A strict category spec for pipe / tube / hose fittings: 390 valid Fitting Types with source URLs, 1,472 manufacturer	The clearest example of many-to-one normalisation many supplies

UniHack Solution Guide		Updated automatically every 5 minutes	
		mapped to a simpler 113-value Material list.	for building and testing a mapping or entity-resolution component.
	D. INDEX		
	Reference_Documents_Summary.xlsx	A one-page index of the seven reference files above: format, class, role, contents and the part each plays in enrichment.	Read this first It is the client's own map of the pack and confirms which rules are r data and which are lookups.

3. How to read the data: one worked example

Row 1 of the 200-item file shows the whole job in miniature. The input is a single abbreviated string. The delivery format expands it into more than 250 fields, each written to a different rule:

INPUT — Part_Desc	PDSH4816AF Dishwasher SS - Display Only
Classpath	Appliances & Consumer Electronics > Kitchen Appliances > Built-In Dishwashers
Brand / MPN	FRIGIDAIRE® PDSH4816AF
Invoice Desc (≤40 char, CAPS)	DISHWASHER LEG 5 SST 120V 15A 50-1/4IN
Mobile Desc (60–80 char)	Rheem Manufacturing FRIGIDAIRE, Dishwasher, Professional Series, PDSH4816AF
Product Title / Short Desc	FRIGIDAIRE® Professional Series PDSH4816AF Dishwasher With CleanBoost™, Leg Mounting, 5-Wash Cycle, Stainless Steel
Long Description	FRIGIDAIRE® Dishwasher With CleanBoost™, Professional Series, 5 Wash Cycles, 120 V, 15 A, Leg Mounting, 24 in W x 24-1/4 in D, 50-1/4 in Depth With Door Open, 47 dBA Sound Level, Stainless Steel
Attributes	Series = Professional Series; Mounting = Leg; Wash Cycles = 5; Sound Level = 47 dBA ...



4. Key points to keep in mind

- **Start from the ground truth.** Build against the 200-item Input vs Delivery Format file before you touch the 1,000-item file. It is the only place where you can measure whether your output is right.
- **The output is constrained, not creative.** Attribute values must come from the LOV files; manufacturer and brand names must match the approved list exactly, symbols and all; units must use the approved abbreviation. A fluent description made of invented values scores zero.
- **Placeholders are not data.** "-- Unbranded --", "-- No Unilog Brand --" and "-- No DIB Brand --" mean the field is empty. Filter them out before training, matching or prompting.
- **Expect messy spreadsheets.** Several files have merged cells, multi-row headers, side-by-side column blocks (Decimal_Fraction) or notes parked in stray columns (the UOM sheet). Inspect each sheet before parsing it; do not assume row 1 is a clean header.
- **Real data is imperfect - say so.** The delivery file has blank UNSPSC and country-of-origin cells, and at least one row where the manufacturer and brand look mismatched. Noticing and reporting such gaps is a strength, not a failure; a confidence score or a 'needs human review' flag is a genuinely valuable feature.
- **Sourcing rules apply.** The guidelines require product data to come from the manufacturer's own site or documentation. Marketplaces and distributor sites are explicitly excluded. If your solution scrapes or retrieves, respect that hierarchy.
- **Depth beats breadth.** Faucets and Fittings are specified end-to-end. One category done fully - classified, attributed, described and validated — demonstrates more than a thin pass over all 1,000 rows.
- **Show your evaluation.** Field-level accuracy against the 200 known-good rows, character-limit compliance, and percentage of values found in the LOV are all simple, credible metrics. Judges will look for them.



UniHack Solution Guide

Updated automatically every 5 minutes

- Open the 200 item file side by side - input sheet next to Delivery Format - and trace three items across.
- Skim the content guidelines for the fields you plan to generate, and note the formula and character limit for each.
 - Load the LOV, manufacturer/brand and UOM files as lookup tables, and clean the placeholder values.
 - Build the smallest end-to-end slice you can: one category, a handful of fields, measured against the ground truth. Then widen it.

