Rajalakshmi Engineering College

Name: shobbika T

Email: 240701502@rajalakshmi.edu.in

Roll no: 240701502 Phone: 7305423247

Branch: REC

Department: CSE - Section 10

Batch: 2028

Degree: B.E - CSE



2024_28_III_OOPS Using Java Lab

REC_2028_OOPS using Java_Week 8_MCQ

Attempt : 1 Total Mark : 15 Marks Obtained : 15

Section 1: MCQ

What will happen if a checked custom exception is thrown inside a

Answer

Compilation Error

Status: Correct Marks: 1/1

2. What will be the output for the following code?

method without being caught or declared?

class NegativeBalanceException extends Exception {
 public NegativeBalanceException(String message) {
 super(message);
 }
}

```
class Test {
      public static void main(String[] args) {
        try {
          double balance = -500;
          if (balance < 0) {
             throw new NegativeBalanceException("Balance cannot be
    negative");
        } catch (NegativeBalanceException e) {
          System.out.println("Error: " + e.getMessage());
    Answer
    Error: Balance cannot be negative
    Status: Correct
                                                                     Marks: 1/1
    3. what is the output of the following code?
    class MyException extends Exception {
      public MyException(String message) {
       super(message);
    class Test {
      public static void main(String[] args) {
        try {
          throw new MyException("Error occurred");
        } catch (MyException e) {
          System.out.println(e);
Answer
```

MyException: Error occurred

Marks : 1/1 Status: Correct

4. What is the purpose of a custom exception in Java?

Answer

To create user-defined exceptions for specific scenarios

Status: Correct Marks: 1/1

5. What will be the output for the following code?

```
class InvalidVotingAgeException extends Exception {
    public InvalidVotingAgeException(String message) {
      super(message);
    }
  }
  class Test {
    public static void main(String[] args) {
      try {
        int age = 15;
       if (age < 18) {
           throw new InvalidVotingAgeException("You are not eligible to
vote");
        System.out.println("Eligible to vote");
      } catch (InvalidVotingAgeException e) {
        System.out.println(e.getMessage());
```

Answer

You are not eligible to vote

Status: Correct

Marks : 1/1

```
6. what is the output of the following code?
class MyException extends Exception {
     public MyException(String message) {
       super(message);
   }
   class Test {
     static void check() throws MyException {
       throw new MyException("Custom Exception Occurred");
     public static void main(String[] args) {
       try {
         check();
       } catch (Exception e) {
         System.out.println(e.getMessage());
     }
   Answer
   Custom Exception Occurred
   Status: Correct
   7. What will be the output for the following code?
   import java.io.*;
   class TemperatureTooHighException extends Exception {
     public TemperatureTooHighException(String message) {
       super(message);
   class Test {
     public static void main(String[] args) {
```

```
int temperature = 110;
      if (temperature > 100) {
        throw new TemperatureTooHighException("Temperature too
high");
    } catch (TemperatureTooHighException e) {
      System.out.println(e.getMessage());
  }
Answer
Temperature too high
Status: Correct
8. Which keyword is used to explicitly throw a custom exception?
Answer
throw
Status: Correct
                                                                Marks: 1/1
9. What will be the output for the following code?
class InvalidUsernameException extends Exception {
  public InvalidUsernameException(String message) {
    super(message);
}
class Test {
  public static void main(String[] args) {
    try {
      String username = "abc":
      if (username.length() < 5) {
        throw new InvalidUsernameException("Username must be at
```

```
least 5 characters long");
    } catch (InvalidUsernameException e) {
      System.out.println(e.getMessage());
Answer
Username must be at least 5 characters long
Status: Correct
                                                                 Marks: 1/1
10. Which of the following is true about custom exceptions?
Answer
Custom exceptions must extend either Exception or RuntimeException
Status: Correct
                                                                 Marks: 1/1
11. What will be the output for the following code?
import java.io.*;
class NegativeAgeException extends Exception {
  public NegativeAgeException(String message) {
    super(message);
class Test {
  public static void main(String[] args) {
    try {
      int age = -5:
      if (age < 0) {
         throw new NegativeAgeException("Age cannot be negative");
    } catch (NegativeAgeException e) {
```

```
System.out.println(e.getMessage());
   Answer
   Age cannot be negative
   Status: Correct
                                                                    Marks: 1/1
   12. What will be the output of the following code?
   class MyException extends Exception {
    public MyException() {
        super("Default Exception Message");
   }
   class Test {
      public static void main(String[] args) {
        try {
          throw new MyException();
        } catch (MyException e) {
          System.out.println(e.getMessage());
   Answer
   Default Exception Message
   Status: Correct
                                                                    Marks: 1/1
   13. How do you create an unchecked custom exception?
   Answer
   By extending RuntimeException
Status : Correct
                                                                    Marks : 1/1
```

```
14. What will be the output for the following code?
import java.io.*;
   class OutOfStockException extends Exception {
     public OutOfStockException(String message) {
        super(message);
   }
   class Test {
     public static void main(String[] args) {
       try {
          int stock = 0;
          if (stock == 0) {
            throw new OutOfStockException("Item is out of stock");
       } catch (OutOfStockException e) {
          System.out.println(e.getMessage());
     }
   Answer
                                                                   Marks : 1/1
   Item is out of stock
   Status: Correct
   15. What will be the output for the following code?
   import java.io.*;
   class UnderageException extends Exception {
     public UnderageException(String message) {
        super(message);
Class Test {
```

```
public static void main(String[] args) {
    try {
      int age = 17;
      if (age < 18) {
         throw new UnderageException("Underage, cannot proceed");
      }
    } catch (UnderageException e) {
        System.out.println(e.getMessage());
    }
}

Answer
Underage, cannot proceed

Status: Correct

Marks: 1/1</pre>
```

240/01502