Rajalakshmi Engineering College

Name: shobbika T 🕠

Email: 240701502@rajalakshmi.edu.in

Roll no: 240701502 Phone: 7305423247

Branch: REC

Department: CSE - Section 10

Batch: 2028

Degree: B.E - CSE



2024_28_III_OOPS Using Java Lab

REC_2028_OOPS using Java_Week 3_MCQ

Attempt : 1 Total Mark : 15 Marks Obtained : 15

Section 1: MCQ

1. What will be the output of the following code?

```
class Q {
    public static void main(String[] args) {
        int[] a = {1, 2, 1, 3, 1, 4};
        int count = 0;
        for (int i = 0; i < a.length; i++) {
            if (a[i] == 1) count++;
            }
            System.out.println(count);
        }
}

Answer
3</pre>
```

240101501

Marks: 1/1 Status: Correct 2. What will be the output of the following code? class Q { public static void main(String[] args) { $int[] nums = {3, 6, 7, 2, 8};$ int sum = 0; for (int i = 0; i < nums.length; i++) { if (nums[i] % 2 == 0) sum += nums[i]; System.out.println(sum); **Answer** 16 Marks: 1/1 Status: Correct 3. What will be the output of the following code? class Q { public static void main(String[] args) { int[][] a = { {1, 2}, ${3, 4}$ **}**; int sum = 0; for (int i = 0; i < a.length; i++) for (int j = 0; j < a[0].length; j++) sum += a[i][j]; System.out.println(sum); } Answer

```
Marks : 1/1
Status : Correct
    4. What will be the output of the following code?
    class Q {
      public static void main(String[] args) {
         int[] a = \{1, 2, 3, 4\};
        for (int i = 0; i < a.length / 2; i++) {
           int temp = a[i];
           a[i] = a[a.length - 1 - i];
           a[a.length - 1 - i] = temp;
         System.out.println(a[0]);
    Answer
    4
    Status: Correct
                                                                          Marks: 1/1
    5. What will be the output of the following code?
    class Q {
      public static void main(String[] args) {
         int[][] arr = {
           {5, 6, 7},
           {8, 9, 10}
        };
         System.out.println(arr[0][2]);
      }
    Answer
                                                                         Marks: 1/1
Status : Correct
```

```
240/0/502
   6. What will be the output of the following code?
class Sample {
      public static void main(String[] args) {
        int[][] matrix = {
           {1, 2, 3},
           \{4, 5, 6\}
        };
        System.out.println(matrix[1][2]);
   }
    Answer
   Status: Correct
   7. What will be the output of the following code?
   class M {
      public static void main(String[] args) {
        int[][] arr = {
           \{1, 2\},\
           {3, 4},
           {5, 6}
        for (int i = 0; i < arr.length; i++) {
           System.out.print(arr[i][0] + " ");
   Answer
    135
    Status: Correct
                                                                          Marks: 1/1
       What will be the output of the following code?
```

```
class Sample {
  public static void main(String[] args) {
     int[][] data = {
       {1, 2},
       {3, 4}
    };
     int sum = 0;
    for (int∏ row : data) {
       for (int val : row) {
          sum += val;
     System.out.println("Sum = " + sum);
}
Answer
Sum = 10
Status: Correct
                                                                        Marks: 1/1
9. What will be the output of the given code?
public class Main {
  public static void main(String[] args) {
     int[] arr = \{1, 2, 3, 4, 5\};
     int n = arr.length;
     int temp = arr[0];
    for (int i = 0; i < n - 1; i++) {
       arr[i] = arr[i + 1];
     arr[n - 1] = temp;
   ofor (int num : arr) {
       System.out.print(num + " ");
```

```
24070750}
     Answer
     23451
     Status: Correct
                                                                            Marks: 1/1
     10. What will be the output of the following code?
     class ReverseArray {
       public static void main(String[] args) {
          int[] a = \{1, 2, 3, 4\};
         for (int i = 0; i < a.length / 2; i++) {
            int temp = a[i];
            a[i] = a[a.length - 1 - i];
            a[a.length - 1 - i] = temp;
         for (int i: a)
            System.out.print(i + " ");
       }
     }
     Answer
     4321
     Status: Correct
                                                                            Marks:
     11. What will be the output of the following code?
     class Q {
       public static void main(String[] args) {
          int[] nums = {4, 2, 9, 5};
          int max = nums[0];
          for (int i = 1; i < nums.length; i++) {
         \sqrt[n]{} if (nums[i] > max)
              max = nums[i];
```

```
System.out.println(max);
240}
    Answer
    9
                                                                           Marks: 1/1
    Status: Correct
    12. What will be the output of the following code?
    class Q {
       public static void main(String[] args) {
         int[[]] a = {
            {1, 2},
           {3, 4}
         };
         for (int i = 0; i < a.length; i++) {
            for (int j = 0; j < a[0].length; j++) {
              System.out.print(a[i][i] + " ");
         }
      }
    }
    Answer
201234
    Status: Correct
                                                                           Marks : 1/1
    13. What will be the output of the following code?
    public class Test {
       public static void main(String[] args) {
         int[] x = {4, 8, 12};
         int result = x[0] * x[2];
         System.out.println(result);
```

```
240701502
    Answer
    48
    Status: Correct
                                                                          Marks: 1/1
    14. What will be the output of the following code?
    class Sample {
       public static void main(String[] args) {
         int[] a = \{1, 2, 3\};
         int product = 1;
         for (int i = 0; i < a.length; i++) {
           product *= a[i];
         System.out.println(product);
    }
    Answer
    6
    Status: Correct
                                                                          Marks: 1/1
                                                     240701502
    15. What will be the output of the following code?
class Q {
       public static void main(String[] args) {
         int[] a = \{1, 2, 3, 4\};
         for (int i = 0; i < a.length; i++) {
           if (a[i] \% 2 == 0)
              a[i] = 0:
         System.out.println(a[1] + "" + a[3]);
      }
    }
    Answer
24000
```

Marks: 1/1 Status: Correct

2,40701502