
```
In [1]: #Experiment no 11
 In [2]:
         #Aim : To perform Data visualisation on given dataset using matplotlib.
         #Name: :Shravani M Karne
 In [3]:
         #Roll no.: 39
         #Sec: A
         #Subject:Big Data Analysis(ET 2 Lab)
 In [4]: a=20
         b=30
         c=a+b
         50
 Out[4]:
         a=(1,2,3,"Ashish",2.3,True)
 In [5]:
 In [6]:
         type(a)
         tuple
 Out[6]:
 In [7]:
         len(a)
 Out[7]:
 In [8]:
         a[1::1]
         (2, 3, 'Ashish', 2.3, True)
 Out[8]:
 In [9]: b=[1,2,3,"Ashish",2.3,True]
In [10]:
         type(b)
         list
Out[10]:
In [11]:
         len(b)
Out[11]:
         import numpy as np
In [12]:
         from matplotlib import pyplot as plt
In [13]:
In [14]:
         a[0]
Out[14]:
In [15]:
         x=np.arange(1,11)
In [16]:
         array([ 1, 2, 3, 4, 5, 6, 7, 8, 9, 10])
Out[16]:
In [17]: y=2*x
```

Loading [MathJax]/extensions/Safe.js

```
In [18]: y
Out[18]: array([ 2, 4, 6, 8, 10, 12, 14, 16, 18, 20])
In [19]: plt.plot(x,y)
plt.show
Out[19]: 


function matplotlib.pyplot.show(close=None, block=None)>
```



```
In [20]: plt.plot(x,y)


plt.title("Line Chart")
plt.xlabel("X axis")
plt.ylabel("Y axis")
plt.show
```

Out[20]: <function matplotlib.pyplot.show(close=None, block=None)>



```
In [21]: plt.bar(x,y)
plt.show
```

Out[21]: <function matplotlib.pyplot.show(close=None, block=None)>




```
In [22]: plt.bar(x,y)
    plt.title("Bar Chart")
    plt.xlabel("X axis")
```

Loading [MathJax]/extensions/Safe.js

```
plt.ylabel("Y axis")
plt.show
```

Out[22]: <function matplotlib.pyplot.show(close=None, block=None)>



In [ ]: