

Gate XE-2019

1

AI24BTECH11032 Shreyansh Sonkar

- 14) If the transformation $u(x, t) = e^x v(x, t)$ reduces the partial differential equation $\frac{\partial^2 u}{\partial x^2} - 2\frac{\partial u}{\partial x} - \frac{\partial u}{\partial t} + u = 9$ to the equation $\frac{\partial^2 v}{\partial t} - \frac{\partial^2 v}{\partial x^2} = 9$ (x) then $f(x)$ equals
- a) $-e^{-x}$ b) e^{-x} c) $-2e^{-x}$ d) $2e^{-x}$
- 15) The value of α for which the system of equations
- $$\begin{aligned}x - y - 3z &= 3 \\ 2x + z &= 0 \\ -2y - 7z &= \alpha\end{aligned}$$
- has a solution is _____.
- 16) The value of the line integral $\oint_{\gamma} (-y^3 dx + x^3 dy)$, where γ is the circle $x^2 + y^2 = 1$ oriented counter clockwise, is _____.
- 17) Let $y_1(x)$ and $y_2(x)$ be two linearly independent solutions of the differential equation $x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} - 4y = 0, x > 0$. If $y_1(x) = x^2$, then $\lim_{x \rightarrow \infty} y_2(x)$ is _____.
- 18) If $Q = \begin{pmatrix} 3 & 2 & 4 \\ 2 & 0 & 2 \\ 4 & 2 & 3 \end{pmatrix}$ and $P = (v_1, v_2, v_3)$ is the matrix where v_1, v_2 and v_3 are linearly independent eigenvector of the matrix Q , then the sum of the absolute values of all the elements of the matrix $P^{-1}QP$
- a) 6 b) 10 c) 14 d) 22
- 19) If $P(x) = ax^3 + bx^2 + cx + d$ is the polynomial obtained by Lagrange interpolation satisfying $P(0) = -8, P(1) = -7, P(2) = -6$ and $P(4) = 20$ then the value of $a + b + c$ is
- a) 1 b) 3 c) 5 d) 7
- 20) The number of critical points of the function $f(x, y) = x^3 + 3xy^2 - 15x - 12y$ at which there is neither maximum nor minimum is _____.

- 21) Let $I = \frac{10^5 i}{2\pi} \oint_{\gamma} \frac{dz}{(z-4)(z^7-1)}$, where $i = \sqrt{-1}$ and γ is the circle $|z| = 2$ oriented counter clockwise. Then, the value of I rounded off to one decimal place
- 22) For stable equilibrium of a floating body, which one of the following statements is correct?
- Centre of gravity must be located below the centre of buoyancy.
 - Centre of buoyancy must be located below the centre of gravity.
 - Metacentre must be located below the centre of gravity.
 - Centre of gravity must be located below the metacentre.
- 23) If u and v are the velocity components in the x - and y -directions respectively, the z -component of vorticity ω_z at a point in a flow field is
- $\frac{\partial v}{\partial x} + \frac{\partial u}{\partial y}$
 - $\frac{\partial v}{\partial x} - \frac{\partial u}{\partial y}$
 - $\frac{\partial v}{\partial y} + \frac{\partial u}{\partial x}$
 - $\frac{\partial v}{\partial y} - \frac{\partial u}{\partial x}$
- 24) In which one of the following devices the difference between static and total pressure is used to determine the flow velocity?
- Piezometer
 - Pitot static tube
 - Orificemeter
 - Venturimeter
- 25) A golf ball is dimpled to make the flow turbulent and consequently to reduce the drag. Turbulent flow reduces the drag on the golf ball because
- skin friction coefficient is lower in a turbulent flow.
 - skin friction coefficient is higher in a turbulent flow.
 - Laminar flow has a lower tendency to separate.
 - turbulent flow has a higher tendency to separate.
- 26) For a steady laminar incompressible boundary layer flow over a sharp-edged flat plate at zero incidence,
- the edge of the boundary layer is a streamline.
 - the edge of the boundary layer is a pathline.
 - the skin friction coefficient decreases as the distance from the leading edge increases.
 - the skin friction coefficient remains constant all along the plate.

