

Lesson Objectives

4

At the end of this module you will be able to:

- ✓ Understand Serverless computing
- ✓ Create Function App and host Azure functions in it
- \checkmark Create Azure functions which responds to variety of events
- ✓ Deploy Azure Functions



© 2018 Capgemini. All rights reserved.

Serverless Compute Service

- Serverless computing is the abstraction of servers, infrastructure, and operating systems.
- Serverless computing is event-driven, and resources are allocated as soon as they're triggered by an event, we ned to pay for what we use
- Serverless apps provisions to manage any servers, so that we can take our mind off at the infrastructure concerns



© 2018 Capgemini. All rights reserved.


Serverless computing allow us to spend all our time in building and deploying great apps, and none of our time in managing servers because the infrastructure we need to run and scale your apps is managed for you.

We can Focus our efforts on our business. Redirect resources from infrastructure management into innovating and bringing apps to market faster

Serverless compute scales from nothing to handle tens of thousands of concurrent functions almost instantly (within seconds), to match any workload, and without requiring scale configuration. It reacts to events and triggers in near-real time

Azure Functions Introduction

- Azure Functions is a serverless compute service that enables you to run code on-demand without having to explicitly provision or manage infrastructure
- Azure Function app is required to host the execution of Azure functions
- Function app lets you to group functions as a logic unit for easier management, deployment, and sharing of resources.



© 2018 Capgemini. All rights reserved.

Microsoft Azure Function represents a solution for running small pieces of the code (known as functions) in the cloud serverless platform - function as a service (FaaS). Basically, the cloud provider gives you a "function boilerplate" with inputs for processing your business logic with delivery outputs. All Inputs and Outputs are binding based on the requirements in a declarative way. The Functions in the Serverless architecture model are processing in the Push manner based on the event-driven triggers and/or REST API Gateway for pushing (forwarding) messages to the specific function. The Triggers and/or API Gateway are parts of the Serverless Architecture and they are fully transparent to the Functions, in other words, the user is focusing on the body of the Functions and its Inputs/Outputs bindings.

The Serverless Architecture is based on the Push Model, where the event is Pushed to the Function. This model allows to scale very well and performing high throughputs for event streams. Note, that the consumer of the serverless FaaS platform doesn't need to handle scalability, restarting, recycling, triggering, hosting, etc. application. It is fully transparent and it is handled by cloud provider, such as Microsoft Azure.

It's a great feature and next evolution of the cloud computing.

Azure Functions Use Cases

4

Experiments and prototyping

Automating development processes

Decomposing or extending monolithic applications

Independent scaling

Adapters for integrating systems

Go serverless

© 2018 Capgemini. All rights reserved

Development environment



Azure Portal

 Create an edit a function app in the Azure portal

Command Line Tooling

 Test functions locally using the CLI

Visual Studio

 Install the Functions Tools extension in Visual Studio

Visual Studio Code Install the Functions Tools extension in Visual Studio

© 2018 Capgemini. All rights reserve

Triggers and bindings



 Azure Functions run a script or piece of code in response to a variety of events



Function can be triggered based on a HTTP request



Bloc

Function can be triggered when files are uploaded to or updated in Azure Blob storage.



Function can be triggered by an HTTP webhook request with a GitHub-specific payload.



Queu



Function that runs on a schedule

Function can be triggered when data is added to or changed in Azure Cosmos DB.

Function can be triggered when messages are submitted to an Azure Storage queue.

© 2018 Capgemini. All rights reserved.

Azure Functions Deployment Options



Manual Deployment

- Kudu, FTP, Web Deploy
- Invoke tool manually when you're ready to deploy
- Deploy from Visual Studio

Continuous Deployment

- Push to Git repository
- Code is automatically deployed
- Mercurial, DropBox also supported

© 2018 Capgemini. All rights reserved

Summary



- Serverless programming focus on the business needs
- Azure Functions reside in a Function App
- Azure Function = Event + Code
- As of now Azure functions can be create using the languages like C#, JavaScript and F#. Support to other languages like Java, Python, PHP are in experimental mode
- Azure functions can be learned easily from the sample templates



© 2018 Capgemini. All rights reserved

