

PrimeTime® Suite

Tool Invocation Commands

Version O-2018.06, June 2018

SYNOPSYS®

Copyright Notice and Proprietary Information

© 2018 Synopsys, Inc. All rights reserved. This software and documentation contain confidential and proprietary information that is the property of Synopsys, Inc. The software and documentation are furnished under a license agreement and may be used or copied only in accordance with the terms of the license agreement. No part of the software and documentation may be reproduced, transmitted, or translated, in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without prior written permission of Synopsys, Inc., or as expressly provided by the license agreement.

Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

Disclaimer

SYNOPSYS, INC., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Trademarks

Synopsys and certain Synopsys product names are trademarks of Synopsys, as set forth at <http://www.synopsys.com/Company/Pages/Trademarks.aspx>.

All other product or company names may be trademarks of their respective owners.

Free and Open-Source Licensing Notices

If applicable, Free and Open-Source Software (FOSS) licensing notices are available in the product installation.

Third-Party Links

Any links to third-party websites included in this document are for your convenience only. Synopsys does not endorse and is not responsible for such websites and their practices, including privacy practices, availability, and content.

Synopsys, Inc.
690 E. Middlefield Road
Mountain View, CA 94043
www.synopsys.com

Copyright Notice for the Command-Line Editing Feature

© 1992, 1993 The Regents of the University of California. All rights reserved. This code is derived from software contributed to Berkeley by Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
This product includes software developed by the University of California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright Notice for the Line-Editing Library

© 1992 Simmule Turner and Rich Salz. All rights reserved.

This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it freely, subject to the following restrictions:

1. The authors are not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by explicit claim or by omission. Since few users ever read sources, credits must appear in the documentation.
3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software. Since few users ever read sources, credits must appear in the documentation.
4. This notice may not be removed or altered.

Copyright Notice for the jemalloc Memory Allocator

© 2002-2013 Jason Evans <jasone@canonware.com>. All rights reserved.

© 2007-2012 Mozilla Foundation. All rights reserved.

© 2009-2013 Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice(s), this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice(s), this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright Notice for the CDPL Common Module

© 2006-2014, Salvatore Sanfilippo. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Contents

primetime	4
pt_shell	6

primetime

Runs the PrimeTime graphical user interface (GUI).

SYNTAX

```
primetime
  -root_path path_name
  [-display display_env_value]
  [-file script_file]
  [-no_init]
  [-version]
  [-multi_scenario]
```

Data Types

<i>path_name</i>	string
<i>display_env_value</i>	string
<i>script_file</i>	string

ARGUMENTS

-root_path *path_name*

Specifies the Synopsys root path.

-display *display_env_value*

Sets the DISPLAY environment variable to *display_env_value* for PrimeTime GUI if invoked from the pt_shell.

-file *script_file*

Executes the commands in the specified script file before displaying the initial pt_shell prompt. If the last statement in the script file is the **quit** or **exit** command, no prompt is displayed, and the command shell exits.

-no_init

Prevents the execution any .synopsys_pt.setup startup files.

-version

Displays the version number and build date information and then exits.

-multi_scenario

Invokes PrimeTime in the master of the distributed processing mode. PrimeTime starts up and displays the pt_shell prompt just as in a single scenario session. A distributed multi-scenario analysis (DMSA) is carried out by one master PrimeTime process and multiple PrimeTime slave processes.

DESCRIPTION

This command invokes the graphical user interface (GUI) to pt_shell. It executes all pt_shell startup files, commands, and command scripts. It also provides a graphical console for invoking the pt_shell commands and windows for graphical visualization of timing information.

The Main window is the graphical counterpart to pt_shell and is the only window that appears initially. The Main window provides a graphical console for executing pt_shell commands and viewing the results. Commonly used commands are also accessible from the Main window's menus. Lastly, the graphical visualization windows are invoked from the Main window.

The Histogram window can display a histogram of Endpoint Slack, Path Slack, Net Capacitance, or Design Rule Cost information for the current design. The histograms give an overall view of the state of the design. The Path Profiler window can be used to examine profiles of specific paths and nets identified in the Histogram window.

The Path Schematic Window provides a schematic view of the path specified from the Histogram Window. In addition, pin names with rise/fall arrival value, net capacitance and cell names are annotated.

The Report window organize the reports generated and provides simple viewing and search capabilities to browse the reports.

SEE ALSO

pt_shell(1)

pt_shell

Runs the PrimeTime command shell.

SYNTAX

```
pt_shell
  -root_path path_name
  [-gui]
  [-display display_env_value]
  [-file script_file]
  [-no_init]
  [-x command]
  [-version]
  [-multi_scenario]
```

Data Types

<i>path_name</i>	string
<i>display_env_value</i>	string
<i>script_file</i>	string
<i>command</i>	string

ARGUMENTS

-root_path *path_name*

Specifies the Synopsys root path.

-gui

Invokes the PrimeTime GUI immediately upon startup.

-display *display_env_value*

Sets the DISPLAY environment variable to *display_env_value* for PrimeTime GUI if invoked from the **pt_shell** command.

-file *script_file*

Executes the commands in the specified script file before displaying the initial pt_shell prompt. If the last statement in the script file is the **quit** or **exit** command, no prompt is displayed, and the command shell exits.

-x *command*

Executes the `pt_shell` statements in *command* before displaying the initial `pt_shell` prompt. You can enter multiple statements, separating each statement with a semicolon, with quotation marks around the entire set of command statements after the **-x** option. If you also use the **-file** option, the statements from the **-x** option are executed before the script from the **-file** option is executed. If the last statement entered is **quit**, no prompt is displayed and the command shell is exited.

-no_init

Directs the `pt_shell` not to execute any `.synopsys_pt.setup` startup files.

-version

Displays the version number and build date information, and then exits.

-multi_scenario

Invokes PrimeTime in the master of the distributed processing mode. PrimeTime starts up and displays the `pt_shell` prompt just as in a single scenario session. A distributed multi-scenario analysis (DMSA) is carried out by one master PrimeTime process and multiple PrimeTime slave processes.

DESCRIPTION

Interprets and executes PrimeTime timing analysis commands. The `pt_shell` command interpreter is based on Tcl (Tool Command Language).

The `pt_shell` executes commands until you terminate the session with the **quit** or **exit** command. During interactive mode, you can also terminate the `pt_shell` session by using Ctrl+D.

To cancel or interrupt the command currently executing in the `pt_shell`, type Ctrl+C. The time it takes for a command to process an interrupt (stop what it is doing and continue with the next command) depends upon the size of the design and the type of command. If you enter Ctrl+C three times before a command responds to the interrupt, `pt_shell` exits, and the following message is displayed:

```
Information: Process terminated by interrupt.
```

SEE ALSO

`primitime(1)`