CS 5600/6600: F20: Intelligent Systems Assignment 8

Vladimir Kulyukin
Department of Computer Science
Utah State University

October 24, 2020

Learning Objectives

- 1. Symbolic Pattern Matching
- 2. Knowledge Engineering for ELIZA

Problem 1 (2 points)

Write a one-page analysis of "Computing Machinery and Intelligence" by Dr. A.M. Turing published in *Mind* in 1950. Unfortunately, I misplaced my paper copy of the original article and had to request an OCRed version from the library. It has a few OCR-related errors, but, in my opinion, is quite legible and enjoyable. There're a few things that I'd like to point out about this article for you before you read it.

Those of you who've taken or are taking my CS5000: Theory of Computability will undoubtedly and immediately recognize that Sections 4 (Digital Computers) and 5 (Universality of Digital Computers) are informally describing a finite-state automaton that came to be known in computability theory as the Turing Machine (TM). If you've never heard about TMs before, don't be afraid or discouraged – one doesn't need to know the formal definition of the TM or fundamental TM theorems to appreciate these sections.

Let me give you a quick and informal description of the TM. A TM is a device with a control unit defined by a finite number of rules. The control unit is operating on a tape, infinite in both directions. The control unit is reading one cell of the tape at a time. Each rule in the unit is of the form: if you're in state q and reading symbol s on the tape, then take action s and switch to state s, where s can be one of the following: 1) move one cell left; 2) move one cell right; 3) write symbol s on the cell you're reading; or 4) erase the cell you're reading (i.e., make it blank). At the start, the TM's reading head is positioned one cell left of the first cell of the input. When the TM halts, if it ever does, the output of the computation is the contents of the tape. On the abstract level, the TM is designed to simulate the work of a human computer with an infinite supply of paper sheets.

Dr. Turing painstakingly goes through a number of counter-arguments to his imitation game he proposes in Section 1 and to his response to the question "Can machines think?". Do your best to have an open mind when reading these sections, especially the statements he makes in Section 6.1 (The Theological Objection). Recall that in lecture 14 we discussed two views on the study of mind – dualism and materialism (see slide 4 in the PDF of lecture 14 in Canvas/Announcements). Dr. Turing's views on mind and intelligence definitely belong in the materialistic camp. Hence, some of the statements he makes in this section. In general, people tend to make all manner of statements

about other cultures and religions that, upon careful investigation and deliberation, have zero basis in reality. But, what else is new under the sun?

I think that Sections 6.3 (The Mathematical Objection), 6.4 (The Argument from Consciousness), and 6.9 (The Argument from Extrasensory Perception) are really intellectually engaging. I hope you enjoy them as much I do whenever I re-read this article. In my humble opinion, Dr. Turing fails to refute these counter-arguments. But, you're free to disagree with me, of course, and I look forward to reading what you think about his refutations.

Dr. Turing wrote this article 70 years ago. It is, in many respects, a scientific prophecy. For example, in Section 7 (Learning Machines), Dr. Turing predicts advances in Machine Learning (ML), outlines the theoretical structure of Reinforcement Learning (RL), and predicts research on Genetic Programming (GP). What a great mind!

Problem 2 (3 points)

I originally thought of assigning you the article "ELIZA-A Computer Program For the Study of Natural Language Communication Between Man and Machine" by Dr. Weizenbaum. However, we've covered all the main points of this article in lectures 14 and 15. I've nonetheless included it for your reference in the zip. You can read it if you're so inclided or leave it for later.

This is a seminal AI article, because it was a direct response to Turing's imitation game challenge. Dr. Weizenbaum outlines a system that can hold natural language conversations with humans. The system can also be taught new things through knowledge engineering (see Section 7 in Dr. Turing's article) in that programmers/knowledge engineers can write new rules thereby teaching the system how to handle new conversational themes. This technology remains at the core of modern chatbots.

And that's exactly what we'll do in this problem – some knowledge engineering for ELIZA by writing new rules for it. You'll need to install Lisp for this problem. If you're on Linux, you can use CLISP. CLISP should be available on most Linux distributions. If it's not available on yours, run these commands in your terminal.

```
sudo apt-get update
sudo apt-get install clisp
```

And that should do it. If you're on Windows, Allegro Common Lisp (CL) from Franz, Inc. is an option. Allegro CL is a commercial distribution of Lisp, but free distributions of Allegro CL for various platforms (including Windows) are available at franz.com/downloads/clp/download. If you're new to Lisp and want to learn more about it, a pretty accessible book is at www.gigamonkeys.com/book/. A comprehensive compilation of various Lisp resources is at franz.com/newtolisp/index.lhtml.

I assume henceforth that you've successfully installed Lisp on your machine. Let's start by loading ELIZA. The hw08 zip contains a file load_eliza.lisp. The code part of the loader file looks as follows.

Semicolons in Lisp introduce one line comments and multi-line comments are given between #| and |#. The first parameter, *eliza-path*, defines the directory where the two ELIZA files (auxfuns.lisp and eliza.lisp) are saved. Parameters in Lisp are global variables that can be changed either by the program or set by the programmer, and are always given inside the pair of maching *'s. This is a Lisp coding convention.

The ELIZA system consists of 2 files — auxfns.lisp and eliza.lisp. The former contains a bunch of auxiliary functions; the latter is an implementation of the system described in Weizenbaum's article.

So, change *eliza-path* accordingly and let's start Lisp and load ELIZA into it. Here's my output from CLISP.

(ai) vladimir@VladimirLaptop:~/teaching/AI/F20/hw/hw08/hw08\$ clisp iiiiiii IIIIIII I \ '+' / I \ '-+-' / 8 8 800000 0008000

Welcome to GNU CLISP 2.49.60+ (2017-06-25) http://clisp.org/ Type :h and hit Enter for context help.

```
[1]> (load "load_eliza.lisp")
;; Loading file load_eliza.lisp ...
;; Loaded file load_eliza.lisp
#P"/home/vladimir/teaching/AI/F20/hw/hw08/hw08/load_eliza.lisp"
[2]> (load-eliza)
;; Loading file /home/vladimir/teaching/AI/F20/hw/hw08/hw08/auxfuns.lisp ...
;; Loaded file /home/vladimir/teaching/AI/F20/hw/hw08/hw08/auxfuns.lisp
;; Loading file /home/vladimir/teaching/AI/F20/hw/hw08/hw08/eliza.lisp
;; Loaded file /home/vladimir/teaching/AI/F20/hw/hw08/hw08/eliza.lisp
("auxfuns.lisp" "eliza.lisp")
```

I first load load_eliza.lisp with (load "load_eliza.lisp") and then call (load-eliza) to load ELIZA.

The ELIZA rules are saved in *eliza-rules* in eliza.lisp. Let's evaluate this parameter in Lisp and see its value.

```
[3] > *eliza-rules*
((((?* ?X) HELLO (?* ?Y))
  (HOW DO YOU DO. PLEASE STATE YOUR PROBLEM.))
(((?* ?X) COMPUTER (?* ?Y))
  (DO COMPUTERS WORRY YOU?)
  (WHAT DO YOU THINK ABOUT MACHINES?) (WHY DO YOU MENTION COMPUTERS?)
  (WHAT DO YOU THINK MACHINES HAVE TO DO WITH YOUR PROBLEM?))
(((?* ?X) NAME (?* ?Y)) (I AM NOT INTERESTED IN NAMES))
(((?* ?X) SORRY (?* ?Y)) (PLEASE DON 'T APOLOGIZE) (APOLOGIES ARE NOT NECESSARY)
  (WHAT FEELINGS DO YOU HAVE WHEN YOU APOLOGIZE))
(((?* ?X) I REMEMBER (?* ?Y)) (DO YOU OFTEN THINK OF ?Y)
```

```
(DOES THINKING OF ?Y BRING ANYTHING ELSE TO MIND?)
(WHAT ELSE DO YOU REMEMBER) (WHY DO YOU RECALL ?Y RIGHT NOW?)
(WHAT IN THE PRESENT SITUATION REMINDS YOU OF ?Y)
(WHAT IS THE CONNECTION BETWEEN ME AND ?Y)))
```

OK. So, its value is a list of rules, each of which is, in turn, a list. Let's get rule 1 from *eliza-rules* and save it in rule-1. Sequence counting in Lisp starts at 0. So, we're really retrieving the second rule from the list of rules saved in *eliza-rules*.

```
[4]> (setf rule-1 (elt *eliza-rules* 1))
(((?* ?X) COMPUTER (?* ?Y))
  (DO COMPUTERS WORRY YOU?)
  (WHAT DO YOU THINK ABOUT MACHINES?)
  (WHY DO YOU MENTION COMPUTERS?)
  (WHAT DO YOU THINK MACHINES HAVE TO DO WITH YOUR PROBLEM?))
```

Rule 1 looks as follows.

```
[5]> rule-1
(((?* ?X) COMPUTER (?* ?Y))
  (DO COMPUTERS WORRY YOU?)
  (WHAT DO YOU THINK ABOUT MACHINES?)
  (WHY DO YOU MENTION COMPUTERS?)
  (WHAT DO YOU THINK MACHINES HAVE TO DO WITH YOUR PROBLEM?))
```

This rule contains the pattern ((?* ?X) COMPUTER (?* ?Y)) with two segment variables to match against the user input and the following four responses one of which, if the pattern matches the input, is chosen randomly (recall Dr. Turing's discussion of random number generators as a way to simulate free will in Section 4 of his article):

- 1. (DO COMPUTERS WORRY YOU?);
- 2. (WHAT DO YOU THINK ABOUT MACHINES?);
- 3. (WHY DO YOU MENTION COMPUTERS?);
- 4. (WHAT DO YOU THINK MACHINES HAVE TO DO WITH YOUR PROBLEM?).

You can access the pattern and the responses of a rule with the functions rule-pattern and rule-responses defined in eliza.lisp. Here's how.

```
> (rule-pattern rule-1)
((?* ?X) COMPUTER (?* ?Y))
> (rule-responses rule-1)
((DO COMPUTERS WORRY YOU?) (WHAT DO YOU THINK ABOUT MACHINES?)
(WHY DO YOU MENTION COMPUTERS?)
(WHAT DO YOU THINK MACHINES HAVE TO DO WITH YOUR PROBLEM?))
```

I've defined six rules in *eliza-rules*. They suffice for having some conversations (not really intersting ones) with ELIZA. Simply call the function eliza to get into the conversation loop. Here's how.

```
[6]> (eliza)
ELIZA> hello eliza
HOW DO YOU DO. PLEASE STATE YOUR PROBLEM.
ELIZA> are you a computer
WHAT DO YOU THINK MACHINES HAVE TO DO WITH YOUR PROBLEM?
ELIZA> i don't remember having said anything about my problems
WHY DO YOU RECALL HAVING SAID ANYTHING ABOUT YOUR PROBLEMS RIGHT NOW?
ELIZA> good bye
GOOD BYE
```

As you can see above, to get out of the loop, you have to type "good bye." Also, remember that all punctuation marks are ignored in this version.

Let me mention an important aspect of Lisp debugging. If you want to fix a bug or modify your code, you don't have to re-start Lisp. You can modify your code and then load it into the same process running an instance of the Lisp machine. The Lisp machine will update its symbol tables automatically. If you're new to Lisp, this may feel weird at first, because it's so much unlike what we're used to doing in C/C++, Python, JAVA, etc., but you should take advantage of it. This is what makes it possible for Lispers to write systems that generate new code at run time, file it away, and then load it into the same running Lisp process. And the process keeps chugging along.

Here's an example. Let's say you want to add a rule to enable ELIZA to recognize the phrase "so long" as one of the possible ways of saying good bye. You can open the file eliza.lisp and type this rule right ater rule 6.

```
;;; rule 7
(((?* x) so long (?* y))
  (good bye)
  (bye)
  (see you)
  (see you later))
```

Then save eliza.lisp and load it into the same running Lisp and use the Lisp function last to retrieve the new rule. Note that the Lisp machine has updated the value of *eliza-rules*.

```
[7]> (load "eliza.lisp")
;; Loading file eliza.lisp ...
;; Loaded file eliza.lisp
#P"/home/vladimir/teaching/AI/F20/hw/hw08/hw08/eliza.lisp"
[8]> (last *eliza-rules*)
((((?* X) SO LONG (?* Y)) (GOOD BYE) (BYE) (SEE YOU) (SEE YOU LATER)))
```

You can also re-start ELIZA in the same process and test that this rule has been added.

```
[9]> (eliza)
ELIZA> hello eliza
HOW DO YOU DO. PLEASE STATE YOUR PROBLEM.
ELIZA> so long
SEE YOU
```

So we've just taught ELIZA a new way of saying good by without killing the process running a Lisp machine instance.

Write 20 new rules for ELIZA and add them to *eliza-rules*. Mark the beginning and end of your rules with the Lisp comments; and add them at the end of *eliza-rules*. You can use the six rules in eliza.lisp as examples.

```
(defparameter *eliza-rules*
  '(
    ;;; rule 1
    (((?* ?x) hello (?* ?y))
    (How do you do. Please state your problem.))
    ;;; rule 2
    (((?* ?x) computer (?* ?y))
     (Do computers worry you?)
     (What do you think about machines?)
     (Why do you mention computers?)
     (What do you think machines have to do with your problem?))
    ;;; rule 3
    (((?* ?x) name (?* ?y))
     (I am not interested in names))
    ;;; rule 4
    (((?* ?x) sorry (?* ?y))
     (Please don't apologize)
     (Apologies are not necessary)
     (What feelings do you have when you apologize))
    ;;; rule 5
    (((?* ?x) I remember (?* ?y))
     (Do you often think of ?y)
     (Does thinking of ?y bring anything else to mind?)
     (What else do you remember)
     (Why do you recall ?y right now?)
     (What in the present situation reminds you of ?y)
     (What is the connection between me and ?y))
    ;;; rule 6
    (((?* x) good bye (?* y))
     (good bye))
    ;;; ====== your rules begin
    ;;; add your rules here
    ;;; ======= your rules end
  ))
```

Put your best conversation you had with ELIZA after enhancing its knowledge with your rules in a multi-line comment in eliza.lisp.

If you want some inspiration, below are three online versions of ELIZA that you may interact with to see what kinds of rules these programs have. Don't get addicted!

- 1. www.med-ai.com/models/eliza.html;
- 2. www.eclecticenergies.com/ego/eliza;
- 3. www.manifestation.com/neurotoys/eliza.php3.

What to Submit

- 1. cs5600_6600_paper.pdf with your analysis of Dr. Turing's paper;
- 2. The eliza.lisp files with your rules added to *eliza-rules* and your best conversation you had with ELIZA in a multi-line comment.

Happy Reading, Writing, and Lisping!