

**Coding Arena**

Time Left

**05 33 33**  
hr min sec

Change Default Language ▼

A B C D E F G H

**Problem : Sub Grand Sum**

Juan Marquinho is verifying a conjecture on sums of elements in sub matrices of large matrices. The conjecture involves computing the number Fibonacci ( $S \bmod 50$ ) where  $S$  is the sum of elements in a sub matrix, and  $\bmod 50$  indicates the remainder of  $S$  when divided by 50. Fibonacci numbers are defined as follows:

Fibonacci (1) = 1, Fibonacci (2) = 1 and for all  $n > 2$ , Fibonacci ( $n$ ) = Fibonacci ( $n-1$ ) + Fibonacci ( $n-2$ ). The first few Fibonacci numbers are 1, 1, 2, 3, 5, 8, .....

Since the number of sub matrices to compute is very large, he needs some help. Write a program to help him.

Specifically, given a  $N \times N$  matrix and a set of sub matrices, compute the numbers Fibonacci ( $S \bmod 50$ ) for each of the sub matrices, where  $S$  is the sum of elements of the sub matrix.

**Input Format:**

The first line gives three space separated integers  $R, C, N$ , giving the number of rows, number of columns and the number of sub matrices

The next  $R$  lines each contain, space separated  $C$  integers giving the elements of the rows

The next  $N$  lines each contain space separated four integers giving the top left and bottom right coordinates of the sub matrices (rows are numbered 0 to  $R-1$  and columns are numbered 0 to  $C-1$ , and the top left corner of the matrix has coordinates 0, 0).

**Output Format:**

$N$  lines each giving the Fibonacci ( $S \bmod 50$ ) of the sub matrices.

**Constraints**

$5 \leq R \leq 1000$   
 $5 \leq C \leq 1000$   
 $5 \leq N \leq 1000000$

The elements of the matrix are integers in the range 0 to 100

**Constraints:**

None

**Example 1**

Input  
10 10 1  
30 77 92 21 16 7 77 3 2 20  
66 77 24 40 21 38 3 50 37 100  
59 60 17 7 37 69 40 18 68 17  
27 45 84 35 81 23 4 6 22 97  
51 2 54 62 94 47 44 42 35 91  
63 59 6 49 80 56 73 30 77 89  
74 12 5 56 2 72 2 38 60 75  
63 55 20 16 33 2 64 95 66 78  
43 70 60 22 52 56 6 93 42 16  
86 7 40 56 32 78 78 12 3 90  
0 0 2 2

Output  
1

Explanation  
The first sub matrix is  
30 77 92  
66 77 24  
59 60 17

The sum of these elements is 502 and  $502 \bmod 50$  is 2. We need the Fibonacci (2) and hence the output is 1.

**Example 2**

Input  
10 10 1  
30 77 92 21 16 7 77 3 2 20  
66 77 24 40 21 38 3 50 37 100  
59 60 17 7 37 69 40 18 68 17  
27 45 84 35 81 23 4 6 22 97  
51 2 54 62 94 47 44 42 35 91

[Rules & Regulations](#)[Launch Code Editor](#)[Notifications](#)[Status messages](#)

```
63 59 6 49 80 56 73 30 77 89
74 12 5 56 2 72 2 38 60 75
63 55 20 16 33 2 64 95 66 78
43 70 60 22 52 56 6 93 42 16
86 7 40 56 32 78 78 12 3 90
0 0 3 3
```

Output  
89

Explanation  
The sub matrix is  
30 77 92 21  
66 77 24 40  
59 60 17 7  
27 45 84 35

And the sum of the elements is 761. The remainder of this sum when divided by 50 is 11 and the eleventh Fibonacci number is 89.

**Note:**

Please do not use package and namespace in your code. For object oriented languages your code should be written in one class.

**Note:**

Participants submitting solutions in C language should not use functions from <conio.h> / <process.h> as these files do not exist in gcc

**Note:**

For C and C++, return type of main() function should be int.

© 2017 Tata Consultancy Services Limited. All Rights Reserved.

---

**Submit Answer**

- ☒ I, **DEEPAK PATEL** confirm that the answer submitted is my own.  
☐ I would like to provide attribution to the following sources.

Select Language ▼

Select File

Browse...

Submit

