

Programming Assignment 2

Due Date: November 21, 2012

The goal of this programming assignment is to understand the relative properties of the inference algorithm. In order to do so, you are required to design the alarm Bayes net presented in the class and shown in Figure 4.2. Use the parameters of the CPTs from the Figure. Implement exact inference by enumeration, prior sampling, rejection sampling and likelihood weighting.

Your program should take a set of strings as input. They will appear as the following: [$\langle N1, V1 \rangle$, ..., $\langle NN, VN \rangle$] [$NQ1, \dots, NQM$]. The first set of strings is the evidence set and the next is the query. For simplicity use the node indexes as A, B, E, J, M corresponding to alarm, burglary, earthquake, John and Mary calling. An example input would be:

[$\langle A, t \rangle \langle B, f \rangle$][J] which queries for John calling given that alarm is true and burglary is false. Similarly [$\langle E, t \rangle \langle J, t \rangle$][M, A] which queries for Mary calling and Alarm given that earthquake and John calling are true.

Correspondingly the output is now a set of strings [$\langle NQ1, P1 \rangle \langle NQ2, P2 \rangle$]. So the output corresponding to the previous cases could be [$\langle J, 0.9 \rangle$] and [$\langle M, 0.08 \rangle \langle A, 0.96 \rangle$]¹.

In addition to turning in the code, I require a writeup which has tables of the form shown below. As you can see, you vary the number of samples from 1 to 10000 and then run the different different algorithms. This will explain how the probabilities vary. Note that the last row in the table is the result of the enumeration algorithm. You should run each sampling algorithm 10 times for each number of samples. For example run prior sampling 10 times and average the inferred probability over the test queries.

Show 3 specific cases:

1. Alarm is false, infer Burglary and JohnCalls being true.
2. JohnCalls is true, Earthquake is false, infer Burglary and MaryCalls being true.
3. MaryCalls is true and JohnCalls is false, infer Burglary and Earthquake being true.

So your report must have 6 tables (3 sets of 2 tables corresponding to the queries). You will lose half the points in your assignment if this report is not submitted. They can be put in dropbox in Sakai along with the code. If not email it to me.

¹These are just madeup numbers and not exact answers to the queries.

Table 1: Required output table

Num Samples	Prior Sampling	Rejection	LW
10			
50			
100			
200			
500			
1000			
10000			
Exact			