





Plotting parameters:

```
functionName: "plot_locus"
                              queryFiles: c(NarrowPeak =
"C:/GREENBLATT/Rscripts/GenomicPlot_gh/inst/extdata/test_chip_peak_chr19.narrowPeak",
                                      iCLIPPeak =
    "C:/GREENBLATT/Rscripts/GenomicPlot_gh/inst/extdata/test_clip_peak_chr19.bed")
                              centerFiles: c(SummitPeak =
   "C:/GREENBLATT/Rscripts/GenomicPlot_gh/inst/extdata/test_chip_peak_chr19.bed")
                                      txdb: NULL
                                  ext: c(-1000, 1000)
                                    hl: c(-100, 100)
                                      shade: TRUE
                                     smooth: TRUE
importParams: list(offset = 0, fix_width = 100, fix_point = "center", norm = FALSE, useScore
          = FALSE, outRle = TRUE, useSizeFactor = FALSE, genome = "hg19")
                                    verbose: FALSE
                                      binSize: 10
                                    refPoint: "center"
                                    Xlab: "Summit"
                              Ylab: "Coverage/base/gene"
                                    inputFiles: NULL
                                    stranded: TRUE
                                    heatmap: TRUE
                                     scale: FALSE
                              outPrefix: "test_plot_locus1"
                                      rmOutlier: 0
                                     transform: NA
                                statsMethod: "wilcox.test"
                                   heatRange: NULL
                                       hw: c(8, 8)
```

nc: 2