# Rajalakshmi Engineering College

Name: shyam ganesh

Email: 241801266@rajalakshmi.edu.in

Roll no: 241801266 Phone: 9342892812

Branch: REC

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 3\_COD\_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

## 1. Problem Statement

Sharon is developing a programming challenge for a coding competition.

The challenge revolves around implementing a character-based stack data structure using an array.

Sharon's project involves a stack that can perform the following operations:

Push a Character: Users can push a character onto the stack.Pop a Character: Users can pop a character from the stack, removing and displaying the top character.Display Stack: Users can view the current elements in the stack.Exit: Users can exit the stack operations application.

Write a program to help Sharon to implement a program that performs the given operations.

**Input Format** 

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the character to be pushed onto the stack.

Choice 2: Pop the character from the stack.

Choice 3: Display the characters in the stack.

Choice 4: Exit the program.

### **Output Format**

The output displays messages according to the choice and the status of the stack:

- 1. If the choice is 1, push the given character to the stack and display the pushed character having the prefix "Pushed: ".
- 2. If the choice is 2, undo the character from the stack and display the character that is popped having the prefix "Popped: ".
- 3. If the choice is 2, and if the stack is empty without any characters, print "Stack is empty. Nothing to pop."
- 4. If the choice is 3, print the elements in the stack having the prefix "Stack elements: ".
- 5. If the choice is 3, and there are no characters in the stack, print "Stack is empty."
- 6. If the choice is 4, exit the program.
- 7. If any other choice is entered, print "Invalid choice"

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 2

4

Output: Stack is empty. Nothing to pop.

#### Answer

#include <stdio.h>

```
24,180,1200
    #include <stdbool.h>
#define MAX_SIZE 100
    char items[MAX_SIZE];
    int top = -1;
    void initialize() {
      top = -1;
    bool isFull() {
      return top == MAX_SIZE - 1;
    bool isEmpty() {
      return top == -1;
    // You are using GCC
    void push(char value) {
      //Type your code here
      if(isFull()){
        return;
      items[++top]=value;
      printf("Pushed: %c\n",value);
                                                     241801266
   void pop() {
      //Type your code here
      if(isEmpty())
        printf("Stack is empty. Nothing to pop.");
      }
      else
        printf("Popped: %c",items[top--]);
      printf("\n");
                                                     241801266
    void display() {
   //Type your code here
      if(isEmpty())
```

24,80,266

241801266

241801266

241801266

```
24,180,1266
     printf("Stack is empty.");
   else{
     printf("Stack elements: ");
     for(int i=top;i>=0;i--)
       printf(" %c",items[i]);
     printf("\n");
   }
} ,66
int main() {
   initialize();
   int choice;
   char value;
   while (true) {
     scanf("%d", &choice);
     switch (choice) {
        case 1:
          scanf(" %c", &value);
          push(value);
                                                    24,80,1266
          break;
        case 2:
          pop();
          break;
        case 3:
          display();
          break;
        case 4:
          return 0;
        default:
          printf("Invalid choice\n");
     }
                                                    24,30,1266
                        241801266
   return 0;
```

Status: Correct Marks: 10/10

24,80,266

241801266

24,180,1266