

Notes on Piterbarg's Formulation of Heston Model

Dec. 32, 2999

1 Shifted Lognormal Model

Consider the following shifted lognormal process for underlying S ,

$$dS_t = \lambda \left(bS_t + (1-b)L \right) dW_t, \quad (1)$$

the price of a call option written on S is given by

$$C(t, S_t, T, K) = \frac{1}{b} \left[\left(bS_t + (1-b)L \right) N(d_+) - \left(bK + (1-b)L \right) N(d_-) \right], \quad (2)$$

where

$$d_{\pm} = \frac{1}{|\lambda b| \sqrt{T-t}} \left(\log \left(\frac{bS_t + (1-b)L}{bK + (1-b)L} \right) \pm \frac{1}{2} \lambda^2 b^2 (T-t) \right), \quad (3)$$

S_t is the spot price of the underlying at time t , and the strike and the expiry of the call option are K and T , respectively. The parameters λ and b are responsible for the overall level and the slope of the implied volatility smile, respectively.

2 Stochastic Volatility Model

We consider a stochastic volatility model in the following form,

$$dS_t = \lambda \left(bS_t + (1-b)L \right) \sqrt{z_t} dW_t, \quad (4)$$

$$dz_t = \theta(z_0 - z_t)dt + \eta \sqrt{z_t} dZ_t, \quad (5)$$

with $\langle dW_t, dZ_t \rangle = \rho dt$. If $b = 1$, this model will reduce to the Heston model. All the parameters have similar meaning as their counterparts of the Heston model. Since we have already explicitly included the volatility λ of the underlying process, we can set $z_0 = 1$. The volatility of variance η is responsible for the convexity of the implied volatility smile.

The volatility follows the Cox-Ingersoll-Ross (CIR) process. Its properties have been discussed in [1], and will not be repeated here.

Define

$$X_t = \frac{bS_t + (1-b)L}{bS_0 + (1-b)L}, \quad (6)$$

we have

$$\frac{dX_t}{X_t} = \lambda b \sqrt{z_t} dW_t, \tag{7}$$

which has the following solution,

$$X_t = \exp \left(-\frac{1}{2} \lambda^2 b^2 \int_0^t z_u du + \lambda b \int_0^t \sqrt{z_u} dW_u \right). \tag{8}$$

References

- [1] *Notes on Feller Condition*, personal notes.