

4 (a) State Coulomb's law.

.....

.....

.....

..... [2]

- (b) A charged sphere X is supported on an insulating stand. A second charged sphere Y is suspended by an insulating thread so that sphere Y is in equilibrium at the position shown in Fig. 4.1.




Fig. 4.1

The charge on sphere X is +96 nC and the charge on sphere Y is +64 nC.
Assume that the spheres behave as point charges.

The length of the thread is 1.2 m and the centres of sphere X and sphere Y are separated horizontally by a distance of 0.080 m.

- (i) On Fig. 4.2, draw and label all the forces acting on sphere Y.




Fig. 4.2

[1]

- (ii) Determine the mass of sphere Y.

mass = kg [4]

- (iii) Calculate the total electric potential energy stored between X and Y.

energy = J [1]

- (c) An electron enters the region between two parallel plates P and Q, that are separated by a distance of 18 mm, as shown in Fig. 4.3.




Fig. 4.3

The space between the plates is a vacuum.

The potential difference between the plates is 250 V. The electric field may be assumed to be uniform in the region between the plates and zero outside this region.

- (i) State the direction of the electric force on the electron when between the plates.

..... [1]

- (ii) Determine the magnitude of the force acting on the electron due to the electric field.

force = N [2]

- (iii) Explain why the electron does **not** follow a circular path.

.....

..... [1]