₽Logo	
	235 AV
DETAILS Name OR DETAILS OR	
DETAILS Name SIDDARTH A	Alok 3BR236 A
Name Name Andrew Agents	P
SIDDARTH A	3CA7Or
Roll Number 180 180 180 180 180 180 180 180 180 180	385
3BR23CA104	23CAOA3BER
EVOCEDIMENT 38th 10th 130th 13th 10th 13th 13th 13th 13th 13th 13th 13th 13	CA TOA
ANT ON RAIL ANT ON RAIL ANT ON RAIL	J.3
ANT ON RAIL SCRION SERVICE SE	28R23C1
ANT ON RAIL Seription Seription Serious Ser	A10438R23CA
ANT ON RAIL Description There is a ant on your balcony. It wants to leave the rail so sometimes it moves right and sometimes it moves left until it gets	
exhausted.Given an integer array A of size N which consists of integer 1 and -1 only representing ant's moves.	301
Where 1 means ant moved unit distance towards the right side and -1 means it moved unit distance towards the left .Your take is to find and return the integer value representing how many times the ant reaches back to original starting position.	sk
Note:	JOA 3BRI
Assume 1-based indexing	· ·
Assume 1-based indexing Assume that the railing extends infinitely on the either sides	BR13CR
Input Format:	BRV
input1 : An integer value N representing the number of moves made by the ant. input2 : An integer array A consisting of the ant's moves towards either side	o.
input2 : An integer array A consisting of the ant's moves towards either side	3CKJON ?
Sample Input	
Sample Input 5 1-11-11	OA3BRI
	OV
Sample Output 2	^
PCL	Charles Co.
Source Code: 3HR13Ch10h3H	2 ABR
36 John Server S	180
38RIV CAJON SERVICE CAJON SERVICE CAJON SERVICE CAJON	BR 25 Er
342 ³³ 10 ^{k3b} 23cki 342 ³³ 10 ^{k3b} 23cki 342 ³³	3835
Source Code: 384222Ch10438423Ch10438	, ababy
23CA ABRILL AND	BES EV
36, 345, 345, 36, 36, 36, 36, 36, 36, 36, 36, 36, 36	2305
Source Code: So	of Black

```
def count_returns_to_start(N, A):
       current_position = 0
       return_count = 0
       for move in A:
           current_position += move
           if current_position == 0:
               return_count += 1
       return return_count
   # Example usage:
   N = int(input())
   A = list(map(int,input().split())) # Example moves
   result = count_returns_to_start(N, A)
   print(result) # Output: 3
RESULT
 5 / 5 Test Cases Passed | 100 %
        10k
```