Exercise 4

Data manipulation

Manipulate the temperature dataset

- i) Load the dataset temperature.csv from the O1_Data folder and assign it to an object with a meaningful name
- ii) Filter the dataset for the site Bern
- iii) Add a column with the variable year (the year is 2013)

For those who have time left...

- iv) Create a new date column
 - Create a new column that is a combination of the variables year, month and day (in the form of "2013-01-25")
 - Convert the class of the column from "character" to "Date"
 - Calculate the number of days between the first and last measurement
- v) Calculate the average temperature for periods without frost (i.e. the temperature is above O °C) for the site S
- vi) Load the internal dataset airquality and change the column names to lower case

Hints

- i) Load the dataset temperature.csv from the O1_Data folder and assign it to an object with a meaningful name
 - Set the working directory to the O1_Data folder in the course material (?setwd or look at the video tutorial in the O2_Slides_tutorials folder)
 - Load the dataset with the function read.csv (?read.csv)
- ii) Check the function subset (?subset)
- iii) Use a command in the form of df\$year and assign the value 2013 to this column.
- iv) Create a new date column
 - Combine the columns year, month and day: Check the function paste (?paste) and the argument sep inside the function paste
 - Add this vector to the dataset and name the column date
 - Check the function as.Date (?as.Date) to change the class of the column from "character" to "Date"
 - Calculate the duration of the measurements:
 Calculations are possible with variables of class "Date"
- v) Calculate the average temperature for periods without frost (i.e. the temperature is above 0 °C) for the site Zurich
 - Filter the dataset with the function subset (?subset)
 - Calculate the average temperature with the function mean (?mean)
- vi) Change the column names to lower case
 - Use the function colnames (?colnames) to change column names

 → See file 02_Vector_data_frame_list.R in the 03_Scripts folder for an example
 - Try to do it manually and also try to find a function that does this task (e.g. by asking Google)