



This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SPRING AI

GENERATIVE ARTIFICIAL INTELLIGENCE CON JAVA

Simone Scannapieco

Corso base per Venis S.p.A, Venezia, Italia

Settembre 2025

Note

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the paper.



STEP-BACK PROMPTING

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

- ➔ Strategia: attivare parti di conoscenza di *background* prima di utilizzare il LLM per la *task*
 - ➔ Primo *prompt* per chiedere informazioni generali correlate alla *task* finale
 - ➔ Secondo *prompt* per sfruttare tali informazioni come contesto specifico e risolvere la *task* finale
 - ⚠ Focalizzare l'attenzione del LLM su **parti della sua conoscenza**
- ➔ Vantaggi
 - ➔ Utente lavora molto poco sulla creazione del contesto
 - ➔ Contesti generalmente più mirati (generati dallo stesso LLM)
 - ➔ Tende a mitigare i *bias* cognitivi del LLM
- ➔ Svantaggi
 - ➔ Costoso (utilizzo di due meccanismi di *prompting*)

[illegible]

-  Simone Scannapieco

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

```
package it.venis.ai.spring.demo.model;

import java.util.Objects;
import com.fasterxml.jackson.annotation.JsonPropertyDescription;
import it.venis.ai.spring.demo.data.ArtifactType;

public record Artifact(@JsonPropertyDescription("Il titolo dell'opera") String title,
    @JsonPropertyDescription("Il sottotitolo dell'opera") String subtitle,
    @JsonPropertyDescription("Il tipo dell'opera") ArtifactType type,
    @JsonPropertyDescription("Il genere dell'opera") String genere,
    @JsonPropertyDescription("La trama o la recensione dell'opera") String body) {

    @Override
    public String title() {
        return Objects.requireNonNullElse(this.title, "---");
    }

    @Override
    public String subtitle() {
        return Objects.requireNonNullElse(this.subtitle, "---");
    }

    @Override
    public String genere() {
        return Objects.requireNonNullElse(this.genere, "non specificato");
    }
}
```

Note

[illegible]

Sei un agente con accesso alla più grande base dati di opere di categoria {artefatto} e genere {genere}.

Rispondi in modo puntuale e senza formule di introduzione.

Crea un elenco puntato di {numero} ambientazioni chiave per scrivere una trama avvincente e di successo.

[illegible]

File get-generated-artifact-prompt.st

Contesto: {lista}

Scegli una delle ambientazioni e scrivi in {numero} paragrafo/i la trama di un nuovo {artefatto} in materia di {genere} con una trama avvincente.

```
{formato}
```

Traduci titolo, sottotitolo, genere e corpo della risposta in lingua italiana.

Note

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines, and the paper is completely blank except for the lines.


```
package it.venis.ai.spring.demo.services;

import it.venis.ai.spring.demo.model.Answer;
import it.venis.ai.spring.demo.model.ArtifactRequest;
import it.venis.ai.spring.demo.model.DefinitionRequest;
import it.venis.ai.spring.demo.model.DefinitionResponse;
import it.venis.ai.spring.demo.model.Question;

public interface GeminiFromClientService {

    String getAnswerFromClient(String question);

    Answer getAnswerFromClient(Question question);

    Answer getDefinitionFromClient(DefinitionRequest definitionRequest);

    Answer getCustomFormatDefinitionFromClient(DefinitionRequest definitionRequest);

    Answer getJSONUserFormatDefinitionFromClient(DefinitionRequest definitionRequest);

    DefinitionResponse getJSONOutputConverterFormatDefinitionFromClient(DefinitionRequest definitionRequest);

    Answer getSentimentForArtifact(ArtifactRequest artifactRequest);

    Answer getNERinYAMLForArtifact(ArtifactRequest artifactRequest);

    Answer getSuggestionForArtifact(ArtifactRequest artifactRequest);

    Artifact getGeneratedArtifact(ArtifactRequest artifactRequest, Integer numChoices, Integer numParagraphs);

}
```

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```
package it.venis.ai.spring.demo.services;

import java.util.Map;
import org.springframework.ai.chat.client.ChatClient;
import org.springframework.ai.template.st.StTemplateRenderer;
import org.springframework.beans.factory.annotation.Value;
import org.springframework.core.io.Resource;
import org.springframework.stereotype.Service;
import it.venis.ai.spring.demo.model.Answer;
import it.venis.ai.spring.demo.model.DefinitionRequest;
import it.venis.ai.spring.demo.model.Question;

@Service
public class GeminiFromClientServiceImpl implements GeminiFromClientService {

    private final ChatClient chatClient;

    public GeminiFromClientServiceImpl(ChatClient.Builder chatClientBuilder) {
        this.chatClient = chatClientBuilder.build();
    }

    @Override
    public String getAnswerFromClient(String question) {
        return this.chatClient.prompt()
            .user(question)
            .call()
            .content();
    }
}
```

Note

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```

...
@Value("classpath:templates/get-key-settings-for-artifact-system-prompt.st")
private Resource keySettingsForArtifactSystemPrompt;

@Value("classpath:templates/get-key-settings-for-artifact-user-prompt.st")
private Resource keySettingsForArtifactUserPrompt;

@Value("classpath:templates/get-generated-artifact-prompt.st")
private Resource generatedArtifactPrompt;

@Override
public Artifact getGeneratedArtifact(ArtifactRequest artifactRequest, Integer numChoices, Integer numParagraphs) {
    BeanOutputConverter<Artifact> converter = new BeanOutputConverter<>(Artifact.class);
    String listResponse = this.chatClient.prompt()
        .options(ChatOptions.builder()
            .model("gemini-2.0-flash")
            .temperature(1.0)
            //.topP(1.0)
            //.topK(30)
            .maxTokens(2000)
            //.frequencyPenalty(0.1)
            //.presencePenalty(0.1)
            .build())
        .system(s -> s.text(this.keySettingsForArtifactSystemPrompt)
            .params(Map.of("artefatto", artifactRequest.artifact().type().getArtifactType(),
                "genere", artifactRequest.artifact().genre())))
        .user(u -> u.text(this.keySettingsForArtifactUserPrompt)
            .params(Map.of("numero", numChoices)))
        .templateRenderer(StTemplateRenderer.builder().startDelimiterToken('{')
            .endDelimiterToken('}')
            .build())
        .call()
        .content();
}
...

```

Note

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

```

...
String generatedArtifact = this.chatClient.prompt()
    .options(ChatOptions.builder()
        .model("gemini-2.0-flash")
        .temperature(1.0)
        // .topP(1.0)
        // .topK(30)
        .maxTokens(1024)
        // .frequencyPenalty(0.1)
        // .presencePenalty(0.1)
        .build())
    .user(u -> u.text(this.generatedArtifactPrompt)
        .params(Map.of("lista", listResponse,
            "numero", numParagraphs,
            "artefatto", artifactRequest.artifact().type(),
            "genere", artifactRequest.artifact().genre(),
            "formato", converter.getFormat()))
    .templateRenderer(StTemplateRenderer.builder().startDelimiterToken('{')
        .endDelimiterToken('}')
        .build())
    .call()
    .content();

return converter.convert(generatedArtifact);
}
}

```

Note

[illegible]

```
package it.venis.ai.spring.demo.controllers;

import org.springframework.web.bind.annotation.RestController;
...
import it.venis.ai.spring.demo.services.GeminiFromClientService;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestBody;

@RestController
public class QuestionFromClientController {

    private final GeminiFromClientService geminiService;

    ...

    @PostMapping("/client/advice")
    public Answer getSuggestionForArtifact(@RequestBody ArtifactRequest artifactRequest) {

        return this.geminiService.getSuggestionForArtifact(artifactRequest);

    }

    @PostMapping("/client/generate")
    public Artifact getGeneratedArtifact(@RequestBody ArtifactRequest artifactRequest,
        @RequestParam(required = true, defaultValue = "3") Integer numChoices,
        @RequestParam(required = true, defaultValue = "1") Integer numParagraphs) {

        return this.geminiService.getGeneratedArtifact(artifactRequest, numChoices, numParagraphs);

    }

}
```

Note

[illegible]

- Simone Scannapieco

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Branch: 16-spring-ai-gemini-step-back-prompting

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.