

ICT Training Center







SPRING AI

GENERATIVE ARTIFICIAL INTELLIGENCE CON JAVA

Simone Scannapieco

Corso base per Venis S.p.A, Venezia, Italia

Settembre 2025



PROGETTO SPRING AI PASSAGGI



- Creazione dei modelli per domande e risposte
- Modifiche ad interfaccia ed implementazione del servizio Gemini
- 3 Creazione del controllore MVC per servizio Gemini



PROGETTO SPRING AI DOMANDE E RISPOSTE



Modello per domanda

```
package it.venis.ai.spring.demo.model;
public record Question(String question) {}
```

Modello per risposta

```
package it.venis.ai.spring.demo.model;
public record Answer(String answer) {}
```

PROGETTO SPRING AI SERVIZIO GEMINI



Interfaccia servizio Gemini

```
package it.venis.ai.spring.demo.services;
import it.venis.ai.spring.demo.model.Answer;
import it.venis.ai.spring.demo.model.Question;
public interface GeminiService {
   String getAnswer(String question);
   Answer getAnswer(Question question);
}
```



Implementazione servizio Gemini

```
package it.venis.ai.spring.demo.services:
import org.springframework.ai.chat.model.ChatModel;
import org.springframework.ai.chat.model.ChatResponse;
import org.springframework.ai.chat.prompt.Prompt;
import org.springframework.ai.chat.prompt.PromptTemplate;
import org.springframework.stereotype.Service;
import it.venis.ai.spring.demo.model.Answer;
import it.venis.ai.spring.demo.model.Question;
OService
public class GeminiServiceImpl implements GeminiService {
    private final ChatModel chatModel:
    public GeminiServiceImpl(ChatModel chatModel) {
        this.chatModel = chatModel:
    Offverride
    public String getAnswer(String question) {
        PromptTemplate promptTemplate = new PromptTemplate(question):
        Prompt prompt = promptTemplate.create():
        ChatResponse response = chatModel.call(prompt);
        return response.getResult().getOutput().getText();
    QOverride
    public Answer getAnswer(Question question) {
        return new Answer(getAnswer(question.question()));
```



Implementazione controllore REST

```
package it.venis.ai.spring.demo.controllers;
import org.springframework.web.bind.annotation.RestController;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestBody;
import it.venis.ai.spring.demo.model.Answer;
import it.venis.ai.spring.demo.model.Question:
import it.venis.ai.spring.demo.services.GeminiService;
@RestController
public class QuestionController {
    private final GeminiService geminiService;
    public QuestionController(GeminiService geminiService) {
        this.geminiService = geminiService;
    @PostMapping("/ask")
    public Answer askQuestion(@RequestBody Question question) {
        return geminiService.getAnswer(question):
```

CODICE BRANCH DI RIFERIMENTO



https://github.com/simonescannapieco/spring-ai-base-dgroove-venis-code.git

Branch: 4-spring-ai-gemini-rest-controller