



Week 4 - Graded Assignment 4



The due date for submitting this assignment has passed.

Due on 2026-03-11, 23:59 IST.

You may submit any number of times before the due date. The final submission will be considered for grading.

You have last submitted on: 2026-03-11, 08:07 IST

Note: This assignment will be evaluated after the deadline passes. You will get your score 48 hrs after the deadline. Until then the score will be shown as Zero.

Multiple Select Questions (MSQ)

1 point

Which of the following statements are correct?

☐

If AA and BB are two square matrices, then $\text{Rank}(AB)(AB) = \text{Rank}(BA)(BA)$.

☒

If AA and BB are two $2 \times 2 \times 2$ square matrices, then $\text{Rank}(AB) \leq (AB) \leq \text{Rank}(B)(B)$.

☒

If AA and BB are two $2 \times 2 \times 2$ square matrices, then $\text{Rank}(AB) \leq (AB) \leq \text{Rank}(A)(A)$.

☒

If AA and BB are $n \times n \times n$ matrices of rank nn , then $ABAB$ has rank nn .

Yes, the answer is correct.

Score: 1

Accepted Answers:

If AA and BB are two $2 \times 2 \times 2$ square matrices, then $\text{Rank}(AB) \leq (AB) \leq \text{Rank}(B)(B)$.

If AA and BB are two $2 \times 2 \times 2$ square matrices, then $\text{Rank}(AB) \leq (AB) \leq \text{Rank}(A)(A)$.

If AA and BB are $n \times n \times n$ matrices of rank nn , then $ABAB$ has rank nn .

1 point

Match the vector spaces (with the usual scalar multiplication and vector addition as in $M_{3 \times 3}(R)$) in column A with their bases in column B and the dimensions of the vector spaces in column C in Table : M2W4GA1.

Choose the correct option.

☐

a $\rightarrow \rightarrow i \rightarrow \rightarrow 2$.

☐

b $\rightarrow \rightarrow i \rightarrow \rightarrow 2$.

☒

a $\rightarrow \rightarrow ii \rightarrow \rightarrow 3$.

☐

c $\rightarrow \rightarrow iii \rightarrow \rightarrow 1$

☐

b $\rightarrow \rightarrow iii \rightarrow \rightarrow 2$.

☐

c $\rightarrow \rightarrow i \rightarrow \rightarrow 1$.

Partially Correct.

Score: 0.33



Accepted Answers:

a → → ii → → 3.

b → → iii → → 2.

c → → i → → 1.

1 point

Consider the vector space $V = \{ \begin{bmatrix} a & b & c \end{bmatrix} \mid a, b, c \in R \}$. The subset

$S = \{ \begin{bmatrix} 2 & 1 \\ 1 & 3 \end{bmatrix}, \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \}$ is a linearly independent subset of V . Which of the following matrices A are vectors in V such that $S \cup \{A\}$ is a basis for V ?

☐ $\begin{bmatrix} 1 & 0 \\ 1 & 1 \end{bmatrix}$ ☒ $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ ☒ $\begin{bmatrix} 2 & 0 \\ 0 & 3 \end{bmatrix}$ ☐ $\begin{bmatrix} 0 & 1 \\ 1 & 1 \end{bmatrix}$ ☒ $\begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix}$ ☐ $\begin{bmatrix} 1 & -1 \\ -1 & 0 \end{bmatrix}$ **Yes, the answer is correct.****Score: 1****Accepted Answers:** $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ $\begin{bmatrix} 2 & 0 \\ 0 & 3 \end{bmatrix}$ $\begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix}$

1 point

Let $S = \{v_1, v_2, v_3\}$ be a set of three vectors in R^4 . In order to determine the linear dependence/independence of S , we construct a matrix A whose i^{th} column is given by v_i , for $i \in \{1, 2, 3\}$. Let R denote the reduced row echelon form (RREF) of A , and let r_{ij} denote the $(i, j)^{th}$ entry of R . Choose the correct statements from the following.

☐

R does not have any row comprising entirely of zeros if S is linearly independent.

☒

If k is the number of rows in R comprising entirely of zeros, then the dimension of $\text{Span}(S)$ is given by $4 - k$.

☐

If r_{11} and r_{23} are the pivots, then $\{v_1, v_2\}$ is a basis for $\text{Span}(S)$.

☒

If r_{11} and r_{23} are the pivots, then $\{v_1, v_3\}$ is a basis for $\text{Span}(S)$.

☒

$\text{rank}(A) = \text{rank}(R)$, i.e., row operations do not alter the rank of a matrix.

Yes, the answer is correct.

Score: 1

Accepted Answers:

If k is the number of rows in R comprising entirely of zeros, then the dimension of $\text{Span}(S)$ is given by $4 - k$.

If r_{11} and r_{23} are the pivots, then $\{v_1, v_3\}$ is a basis for $\text{Span}(S)$.

$\text{rank}(A) = \text{rank}(R)$, i.e., row operations do not alter the rank of a matrix.

Numerical Answer Type (NAT):

Find the rank of the matrix A , where $A = [a_{ij}]$ is of order 2021×2021 and

$a_{i,j} = \min\{i, j\}$, $i, j = 1, 2, \dots, 2021$

[Hint: First do it for smaller matrices, such as 3×3 or 4×4 .]

2021

Yes, the answer is correct.

Score: 1

Accepted Answers:

(Type: Numeric) 2021

1 point

Consider a subspace $W = \{(x_1, x_2, x_3, x_4, x_5) \mid 8x_1 + 10x_5 = 0 \text{ and } 9x_2 + 6x_4 = 0\}$ of R^5 . The dimension of W is

3

Yes, the answer is correct.

Score: 1

Accepted Answers:

(Type: Numeric) 3

1 point

Consider a matrix $A = \begin{bmatrix} 2 & -4 & 1 \\ 1 & -3 & -4 \\ 3 & -7 & 3 \end{bmatrix}$. The rank of the matrix is

3

Yes, the answer is correct.

Score: 1

Accepted Answers:

(Type: Numeric) 3

1 point

Consider two matrices $A = \begin{bmatrix} 3 & 9 & 8 \\ -7 & 10 & -9 \\ 2 & 6 & -7 \end{bmatrix}$ and $B = \begin{bmatrix} 3 & -7 & 2 \\ 9 & -10 & 6 \\ 8 & -9 & -7 \end{bmatrix}$

$\begin{bmatrix} 26 & -7 \end{bmatrix}$. Then $\text{Rank}(A) - \text{Rank}(B)$ is

0

Yes, the answer is correct.

Score: 1

Accepted Answers:

(Type: Numeric) 0

1 point

Consider the subspace $V = \{(x, y, z) \mid z = 7x + 5y, \text{ where } x, y, z \in \mathbb{R}\}$ of $\mathbb{R}^3$ and $\text{span}(\{(p, 0, 1), (0, q, 1)\}) = V$. Find the value of $\frac{1}{pq}$.

35

Yes, the answer is correct.

Score: 1

Accepted Answers:

(Type: Numeric) 35

1 point

Suppose V is a vector space defined as $V = \{A \mid A \in M_{4 \times 4}(\mathbb{R}), A \text{ is an upper triangular matrix, and the sum of the diagonal entries is zero}\}$. What is the cardinality of a basis of V ?

9

Yes, the answer is correct.

Score: 1

Accepted Answers:

(Type: Numeric) 9.0

1 point

U is the vector space of all upper triangular matrices of order 3. V is the vector space of all lower triangular matrices of order 3. The dimensions of the vector spaces $U, V, U \cap V$ are a, b, c respectively. Find $a + b + c$. The usual rules of addition and scalar multiplication apply for all three spaces.

15