



Solve with us 5 - Not Graded



This assignment will not be graded and is only for practice.

1. Key points:1. Key points:

- Rank of a matrix:
 - Maximum number of linearly independent column vectors (or row vectors) in a matrix.

NOTE: Rank of a matrix is always less than or equal to the number of columns (or rows).
- How to find rank of a matrix A:
 - Reduce the matrix to row echelon form.
 - Find the number of non zero rows in the reduced matrix which will be the rank of the matrix A.

1 point

Consider the following two matrices:

$$P = \begin{bmatrix} 1 & 0 & 3 \\ 2 & -2 & 0 \\ 0 & 1 & -1 \\ 0 & 2 & 1 \end{bmatrix} \begin{bmatrix} 12000-21230-11 \end{bmatrix}; Q = \begin{bmatrix} 1 & 1 & -20 \\ 1 & 0 & 2 & 0 \\ 0 & -1 & 0 & 4 \end{bmatrix} \begin{bmatrix} 11010-1-220004 \end{bmatrix}$$

Which of the following statements is (are) TRUE? [Hint: Try to reduce the matrices to row echelon form and find the number of non zero rows]

- ☐ Rank(P) = 4
☐ Rank(P) = Rank(Q)
☐ Rank(QP) = 4
☐ Rank(PQ) = Rank(QP)

No, the answer is incorrect.

Score: 0

Accepted Answers:

Rank(P) = Rank(Q)

Rank(PQ) = Rank(QP)

2 Key points:2 Key points:

- Null space of a matrix AA :
 - Let AA be an $m \times n$ matrix. The subspace $W = \{x \mid x \in R^n, Ax = 0\}$ is called the null space of AA .
 - The dimension of the null space W is called the nullity of AA .
- Rank-Nullity theorem:
 - Let AA be an $m \times n$ matrix, then $\text{rank}(AA) + \text{nullity}(AA) = n$.

Consider the following matrix:



$$A = \begin{bmatrix} 0 & 1 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 0 \end{bmatrix} A = \begin{bmatrix} 0 & 0 & 0 & 1 & -1 & 0 & 0 & 0 & 0 \end{bmatrix}$$

Use the matrix AA to answer the following questions (2) and (3).

1 point

Which of the following vector space represents the null space of A ?

☐

$\{(x_1, 0, x_2) \mid x_1, x_2 \in \mathbb{R}\}$ $\{(x_1, 0, x_2) \mid x_1, x_2 \in \mathbb{R}\}$

☐

$\{(0, x_1, 0) \mid x_1 \in \mathbb{R}\}$ $\{(0, x_1, 0) \mid x_1 \in \mathbb{R}\}$

☐

$\{(x_1, x_2, 0) \mid x_1, x_2 \in \mathbb{R}\}$ $\{(x_1, x_2, 0) \mid x_1, x_2 \in \mathbb{R}\}$

☐

$\{(0, 0, x_1) \mid x_1 \in \mathbb{R}\}$ $\{(0, 0, x_1) \mid x_1 \in \mathbb{R}\}$

No, the answer is incorrect.

Score: 0

Accepted Answers:

$\{(x_1, 0, x_2) \mid x_1, x_2 \in \mathbb{R}\}$ $\{(x_1, 0, x_2) \mid x_1, x_2 \in \mathbb{R}\}$

What will be the rank of the matrix AA ?

[Hint: Find the nullity of AA and use Rank-Nullity theorem]

No, the answer is incorrect.

Score: 0

Accepted Answers:

(Type: Numeric) 1

1 point

3 Key points:3 Key points:

Linear transformation:

A function f from one vector space V to another vector space W ($f: V \rightarrow W$) is said to be a linear transformation if for any two vectors v_1 and v_2 in the vector space V and for any $c \in \mathbb{R}$ (scalar) the following conditions hold:

(i) $f(v_1 + v_2) = f(v_1) + f(v_2)$

(ii) $f(cv_1) = cf(v_1)$

1 point

In a super market, the rates of a pen, a water bottle, a tooth brush, and a chocolate are ₹ 10, ₹ 40, ₹ 25, and ₹ 20 respectively. Suppose $T(x, y, z, w)$ denotes the total cost of x pens, y water bottles, z tooth brushes, and w chocolates. Which of the following will be the correct expression for $T(x, y, z, w)$?

☐

$T(x, y, z, w) = x + y + z + w$

☐

$T(x, y, z, w) = 20x + 25y + 40z + 10w$

☐

$$T(x, y, z, w) = (x + y + z + w)(10 + 40 + 25 + 20) \quad T(x, y, z, w) = (x + y + z + w)(10 + 40 + 25 + 20)$$

☐

$$T(x, y, z, w) = 10x + 40y + 25z + 20w \quad T(x, y, z, w) = 10x + 40y + 25z + 20w$$

No, the answer is incorrect.

Score: 0

Feedback:

Check whether by evaluating for particular values of x, y, z, w the function value matches the cost.

Accepted Answers:

$$T(x, y, z, w) = 10x + 40y + 25z + 20w \quad T(x, y, z, w) = 10x + 40y + 25z + 20w$$

1 point

Suppose Keerthana bought 3 pens, 5 water bottles, 10 chocolates and she did not buy any tooth brushes.

Which of the following options denotes the total cost paid by her?

☐

$$T(3, 5, 1, 10) \quad T(3, 5, 1, 10)$$

☐

$$T(3, 5, 0, 10) \quad T(3, 5, 0, 10)$$

☐ ₹430

☐ ₹450

No, the answer is incorrect.

Score: 0

Accepted Answers:

$$T(3, 5, 0, 10) \quad T(3, 5, 0, 10)$$

₹430

[Check Answers](#)

Your score is: 0/5