

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to vastu web	37.693 s	4	3	1	0	16	13	1	2


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to vastu web	verify Dashboard Items

TAG		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@smoke	3	3	0	0	1	0	1	0


FEATURES SUMMARY

-- 5 --




#	Feature Name	T	P	F	S	Duration
1	Login to vastu web	4	3	1	0	37.693 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to vastu web	login Feature	4	4	0	0	7.088 s
2		verify Dashboard Items	3	0	1	2	21.975 s
3		verify Dashboard	4	4	0	0	4.134 s
4		verify search	5	5	0	0	4.275 s

### Login to vastu web




### **login Feature**



#	Step / Hook Details	Status	Duration
1	And enter "user_4650@vastuhfc.com" into "Email"	PASSED	0.165 s
2	And enter "123456" into "Password"	PASSED	0.059 s
3	And click on the 2nd "Login"	PASSED	1.767 s
4	And wait 5 sec	PASSED	5.010 s


## verify Dashboard Items



#	Step / Hook Details	Status	Duration
1	And check that screen contains following	FAILED	0.019 s
	io.cucumber.core.exception.CucumberException: Step [^check that screen (contains does not contain) following\$] is defined with 2 parameters at 'com.nimble.stepDefinitions.AssertSteps.checkTextListOnScreen(java.lang.String,java.util.List <java.lang.string>)'. However, the gherkin step</java.lang.string>		
	has 1 arguments: * contains Step text: check that screen contains following		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		


#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
2	And  Applications	SKIPPED	0.016 s
3	And  Search	SKIPPED	0.022 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  verify_Dashboard_Items  java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)	FAILED	21.893 s

# verify Dashboard



#	Step / Hook Details	Status	Duration
1	And check that screen contains "Sales"	PASSED	0.201 s
2	And wait 3 sec	PASSED	3.016 s
3	And click "Sales"	PASSED	0.501 s
4	And check that screen contains "Login Stage" with exact phrase	PASSED	0.366 s

## verify search



#	Step / Hook Details	Status	Duration
1	And check that screen contains "Search"	PASSED	0.366 s
2	And check that button "Search" is enabled	PASSED	0.358 s
3	And enter "h" into "Search"	PASSED	0.364 s
4	And wait 3 secs	PASSED	3.012 s
5	And check that screen contains "Loan No"	PASSED	0.141 s