

Subject Name: Intelligent Systems and Security

Subject Code: CTMTAIDS SII P4 Guided By: Ms. Dristi Garadhari


School of Cyber Security & Digital Forensics M.Tech Artificial Intelligence & Data Science

(Specialization in Cyber Security)

Year / Sem: 1st / 2nd

Session Year: 2024 -26

Presented by: Pratham Badge Enrolment No.: 2401003007003



INTRODUCTION


- ☐ What is IoT?
 - IoT (Internet of Things) refers to interconnected physical devices that collect and exchange data over the internet...
- Why AI + IoT in Cybersecurity?
 - The integration of AI with IoT enhances system intelligence through real-time monitoring, autonomous threat detection, adaptive security measures and automation.
- ☐ Motivation:
 - As a tech enthusiast I am aiming to create an efficient, low-powered multifunctional pocket system, physical prototyping on Raspberry Pi is costly and time consuming, making virtual simulation an ideal, cost-effective, and agile solution for early stage testing.



PROBLEM STATEMENT

Designing a compact IoT system that integrates NAS/media server, Al-driven IDS/IPS with firewall, virtualization, an Al chatbot, and home automation—entirely on a Raspberry Pi—presents several challenges:

- Limited hardware resources restrict multi-function integration.
- Real-time AI tasks need lightweight, low-latency and optimized models.
- Safe and Secure development demands sandboxed simulation and testing before real-world implementation.
- Must be user-friendly and easily deployable.



PROJECT OBJECTIVE



Simulate Raspberry
Pi virtually



Build and test
Al/ML and
cybersecurity tools
efficiently.



Ensure feasibility before hardware deployment.



Easy to use and deploy

TOOLS & **TECHNOLOGIES**



Software

- QEMU (ARM Emulator)
 - Raspberry Pi OS (Legacy or Lite for performance)
- OpenMediaVault (for NAS & media server)
- OpenVPN (open-source VPN protocol for secure and encrypted connections)
- pfSense or Proxmox (for firewall/virtualization)
- Python, OpenCV, Scikit-learn, TensorFlow, **MQTT**



Hardware (Future Stage)

- Raspberry Pi 5
- Modules (WiFi, 5G, SSD)
- SD Card, Power Adapter
























SIMULATION SETUP

- 1.Install **QEMU v10.0+**
- 2. Download Raspberry Pi OS (Full Image)
- 3. Fetch compatible kernel and dtb file
- 4. Run using PowerShell/Terminal:
- & "qemu-system-arm" -kernel [kernel-path] -M versatilepb -cpu arm1176 -m 256 \ -drive file=[img-path],format=raw -dtb [dtb-path] \ -append "root=/dev/sda2 panic=1 console=ttyAMA0" nographic -net user -net nic

BENEFITS OF SIMULATION

- No need to purchase hardware initially.
- Safe testing environment for exploits and AI models.
- Debug, patch, and iterate quickly.
- Easily deployable and portable.



SIMULATION POV

USE CASES & APPLICATIONS

- Al-Enhanced Smart Home Automation (Face Recognition, Intrusion Detection)
- Lightweight AI-Powered IDS/IPS with Real-Time IoT Traffic Analysis
- Unified Device Authentication System
- ML-Driven Anomaly Detection for Home Sensors
- Secure Mini Media & Storage Server

MORE USE CASES & APPLICATIONS



Identification

Smart Home Security (Face

Recognition, Intrusion Detection)



Analysis

5G-based IoT Traffic Analysis



Authentication

Al-Powered Device Authentication

PROJECT OUTCOME

Successfully emulated Raspberry Pi OS.

Demonstrated potential for AI + IoT testing.

Explored GPIO simulation capabilities (future step).

CONCLUSION

BASED ON THE RESEARCH

- Simulation enables safe, cost-effective prototyping and testing.
- Accelerates development of Al-integrated IoT systems.
- Establishes a foundation for secure, smart, and user-friendly edge solutions

FUTURE SCOPE




Virtual GPIO Simulation

Simulate GPIO operations using tools like PiGPIO, GPIOZero.




Cloud Al Integration

Use cloud-hosted AI (e.g., Hugging Face) for advanced inference.



Real Hardware Deployment

Transition to physical Raspberry Pi 5 after virtual validation.



Security Testing

Expand into Red Team vulnerability assessments for IoT environments.

SUMMARY

- ✓ Project Title: Raspberry Pi-Powered Unified AIoT System
- Core Idea: All-in-one compact, low-power solution for storage, security, Al, and automation.
- Key Features: NAS/media server, AI-powered IDS/IPS with firewall, virtualization, chatbot, smart home automation.
- ✓ Approach: Developed and tested via Raspberry Pi OS emulation using QEMU before real deployment.
- ▼ Technologies Used: QEMU, OpenMediaVault, pfSense/Proxmox, Python, AI/ML libraries.
- ✓ Outcome: Validated the concept, architecture, and feasibility in a simulated environment.

THANK YOU

Q & A Session

Open to questions, collaborations, and suggestions for advancing secure & smart AloT solutions.

Connect with Me: sinister-virus@outlook.com

LinkedIn: Pratham Badge

GitHub: sinister-virus



