

# Design Document

Simone Mosciatti & Sara Zanzottera

December 5, 2016

# Contents

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>Introduction</b>                            | <b>3</b>  |
| 1.1      | Purpose . . . . .                              | 3         |
| 1.2      | Scope . . . . .                                | 3         |
| 1.3      | Definitions, Acronyms, Abbreviations . . . . . | 3         |
| 1.4      | Document Structure . . . . .                   | 5         |
| 1.5      | Reference Documents . . . . .                  | 5         |
| <b>2</b> | <b>Architectural Design</b>                    | <b>6</b>  |
| 2.1      | Overview . . . . .                             | 6         |
| 2.2      | Component View . . . . .                       | 7         |
| 2.3      | Deployment View . . . . .                      | 7         |
| 2.4      | Runtime View . . . . .                         | 7         |
| 2.5      | Component Interfaces . . . . .                 | 7         |
| 2.6      | Architectural Styles and Patterns . . . . .    | 7         |
| 2.7      | Other Design Decisions . . . . .               | 7         |
| <b>3</b> | <b>Algorithm Design</b>                        | <b>8</b>  |
| <b>4</b> | <b>User Interface Design</b>                   | <b>9</b>  |
| 4.1      | Mockups . . . . .                              | 9         |
| 4.2      | UX Diagrams . . . . .                          | 10        |
| 4.3      | BCE Diagram . . . . .                          | 11        |
| <b>5</b> | <b>Requirements Traceability</b>               | <b>12</b> |
| <b>6</b> | <b>Conclusions</b>                             | <b>14</b> |
| 6.1      | Tools used . . . . .                           | 14        |
| 6.2      | Hours of work . . . . .                        | 14        |

# 1 Introduction

## 1.1 Purpose

This Design Document aims to provide to everyone involved in the actual development of the application specific insights about the structure of PowerEnJoy, its architecture's details, the design patterns we chose to implement, but also some details about its high level components, their interactions and general behavior.

## 1.2 Scope

PowerEnJoy is a digital management system for car sharing that exclusively employs electric cars to provide its service. The system provides all the functionalities normally provided by a car sharing service: registering to the service, find the location of nearby available cars, reserve cars up to a short amount of time, unlock the chosen car once found, ride it and then park it in a safe area, when it will be automatically locked and the fee paid.

In addition, the system gives bonuses and penalties in term of discounts or over-prices depending on the behavior of the user, in order to promote virtuous behaviors.

PowerEnJoy is therefore a inherently distributed system, based on a central server interactions with many distributed nodes. In detail the system can be divided into four main parts:

- a public app, used by customers to access the service
- a centralized backend that provides the service
- the cars' onboard system, that communicates only with the centralized backend
- a reserved frontend, used exclusively by the staff members to better organize their job

All these four components will be examined in more detail in the subsequent sections of the document.

## 1.3 Definitions, Acronyms, Abbreviations

**RASD** Requirements and Specification Document.

**DD** Design Document.

**User** A customer of PowerEnJoy using the service.

**Staff Operator** An employee of PowerEnJoy which takes care of the cars.

**Ride** The action of getting onboard of a PowerEnJoy car, start its engine, drive to destination and park.

**Running Time** The time an user spends using the PowerEnJoy service.

**Issue** Any problem a car may incur in, or a user may face while using the service.

**Nearby Cars** Cars located within a maximum distance to a specific position.

**Nearby Issues** Issues that are affecting cars close to a specific position.

**Booking (Reservation)** The act to reserve a car for a limited amount of time for future use by a user.

**Reservation's maximum time** The maximum amount of time a car can be reserved.

**Driver** Whoever is driving a regularly booked PowerEnjoy car.

**Passenger** Whoever is inside a PowerEnjoy car but is not the driver.

**Driving License** The state's issued driving license of the user.

**Notification** A form of communication where the user is actively notified of some event.

**Issue Report** An incoming notification that states a car incurred in an issue.

**Fine** A fine issued by the local law enforcing officers to a user while driving a PowerEnjoy car.

**Pending Bills** Bills that a user still needs to pay to PowerEnjoy .

**Safe Area** A parking area, predefined by the company, where it is possible to safely park the cars of the PowerEnjoy fleet.

**Battery Charge** The amount of charge that is kept inside the car's battery.

**Charging Station** Dedicated areas where it is possible to plug the PowerEnjoy cars to charge their batteries.

**Car's Onboard System** The control system of the car that is able to exchange data with the central system and to reevaluate operation parameters.

**Customer's App** An implementation of the system frontend tailored to the need of the customers.

**Operator's App** An implementation of the system frontend tailored to the need of the staff.

**Central System** The central system for PowerEnjoy . All the commands and all the data are streamed, analyzed and used here.

**Credentials** Pair {Username, Password} necessary to access the PowerEnjoy system.

**GPS** : Global Positioning System is a global navigation satellite system (GNSS) that provides location and time information in all weather conditions, anywhere on or near the Earth where there is an unobstructed line of sight to four or more GPS satellites.

**System's Frontend** The interface provided to the user of the PowerEnJoy system.

**System's Backend** The whole technical infrastructure necessary to PowerEnJoy .

## 1.4 Document Structure

### 1. Introduction

This sections aims to explain the purpose and the scope of the document, introducing the reader to subsequent sections of the document itself.

### 2. Architectural Design

¡DESCRIPTION HERE¿

### 3. Algorithm Design

In this section we focus on the most critical code section and we provide an in-depth analysis of how they should be structured, eventually providing pseudocode for them.

### 4. User Interface Design

In this section we carry on the UX design with the help of UX and BCE diagrams, eventually completing them with updated and extended application mockups.

### 5. Requirements Traceability

In this section we map the requirements stated in the RASD to the actual component or processes that fulfill these requirements.

### 6. Conclusions

In this section we enumerate the tools we used to redact this document, the hours of work spent by each group member and the (eventual) revision history of the document itself.

## 1.5 Reference Documents

- *Assignments AA 2016-2017.pdf* (Assignments document given by the teacher)
- *Sample Design Deliverable Discussed on Nov. 2.pdf* (Sample document provided by the teacher)

## 2 Architectural Design

The overall design process has been carried in a bottom-up approach, starting from the analysis of the requirements moving upwards to the definition of the higher level components of the system. In the following sections we provide more details on the designed architecture.

### 2.1 Overview

The high lever architecture of the system is made up of three main elements:

- The main server
- The mobile apps (user apps and staff apps alike)
- The car's onboard system

On top of these elements, there is a number of external services the servers interacts with in order to provide functionalities to the apps or to the cars' system.




Figure 1: High level overview of the architecture

At this stage, the system's architecture is clearly two-tier:

- Tier 1, the main server, handles the application logic and data management.
- Tier 2, comprising mobile apps and cars, hosts the User Interface.

The system blends three different interaction models for each of the three pair of components interacting. In detail, we designed:

- a pure **Client Server** approach when the main server interacts with the apps (customer's apps and staff's apps alike)
- a **Service Oriented** communication model between the main server interacting with external services like linf.io, truelicence.it, stripe.com etc.
- a **Publisher Subscriber** model between the main server and the cars' systems.

In subsequent sections we will provide more details about these components.

## 2.2 Component View

## 2.3 Deployment View

## 2.4 Runtime View

*[Includes sequence diagrams to show how components interact to accomplish specific use cases]*

## 2.5 Component Interfaces

## 2.6 Architectural Styles and Patterns

*[Explain patterns used above]*

## 2.7 Other Design Decisions

### **3 Algorithm Design**

*[Definition of critical sections of code]*



## **4 User Interface Design**

### **4.1 Mockups**

Mockups have already been included in the RASD (section 3.3: Non Functional Requirements)

## 4.2 UX Diagrams




Figure 2: UX Diagram of the interface of customer's application

### 4.3 BCE Diagram




Figure 3: BCE Diagram of the interface of customer's application

## 5 Requirements Traceability

Considering we designed the system using a bottom-up approach, designed components maps in a straightforward way to the goals specified in the RASD. However we provide an explicit mapping of the two.

**REGISTRATION** Users can register to PowerEnjoy .

- Server: RegistrationController
- Customer's App: RegistrationView (?)

**LOGIN** Users can login to PowerEnjoy .

- Server: LoginController
- Customer's App: LoginView (?)
- Staff's App: LoginView (?)

**LOOKUP** Users can find cars nearby a given position, it could be its position or a point in the map.

- Server: CarsLocation
- Customer's App: CarsView (?)

**BOOK** Users can book a car for a short amount of time.

- Server: BookingController
- Customer's App: BookingView (?)

**UNLOCK** When users are in proximity of the car they booked, the system can unlock it.

- Server: CarLockController
- Car: LockController
- Customer's App: CarNearby (————— SEE ISSUE 14)

**RIDE** Users can drive to their destination.

- Server: AuthDriver
- Car: LicenceScanner, EngineController, MQTT publishers, CarGUI

**SAFE AREAS** Users can locate safe parking areas.

- Server: AreasLocation
- External Services: linf.io
- Car: MQTT publishers, CarGUI

**UNSAFE PARKING** The system must react to an unsafe parking.

- Server: UnsafeParkingController, IssuesController (?)
- Car: EngineController, LockController (MQTT publishers too?)

**POWER STATIONS** Users can locate charging stations.

- Server: AreasLocation
- External Services: linf.io
- Car: CarGUI

**CHARGE** At the end of the ride, users are charged a fee.

- Server: BillingController
- Customer's App: PaymentDetailsView

**PAYMENTS** Users can pay bills through the app.

- Server: PaymentController
- External Services: stripe.com
- Customer's App: PaymentDetailsView

**FIND ISSUES** The staff can locate cars that need their intervention.

- Server: IssuesLocation
- Staff's App: IssuesView (?)

**SUPPORT** The staff can identify and solve car's issues.

- Server: IssuesController
- Staff's App: IssueDetailsView (?)

**FINES** The system can provide enough details for the staff to manage correctly the fines they receive from local authorities.

- Server: FindDriverController ( ? )
- Staff's App: FindDriverView (?)

## 6 Conclusions

### 6.1 Tools used

During the development of this document we used the following tools:

- **Github** to version control the project
- **L<sup>A</sup>T<sub>E</sub>X** on TeXworks to redact this document
- **www.draw.io** to draw UML graphs
- **Gimp v.2.8** to mockup the application
- **LibreOffice Draw** to draw the system's overview at section 2.1

### 6.2 Hours of work

- SZ: 1h on 30/11
- SM: 5h on 2/12
- SZ: 5h on 2/12