

# SAFETY DATA SHEET

Version 6.2 Revision Date 27.04.2021 Print Date 18.06.2022

#### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1 Product identifiers

Product name : Acrylic acid

Product Number : 147230 Brand : Aldrich CAS-No. : 79-10-7

## 1.2 Other means of identification

No data available

#### 1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other

uses.

#### 1.4 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH (M) SDN BHD

Level 3, Menara Sunway Annexe, Jalan Lagoon Timur, Bandar Sunway, 46150 PETALING JAYA, SELANGOR

**MALAYSIA** 

Telephone : +60 (603)03-563-53321Fax : +60 (603)03-563-54116

1.5 Emergency telephone

Emergency Phone # : 1-800-815-308 (CHEMTREC) \* + 62 0800

140 1253 (Customer Call Centre)

## Section 2: Hazard identification

## 2.1 GHS Classification

Classification according to CLASS regulations 2013

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin corrosion/irritation (Category 1A), H314

Serious eye damage/eye irritation (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Hazardous to the aquatic environment - acute hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Labelling according to CLASS regulations 2013

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapor.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

Precautionary statement(s)

Prevention

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response

P310

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER or doctor/

physician.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

P391 Collect spillage.

Reduced Labeling (<= 125 ml)

Pictogram

Signal word Danger
Hazard statement(s) none
Precautionary none

statement(s)

Refer to the Safety Data Sheet before use.

2.3 Other hazards - none

**SECTION 3: Composition and information of the ingredients of the hazardous chemical** 

Substance / Mixture : Substance

3.1 Substances

Formula :  $C_3H_4O_2$ Molecular weight : 72.06 g/molCAS-No. : 79-10-7EC-No. : 201-177-9

Aldrich- 147230 Page 2 of 11

Index-No. : 607-061-00-8

#### **Hazardous ingredients**

Component	Classification				
acrylic acid					
	Flam. Liq. 3; Acute Tox. 4; 1A; 1; Aquatic Acute 1; H226, H302, H332, H312, H314, H318, H400 Concentration limits: >= 1 %: STOT SE 3, H335;	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Flash back possible over considerable distance.

Combustible.

Aldrich- 147230 Page 3 of 11



Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Hygroscopic.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls and personal protection**

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

Component	CAS-No.	Value	Control parameters	Basis
acrylic acid	79-10-7	TWA	2 ppm 5.9 mg/m3	Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.
	Remarks	Skin		

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 120 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

# **Body Protection**

Aldrich- 147230

Flame retardant antistatic protective clothing.

## **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Page 5 of 11

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting point/range: 13 °C - lit.

point/freezing point

f) Initial boiling point 139 °C - lit. and boiling range

48.5 °C - closed cup - DIN 51755 Part 1

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

g) Flash point

j) Upper/lower No data available flammability or

explosive limits

k) Vapor pressure
 Japor density
 Relative density
 Kapor density
 No data available
 Relative density
 According to the control of the control of

n) Water solubility 1,000 g/l at 25 °C

o) Partition coefficient: log Pow: 0.46 at 25 °C - Bioaccumulation is not expected.

p) Autoignition 438 °C temperature at 1,013 hPa
 q) Decomposition No data available

q) Decomposition temperature

n-octanol/water

ivo data avallable

r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 1.15 mPa.s at 25 °C

s) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

Surface tension 69.6 mN/m at 1g/l at 20 °C

- Surface tension

Dissociation constant 4.26 at 25 °C

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Reacts violently in contact with acids, amines, driers, polymerization accelerators and easily oxidized materials.

Polymerization can occur.

#### 10.4 Conditions to avoid

Heating.

## 10.5 Incompatible materials

Copper, Nickel, Mild steel, Zinc

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

Acute toxicity estimate Oral - 500 mg/kg (Calculation method)

LD50 Oral - Rat - male - 1,000 - < 2,000 mg/kg

(OECD Test Guideline 423)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 11 mg/l

(Calculation method)

LC50 Inhalation - Rat - 4 h - 3.6 mg/l

Remarks: (Lit.)(Regulation (EC) No 1272/2008, Annex VI)Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Dermal - 1,100 mg/kg

(Calculation method)

LD50 Dermal - Rabbit - male - 1,000 mg/kg

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns. (OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

## Serious eye damage/eye irritation

Eyes - Rabbit

Aldrich- 147230

Result: Causes burns. Remarks: (IUCLID)

Page 7 of 11



Causes serious eye damage.

## Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

Remarks: (Lit.)

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (National Toxicology Program)

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 482

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Rat

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

Test Type: dominant lethal test

Species: Mouse

Cell type: Intrauterine Application Route: Oral

Result: negative Remarks: (ECHA)

## Carcinogenicity

No data available

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

Aldrich- 147230 Page 8 of 11

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 40 mg/kg - LOAEL (Lowest observed adverse effect level) - 100 mg/kg

RTECS: AS4375000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 27

mg/l - 96 h (US-EPA)

Toxicity to daphnia

flow-through test EC50 - Daphnia magna (Water flea) - 95 mg/l - 48

and other aquatic invertebrates

Toxicity to algae

(US-EPA)

NOEC - Chlorella vulgaris (Fresh water algae) - 0.2 mg/l - 72 h

(OECD Test Guideline 201)

#### 12.2 Persistence and degradability

Biodegradability Result: 100 % - Readily eliminated from water

(OECD Test Guideline 302B)

Result: 81 % - Readily biodegradable.

(OECD Test Guideline 301D)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Biological effects:

Neutralise before sewage disposal.

Discharge into the environment must be avoided.

#### **SECTION 13: Disposal information**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

**SECTION 14: Transportation information** 

14.1 UN number

ADR/RID: 2218 IMDG: 2218 IATA-DGR: 2218

14.2 UN proper shipping name

ADR/RID: ACRYLIC ACID, STABILIZED IMDG: ACRYLIC ACID, STABILIZED IATA-DGR: Acrylic acid, stabilized

14.3 Transport hazard class(es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA-DGR: 8 (3)

14.4 Packaging group

ADR/RID: II IMDG: II IATA-DGR: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

Copper, Nickel, Mild steel, Zinc

Other regulations

Hazchem Code : •2W

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Notification status** 

AICS: On the inventory, or in compliance with the inventory

DSL: All components of this product are on the Canadian DSL

ENCS: On the inventory, or in compliance with the inventory

ISHL: On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

**NZIoC:** Not in compliance with the inventory

**PICCS:** On the inventory, or in compliance with the inventory

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 147230 Page 11 of 11

