


MARCH '84

SJAA

EPHEMERIS



Observations

UPCOMING EVENTS

The March 10 General Meeting will have John Gleason giving a slide show on "Deep-Sky Astrophotography." John, as many of you know, is one of the top astrophotographers in the country. His work has appeared many times in magazines such as Astronomy and Sky & Telescope. You won't want to miss his beautiful slide show of the objects you love to see. 8:00 PM, room 202 of the Alumni Science Center, University of Santa Clara.

Don't forget the weekend of March 30-April 1 is the annual Messier Marathon at Loma Prieta. Don Machholz is leading this fun activity to see who can find the most Messier objects in one night. It's challenging and it's rewarding, and you don't have to see 'em all to join in. For more information see Don's articles both last month and this month in the Ephemeris, and directions to Loma Prieta are located on the calendar page.

The really big event for the year for the SJAA is our annual Astronomical Auction, to be held this year at the LeBaron Hotel. (We have simply outgrown the Red Cross building.) This is one of the most fun events in the Bay Area (Last year we drew people from Santa Cruz to Sonoma), and it's a great way to both pick up that little goodie you've been wanting, and get rid of some of the "junk" you've collected in your garage. I've enclosed a pre-registration flyer in this bulletin. Please use it - it will save you a lot of time at auction time.

So join in the fun and make some money besides. The SJAA will try to publish a list of pre-registered items in the April bulletin, so if you want some extra publicity for your items go for it!

As a side note to the auction: as always, we need volunteers for all sorts of things from registering sellers and bidders to helping Kevin, our auctioneer, get items up to the podium. If you would like to help out, it would be greatly appreciated, and you'll be bound to have a lot of fun, besides. Just let one of the board members know you want to help, or just show up at the auction that morning with energy.

Since April 7 was the Astronomical Association of Northern California's announced Astronomy Day the SJAA was going to set up its usual two-three telescope stations and show the public the Moon and some planets. However, since none of the planets are up at that time of the year, we decided to to our own Astronomy Day on May 5, and have a publically announced star party at the Los Gatos Red Cross building. The parking lot can hold a lot of telescopes and people and inside we can have that beautiful slide show that Bob Fingerhut puts on. So, remember to bring your telescopes May 5th, or at least yourself if the weather is cloudy, and help show off your hobby to the public.

Also coming up in May is a Lunar eclipse on the 14th, and the annular Solar Eclipse on May 30 at 11:52 AM. Evidently the solar eclipse, though still considered annular, is very close to a full. That will happen only on the east coast. However, we will be treated to a high percentage partial. (I don't know how much! Don't yell at me!) So take some photos so you can show them off at the usual slide show in June or at one of the indoor star parties.

May is a busy month. The biggest event of the year for west coast amateur astronomers is the Riverside Telescope Makers' Conference, held this year on May 25, 26, and 27 at Big Bear in the San Bernadino Mountains.

This event annually draws over 1000 people and is packed full of things to do. Lectures, slide shows, observing, telescope judging, and swap meets are all a part of. The SJAA usually attends in force and has a lot of fun. A flyer with registration form will be published in next month's bulletin. Those of you who went last year should be receiving one in the mail from the Riverside club. Think about going. It's an event you don't want to miss.

July 7-12 will see the joint conference of the ASP, WAA, and AANC at the University of California, Santa Cruz campus. This event should be HUGE and well-attended by professional and amateur alike. A registration flyer will be in the Ephemeris in the near future but so far the scheduling looks like this:

- Amateur papers and popular lectures on Saturday and Sunday, July 7 and 8.
- Special insider's tour of Lick Observatory on Saturday night and during Monday day.
- A full day of popular lectures by noted astronomers on Tuesday, July 10th.
- A session on the history of astronomy, Wednesday, July 11.
- A session on teaching astronomy (and microcomputers for learning astronomy) Thursday, July 12th.
- Other tours, an awards banquet, and much else.

If you would like an information packet mailed directly to you send a legal-sized, SASE to:

Summer Meeting
A. S. P.
1290-24th. Avenue
San Fransico, Ca. 94122

Our cover photo this month is of the Horsehead Nebula in Orion, taken January 1 by Mike O'Brine of Sunnyvale. He used a C-8 with hypered Kodak 2415 Technical Pan. Exposure time was 60 minutes. Thank you, Mike.

Well, this March Ephemeris will be my last bulletin. Tom Ahl has courageously volunteered to be the SJAA's new bulletin editor! Yeah, Tom! Really, it's been fun, despite the deadlines, and everyone has been great about contributing articles and ideas to make this thing go. So many other people from other clubs have always ask how we get so many articles. The answer to that is that we simply have a lot of members who want to share. So I hope with Tom you'll all continue to share and help out. I know I had a lot of help and would still be floundering without it. Many thanks to those who contributed now and in the past. Keep up the good work!

Clear skies,
Denni

Letter to the Editor

Dear Denni,

I was recently conferring with Shiela MacDougal concerning your request for endings to the line, "You know there's an amateur astronomer in your house when..." She has suggested the following:

When you go to take a picture of your family and some nerd has left the exposure control on either "BULB" or "TIME".

When you open the refrigerator and ther's film packs in the butter tray and batteries in the egg compartments.

When the hair dryer is kept in a box in the gatage labeled "Dew cap, dew gun, and mounting hardware."

When the back porch light has a 10 watt red bulb.

When the kitchen sink keeps getting clogged with grinding grit.

When all the family gatherings, birthdays, anniversaries, and holidays are moved to the nearest full Moon.

She also suggests the following;

You know you're a poor observer when the Meade Company asks you to change the color of your model 2080 Cassegrain from dark blue to orange.

You know it's bad observing weather when the reason it looks so dark outside is that there's a dense fog between you and the street light in front of your house.

You know you've got dew problems when the water flowing out of the bottom of your Newtonian forces you to wear galoshes.

You know you've got a shipping problem when the Post Office calls to say that one of their workers has cut himself on something sticking out of the side of a box mailed to you from Coulter Optical.

You know you've picked a poor observing site when you discover it's a night gunnery and bombing range ... the hard way. (Note; this actually happened to a SAC group).

You know your luck is bad when near the end of a 1 hour guided exposure the most spectacular bolide of the century explodes near your field of view, wiping out the nebula by its reflected glow alone. Note; the actual image of the bolide itself will not appear within the frame of the picture, nor will you see anything but the reflected glow on the ground since you are still guiding. Your one consolation will be that you can hear the excited cries of your fellow observers, all of whom just happened to be looking at the right place at the right time. You may then listen to their descriptions of the Great Fireball of '84 for several decades and every astronomer you ever meet for the rest of your life will have seen it. Most non-astronomers will have seen it. You will be unique in that you will never meet anybody who did not see it.

You know you've got aperture problems when you bring your hamd made 4" RFT to an ATM meeting and everybody says it's a nice finder scope.

That's all for now. By the way, you might bug Jack Zeiders for a response on my request to publish a drawing he made of the Limburger Cheese Photometer. Russel Grant has asked for an updated version to go into his book Advances in Photoelectric Photometry Vol II. I guess he wants the "state of the art" in equipment. Russel has published several books on astronomy (see also Microcomputers in Astronomy which has chapters by the Arizona astronomers.)

Shiela is doing quite well now, she is actually lucid for several minutes of the day. You might be pleased to learn that she is recuperating well after her kidnapping by the Chinese gay midget mud wrestling troupe. Then again you might not be pleased. Her divorces are all final and I believe she can get her life back in shape once that nasty mess with the KGB and the campfire girls is straightened out. She hasn't had any more crank phone calls with that sicko the "breather." I believe she lost his number. She did have a relapse at Christmas when she saw all those elves -- I guess it was a flashback to the Midget episode. Macy's has dropped the charges but now she's named as a third party in divorce actions among some of the elves. The only other news is that Kitten she brought home that wouldn't stop growling. Turns out it's a royal bengal tiger. The good news is that the neighborhood doesn't have any more problems with mice -- or door-to-door salesmen. Gotta run; the kitten want its dinner NOW.

Pete Manly

Tempe, AZ.

Editor's Note: I'll run the article on the Limburger Cheese Photometer as soon as I can find it in the Ephemeris archives. It might explain a lot. But then again, it might not.

DEEP SKY NOTES for MARCH

by Steve Gottlieb

Early March evenings afford the last chance to observe the tail end of the winter Milky Way as it dips below the southern horizon in Puppis. Though some of the constellation is not well placed for northern observers, (declination of -11° to -51°), I find myself intrigued by its beautiful clusters and often return to this region as often as possible.

An excellent starting point is the Messier open cluster M47, for in a dark sky it is visible to the naked eye by drawing a line through β , α (Sirius), and γ of Canis Major towards the east. My C8 reveals over 50 stars from magnitude 6 - magnitude 13 in a 25' field with color visible is some of the brighter stars. Near the center is the equal double ϵ 1121 consisting of a pair of magnitude 8 stars at 7" separation and one the west side is the triple ϵ 1120 which includes a magnitude 5.7 -12.2 -9.1 at 5" and 20".

While in the area, nudge your scope just 35' north and NGC 2423 will come into view. With the C8, 40 faint stars are visible in a moderately rich 15' field with a pair of magnitude 9.5 stars at 7" separation near the center. My 13.1" increased the total to 60 stars including many close, faint pairs a few weeks ago at Digger Pines Campground.

A little over 1° east can be found one of the finest open clusters in the sky, M46. Though lacking brighter stars of M47, a rich, glittering, uniform field of over 100 stars is visible in a 30' circle at 100X in the C8. My Odyssey I reveals 150 stars including some denser spots and a small star-poor gap near the center. As a bonus, on the NE edge of M46 is a fairly bright planetary nebula, NGC 2438. The C8 shows a slightly darker center to this magnitude 10 object and a magnitude 11 star just off its SE edge. Observing at Digger Pines with the 13" on January 28th, the planetary was obviously annualr at 166X. I also noted a faint star (magnitude 13) at the center and a second star near my visual threshold inside the annulus (magnitude 14.5).

While you are in this area, take a look at a second planetary, NGC 2440, located $3\frac{1}{2}^{\circ}$ due south of M46. The C8 reveals a fairly small and elongated shape ($50'' \times 20''$) at 100X with a distinctive blue color. The surface brightness is fairly high, so you can use high power to search for inner detail.

Finally, about $2\frac{1}{2}^{\circ}$ north of M47 is a faint but very rich cluster missed by the Herschels and earlier this century discovered photographically - Merlotte 71. 40 faint stars magnitude 12 - 13.5 are visible in the C8 over an unresolved background haze. I would be interested in hearing what you find here.

Steve Gottlieb
155 San Carlos
El Cerrito, Ca. 94530

GREAT RED SPOT RECOVERED!

With the very fine weather we've had recently, I've successfully recovered the Great Red Spot of Jupiter on my first attempt to observe it. The morning of February 19 was very wet, but, after some threatening clouds, the sky was clear and fairly steady at 305X with the apodizing screen. After five months, the Spot was only a few minutes later than predicted.

The Spot appeared colorless and is somewhat north of its old place. It is no longer nestled into the Southern Equatorial Belt, but seems to be resting on it -- the dent in the belt is rather small now. It is bounded east and west now by wide clear areas. There is a vague belt just touching it at the far south.

Great Red Spot on Meridian PST					
da	mo	d	h	m	
F	3	2	6	16	am
W	3	7	5	24	am
M	3	12	4	31	am
W	3	14	6	12	am
M	3	19	5	17	am

Great Red Spot on Meridian PST					
da	mo	d	h	m	
Sa	3	24	4	21	am
Th	3	29	3	29	am
Sa	3	31	5	16	am
Th	4	5	4	15	am
Tu	4	10	3	28	am

The predictions are corrected for changing aspect, phase, and light time. At the indicated time, the Spot will be facing directly toward the Earth and is therefore central on the apparent disc of the planet. Observations may be made for about an hour before and after that time.

The times are adjusted to PST, and include transits for which the planet is at least $1\frac{1}{2}$ hours up, with the Sun at least six degrees down. A random 0-10 minutes is subtracted to prevent anticipation when timing a transit.

To see Jupiter's Great Red Spot, very good seeing and a power of 200-300X are required. Use an apodizing screen if you have one; see Sky and Telescope, August, 1982, page 184. In the past, the Spot has been observed with a 60mm refractor, but the low contrast may now require a larger aperture.

Focus carefully, then look eastward along the southern edge of the south equatorial belt for a subtle narrowing of the belt, to perhaps $\frac{3}{4}$ of its western width. The dent carries the Spot, which in turn is nearly $\frac{1}{2}$ of a Jovian radius long. Now, watch continuously for those moments when the air is especially stable, and the Spot will pop out at you!

Clear Skies,
Jim Van Nuland

Occulting Zone

RESULTS!

January saw two grazing occultation expeditions; the predictions were recieved after the bulletin went to press, so there was little publicity. There were also grazes late last year; I will summarize them for the record. I have not had time to plot the results, as preparations for the second trip pre-empted reduction of the first. When I get some plots made, you will see them here.

1984 Jan. 22, v Virginis

Even a 4.2 magnitude star has trouble when the moon is bright and the cusp close by. Add only 13° elevation and it's a difficult graze. Nonetheless, those brave enough to drive to far-away Cupertino were rewarded! Seeing was very poor, and there was some equipment trouble, but Steeve Greenberg and I were able to observe.

The PAS observers went to Skyline Blvd., but suffered seeing too poor to permit confident timings. They may have given some results.

1984 Jan. 13, 38 Arietis

This 5.2 magnitude star put on quite a show! Braving the clouds near San Martin were Paul Barton, Jack Zeiders, and myself; from the PAS were Rick Baldridge and Steve Balleron. We obtained sixteen timings! This was an especially nice graze as the moon was well-up and the star was far from the cusp -- so much that I feared we were too deep. But no, I obtained six events! This was a practically perfect graze. Beautiful! Too bad so many people missed it. The sunset was pretty, and the sky cleared afterwards.

1983 Dec. 13, 30 Piscium

The Graze That Should Have Been. Reported by Denni in January's bulletin, promising but lost to clouds in Alameda.

1983 Nov. 14, 69 Aquarii

A favorable graze, there was first confusion regarding the prediction and then rain. Rick Baldrige and other PAS observers chased it, literally! They drove around looking for a hole in the clouds and were able to make some observations at the last minute.

Jim Van Nuland

COMET COMMENTS

BY DON MACHHOLZ

One new comet has apparently been discovered, and three bright comets remain visible in our skies. March will be the best month for seeing Comets Crommelin and Encke, so take the opportunity to get out in the evenings and observe these two wonders. In the morning sky we find Comet Hartley-IRAS, moving northward and becoming circumpolar by month's end. We'll check up on Hally's Comet, still between the orbits of Jupiter and Saturn. Finally, in our Past Discoveries department we'll examine the spacings of amateur discoveries and the moon phases at the times of discovery.

Comet Bradfield (1984a); Announced in last month's column, we now know that this comet was closest the sun (at 1.37 AU) on December 28. Found on January 7 at magnitude 11.7 and too far south for Northern Hemisphere observers to see, it is now moving south, getting fainter, and is not expected to be visible in our skies.

Comet Clark (1984b); Michael Clark at Mt. John University Observatory, New Zealand, found this comet on photographic plates taken on January 8 and 24. It was reported to be magnitude 12, and at RA: 3h 53m, DEC: -34°35' on January 8; two weeks later it had moved less than a half of a degree. This discovery is still "up in the air" at this time, a photo on January 27 failed to show the object.

Halley's Comet on March 15, 1984: RA: 05hr 55m; DEC: +12° 01.2m. Distance from sun: 7.67 AU. Distance from Earth: 7.52 AU. Magnitude: 20.7.

Ephemerides:

DATE	R. A.	Dec.	Elong.	Mag.	(Elong=dis. in deg. from Sun)
Periodic Comet Crommelin (1983n)					
03-01	01h56.5m	-03°36'	47°	9.2	This one moves rapidly southward & eastward. It is now pulling awat from the Sun but approaches the Earth, being closest (0.78AU) in late March. During that time it will be closely studied by astronomers as a test-run for Halley's Comet in 1985-6.
03-06	02 26.4	-05 52	50°	9.3	
03-11	02 57.2	-08 12	53°	9.4	
03-16	03 28.9	-10 31	57°	9.6	
03-21	04 01.3	-12 42	61°	9.8	
03-26	04 34.1	-14 39	65°	10.1	
03-31	05 06.8	-16 16	70°	10.4	
04-05	05 38.9	-17 32	74°	10.7	
04-10	06 10.0	-18 27	78°	11.0	
Periodic Comet Encke					
03-01	00 36.0	+11 00	33°	10.5	This comet lies low in the west after sunset. It travels between the Sun and us, and is quite difficult to see.
03-06	00 47.9	+11 48	31°	9.8	
03-11	01 00.1	+12 23	29°	8.9	
03-16	01 11.3	+12 29	26°	7.9	
03-21	01 18.5	+11 32	23°	6.9	

Periodic Comet Hartley-IRAS (1983v)

03-01	20 46.4	+39 57	55°	10.7	Now better seen in the morn-
03-11	20 43.1	+46 41	62°	10.8	ning this one moves north &
03-21	20 35.0	+54 18	69°	11.0	higher in the sky.
03-31	20 17.0	+62 38	75°	11.1	
04-10	19 43.1	+71 07	81°	11.3	

PAST DISCOVERIES

Comets are not discovered at regular intervals, as we saw in last month's column. If the 28 comets discovered by amateurs between 1975 and 1983 were found evenly placed, then one comet would be found every four months, or three each year. At it was though, the shortest interval is the simultaneous discovery of two comets on the morning of October 5, 1975. Surprisingly, a few minutes after Comet 1975j had been discovered by two observers (Mori and Sato), Suzuki picked-up another object - Comet 1975k. Then, several moments later, Fujikawa co-discovered 1975j; and Saigusa and Mori (again) co-discovered Comet 1975k.

Another close pair of discoveries came in October, 1978, when Comet Denning-Fujikawa and Comet Bradfield were found 23 hours apart.

Two nearly equally-lengthed comet droughts last 18 months each, one between March, 1976 and September, 1977, the other being between December 1980 and June, 1982.

Charles Messier found his first comet when the moon was only 2.5 days past Full, but comet hunters today generally avoid the moon. This is reflected in the moon phases at the times of discoveries.

For our 11 evening finds, the average moon phases was 9.02 (+ or - 4.7) days after Full Moon. This further breaks down to 6 discoveries between 3.5 and 6 days after Full Moon, (this is when the Moon rises around midnight) and 5 discoveries between days 13 and 15 - near New Moon. The evening finds are grouped into two narrow "windows".

As for our 17 morning finds, the average is 17.37 (+ or - 5.9) days after Full Moon (which equals 2.7 days after New Moon). This breaks down to 3 comets found between days 6.3 and 11, 6 from 11 to 16 days, 3 from 16 to 20 days, and 5 from 20 to 25 days. These after-midnight comets were found over a longer section of the lunar month than the evening discoveries.

Don Machholz
(408) 448-7077

A VISIT TO LICK OBSERVATORY

Even though Lick Observatory is right in our backyard, most of us have seldom visited it. And despite growing light pollution, Lick is still considered one of the world's top observatories. It houses, among its ten telescopes: a 120-inch reflector, a 40-inch reflector, a 36-inch refractor, a 36-inch reflector, a 24 and a 22-inch Cassegrain reflector, and a 20-inch double astrograph.

One can visit the main building and tour the 36" refractor between 1 and 5 PM any day of the year, except during Thanksgiving and Christmas. But did you know it's possible for the general public to look through the telescopes?

Lick Observatory conducts an evening observing and lecture progra during the summer months, on Friday nights, between mid-July and mid-September. each year. And the tickets, which you MUST have to participate, are free!

My wife and I took part in this last summer and we really enjoyed it. For these Friday night sessions it is recommended you arrive at Mt. Hamilton early so that you can enjoy the view as you picnic. During these daylight hours you can also walk over to the 120" reflector and see it through the

visitor's viewing room. Beginning at 7:30 are lectures: one is on Lick Observatory and the work it does on the heavens. This is usually given by one of the staff astronomers, includes slides and lasts some 40 minutes. The second lecture is on the history of Lick, both the man and the observatory. It's presented by William Unruh and also includes slides and lasts about 40 minutes. Each lecture is given twice so most of the 200 to 350 visitors can hear them.

As the sky darkened, lines began forming inside each end of the building where the 36" refractor and the 40" reflector are located. This is the reason most of the visitors are there - to look through large telescopes. Each visitor has two admission tickets - one for each instrument. We looked through the 36" first - Jupiter was the featured object. The focus was fixed and the planet, although appearing large, was not very clear and lacked the contrast visible in smaller telescopes. The object showing in the 40" was the globular cluster M 13 in Hercules. There was good contrast on this object; I could easily see the three dark lanes on the cluster. These were detected by Lord Rosse last century and mentioned by Walter Scott Houston last year.

We found the staff to be friendly and the lectures both informative and interesting. Additionally, if you want to "talk telescopes", it isn't hard to find an astronomer with time to talk.

So, how can you get tickets for Lick Observatory? Send a self-addressed, stamped envelope, with a choice of two Friday evenings to:

Summer Visitor's Program

Lick Observatory

P. O. Box 85

Mount Hamilton, Ca. 95140

and ask for as many as six tickets. It is now probably too early to ask for them; they wish to receive requests on or after June 1, and there is no advantage to sending it in early. Additionally, there may be changes in this summer's program. You may call the Lick office at (408) 429-2513 for an update in late May.

Don Machholz
(408) 448-7077

SKYWORD PUZZLE #7 ANSWERS

DOWN

1. Polaris
2. Occult
3. Bird
5. Newtonian
6. Ring
7. Magnitude
9. German
10. Film
13. Ophiuchus
15. Saros
16. Angstrom
18. Dschuba
19. North
21. Upsilon (Ed. Note: my mistake for not writing it in last month)
23. Discs
25. SA
26. Hair

ACROSS

1. Phoebe
4. Inferior
8. Lacerta
11. Gathering
12. Rill
13. Orion
14. Mimas
17. Nadir
19. Nunki
20. Nu
22. Pisces
24. Iris
27. Hercules
28. Lambda
29. Time
30. Cosine
31. Air


by Fred Braniff

CALENDAR


- Mar. 3 Star Party at Fremont Peak State Park, Coulter Camp. Directions are on back.
- Mar. 3 Electronics Oriented Astronomy seminar at Cypress College in Orange County. Sponsored by the Orange County Astronomers. For more information contact John Sanford, 2215 Martha Ave., Orange, Ca. 92667. Registration fee is \$15.
- Mar. 10 SJAA General Meeting at the University of Santa Clara, Alumni Science Hall, room 202. 8 PM. Our speaker will be John Gleason on "Deep Sky Astrophotography." Everyone welcome to attend.
- Mar. 14 "The Stars: Their Birth, Life, and Death" is a series by William Kaufmann, sponsored by the Astronomical Society of the Pacific, to be held at UC Berkeley March 14, 21, and 28 from 7:30 to 10 PM. For more information write: Kaufmann Lectures, A. S. P., 1290-24th Ave., San Francisco CA. 94122
- Mar. 17 Indoor star party at the Los Gatos Red Cross building. 7:30 PM on. Board meeting at 8:00 PM. Everyone welcome to attend.
- Mar. 24 Indoor star party at the Los Gatos Red Cross building. 7:30 PM. Everyone welcome.
- Mar 30 - Apr. 1 Messier Marathon at Loma Prieta. See Don Machholz's article elsewhere in this month's Ephemeris. Directions to Loma Prieta: Take Hwy 17 south to Summit Rd. Go east on this road for 5.5 miles to your first stop sign. From there go left onto Mt Bache Rd. for 3.3 miles. At this point the pavement ends; keep going 1.2 miles to the observing site -- a wide area along the dirt road.
- Mar. 31 Star party for those who don't want to go to the Messier Marathon at the J.D. Grant Ranch County Park on Mt. Hamilton Road in San Jose.
- Apr 7 Indoor star party and Auction planning meeting at the Red Cross building in Los Gatos. Everyone welcome.
- Apr 14 4th Annual Astronomical Auction, to be held at the LeBaron Hotel, San Jose. Registration begins at 10 AM. Auction starts at 2 PM. See flyer in this month's Ephemeris.
- Apr. 21 Indoor star party at the Los Gatos Red Cross. 7:30 PM on Board meeting at 8 PM. Everyone welcome.
- Apr. 28 Star party at Henry Coe State Park.
- May 5 Astronomy Day. Come join us at the Red Cross building in Los Gatos.

DIRECTIONS & MAPS TO MOST EVENTS LOCATED ON BACK

THE



TH



ANNUAL ASTRONOMICAL AUCTION

**PRESENTED BY
THE SAN JOSE ASTRONOMICAL ASSOCIATION**

APRIL 14, 1984

LeBARON HOTEL, SAN JOSE

Registration 10 AM - 2 PM

Auction begins at 2 PM

IT'S BACK AND THIS YEAR IT'S BIGGER THAN EVER! TELESCOPES, BOOKS, CAMERA EQUIPMENT, EYEPIECES, TRIPODS, STAR CHARTS, PHOTOGRAPHS, MOUNTINGS, MIRRORS, LENSES, CELLS, CLOCK DRIVES, SPACE ART, FINDERS, TUBES, DIAGONALS...you name it - it's likely to be there. So check your closets and garage for anything astronomical you would like to sell. Complete pre-registration information and form are on back. Anyone can buy and sell! It's fun and it's easy!

SEE YOU THERE!

PRE-REGISTRATION INFORMATION

Auction approaching! Soon it's April 14. Start looking around for things not earning their space, or brought back from Riverside, or whatever is astronomical or telescope making related.

Remember the registration delays last year, late start, and all? No more!
The answer is: PRE-REGISTRATION.

Fill out the form or a copy of it. List each different item you have. If you have several identical items, use a single line and put in the quantity. Give a minimum price, even if you are willing to let it go really cheap. Indicate the percentage to go to the SJAA, minimum 10%. If you didn't pay much for it, anyway, you may wish to make it an outright donation, Thank You.

Next and MOST important: mail the form, with a SASE, to Jim at 3509 Calico Ave., San Jose, CA. 94124. You might keep a copy of it, too. Jim will assign your bidder/seller and item numbers, and will get the form back to you. quickly. (That's a promise).

You will then have the numbers to label everything before the day of the auction. Use stickers to indicate the item number, at least. If you have large labels, include the minimum bid, too.

If you find another box of things, just send in another form. Include the bidder number from the first one. If you find more of something you'd already registered, give the number from the first, indicate the number to be added, and give the same description.

If you don't include the SASE, Jim will assign the numbers and hold the form. You can pick it up when you arrive at the auction and get busy labeling your goodies then.

In any case, Jim will have all the stuff hammered into the computer before auction day, so there will be no backlog and, for those who pre-register, no delays. Priority on auction day will be given to assigning bidder numbers -- item registration will be done as time permits. So get the forms to Jim -- don't wait until the last week.

Here's a bonus for pre-registerers: we'll publish the list in the April bulletin, so as to give you some advanced advertising. If you have a complete telescope or other major item, write a nice description and send it along with the pre-registration form.

There will be a \$1 bidder/seller registration fee at the door.

[illegible]

DIRECTIONS & MAPS TO ALL SJAA REGULAR EVENTS


General meetings:

University of Santa Clara, Alumni Science Hall, room 102

Heading north on Hwy 17, exit at Bascom/Washington Ave (north), proceed to Franklin, then turn right.

Heading south on Hwy 17, exit at the Alameda (north), proceed to Franklin, then turn left.


Go two blocks and turn left into parking lot. Alumni Science Hall is the 3 story building that borders the east end of the lot. Room 102 is on the ground floor and is best gotten to by entering the first door on the right side of the building when walking in from the parking lot.



Indoor Star Parties:


Los Gatos Red Cross Building, 18011 Los Gatos-Saratoga Rd., Los Gatos

From Hwy 17 south take the Hwy 9 (Saratoga) exit and continue up Los Gatos-Saratoga Rd. for about 1.5 miles. Turn right at Rose Ave., and turn right immediately into the parking lot of the Red Cross Building.



Henry Coe State Park:

Take Hwy 101 south towards Gilroy and take the East Dunne exit. Continue east towards the hills (past Anderson Reservoir) for about twelve miles to the park. Past the park entrance you will see old ranch buildings on the right and a horse trough on the left. The gate to the SJAA site is on a dirt road just before the trough. The gate is locked but the club combination is 4565. Always lock the gate after yourself. If arriving after dark, please park outside gate and hike in first to find an observing site before driving in. Parking lights only after dark, please.



Fremont Peak State Park:

Take Hwy 101 south towards Salinas. Take Hwy 156 East (San Juan Bautista) for two miles to a yellow flashing light. Turn right and go about $\frac{1}{2}$ mile to where road curves slightly to left and splits. Stay left for about 50 yards and then bear right when road splits again. Follow road for about 11 miles into park. SJAA sets up at Coulter Camp overflow area - it's visible as you drive up into main area of camp. Parking lights after dark, please.

SPACE PROGRAM UPDATE

BY BOB FINGERHUT

Space Station Gets Presidential Go-Ahead

President Reagan has directed NASA to begin development of a U.S. space station. In his January 25 State of the Union message he said "America has always been greatest when we dared to be great. We can reach for greatness again. We can follow our dreams to distant stars, living and working in space for peaceful, economic, and scientific gain. Tonight I am directing NASA to develop a permanently manned space station - and to do it within a decade."

The space station is estimated to cost \$8 billion and may be operational in 1992, the 500th anniversary of Columbus' discovery of the New World. The president has requested \$150 million in fiscal year 1985 for station definition. Though not fully defined yet, the station is expected to weigh about 80,000 pounds and have 255 cubic yards of pressurized habitable volume for a crew of 6-8 astronauts. The astronauts would inhabit the station for 3-6 months each.

The space station will be comprised of several core elements and separate free-flying platforms. It will be assembled from cargo carried into space by several space shuttle launches. The space station is expected to consist of: Core Modules - four pressurized modules each 22 feet long by 14 feet wide. Two modules would be laboratory sections, one a living area, and one a logistics facility for storage of supplies. Multiple Docking Adapter - the hub for connecting all of the modules. Service Structure - An open, unpressurized area where satellites could be assembled or repaired. It would have two manipulator arms like the shuttles. Resources Module - This module would contain 75 kW of electrical power generation capability, life support, and other station support apparatus. 75 kW would require one-half acre of cells. Free Flying Platforms - Two free-flying platforms will be included. One, the Astro Platform will be put into a 28 degree orbital inclination, the same as the core station. It would carry research hardware such as observatory sensors and materials processing equipment. It could be serviced by space station astronauts. The second, the System Z Platform, will be put into a 98 degree Sun-synchronous polar orbit. It would have Earth-viewing sensors for atmospheric or Earth resources purposes. Orbital maneuvering vehicle - This element has not yet been funded. It is an unmanned propulsion system which could fly as far as 1000 miles away to retrieve spacecraft and return them to the station for refurbishment. The vehicle will be developed by the shuttle program sometime in the future and procured for both the shuttle and the space station.

NASA's FY 1985 Budget

The President has proposed and sent to Congress a NASA budget for FY 1985 of \$1.49 billion. In addition to the space station he has authorized a Mars geoscience/climatology orbiter project for 1990 launch and an upper atmosphere research satellite for launch in 1989.

Shuttle Mission 41-b (STS-11) Has Mixed Results

Two communications satellites, deployed from the shuttle cargo bay, ended up in the wrong orbit due to failures of their Star 48 rocket motors, part of their PAM-D upper stages which were to put the satellites into geosynchronous transfer orbits. They ended up in orbits of 758 X 190 nautical miles and 650 X 150 nautical miles. NASA is studying the possibility of the space shuttle recovering them next year. Most of the preparations for retrieval and repair of the Solar Maximum mission satellite went well. The first flights of the new manned maneuvering units were very successful. The shuttle also made its first back at the Kennedy launch site landing.

Salyut 7 Manned Again

The Soviet Union launched anew 3 man crew on February 8. On February 9, the cosmonauts, Col. Leonid Kizim, Vladimir Solonev, and Oleg Atkov docked with the Salyut 7 Space Station.

Chinese Spacecraft Launched

China launched its 14th satellite on January 19. It was placed in a 4025 X 223 mile orbit inclined 36 degrees.

Japanese Launch Direct TV Broadcast Satellite

The Japanese BS-2A satellite was launched January 23 on a N-2 launch vehicle. It will be positioned at 110 east longitude. It has been named Yuri-2A (Lily-2A). A backup satellite will be launched in August.

Hughes To Build 2 Direct TV Broadcast Satellites

Hughes has asked permission to build and operate two 16-transponder satellites. They would be positioned at 118.8 degree west longitude and 119.2 degrees west longitude to provide direct-to-home television programming beginning in 1989.

NASA Drops 20/30 GHz Satellite Demonstration

NASA has dropped plans to demonstrate 20/30 GHz communication satellite operation due to plans by Hughes Aircraft company to fly a privately funded satellite operating in that frequency band.

NASA and 3M Team-Up on Space Materials Processing

NASA and 3M have signed a memorandum of understanding on development of commercial applications for materials processing in space. Two 3M materials processing experiments will be flown without charge. The first may take place this August.

USAF Cancels July Shuttle Flight

The 41-E mission, originally scheduled for July 14 launch on the space shuttle, has been canceled because of the uncertainty over when the inertial upper stage will be ready for flight again.

Next Shuttle Flight Scheduled for April 4, 1984

Flight 41-C (STS-13) Challenger, will carry the Long Duration Exposure Facility, which will be left in orbit for about one year. It will be retrieved again by Challenger on 51-D in January, 1985. The Solar Maximum Mission Satellite will also be retrieved and repaired on this flight. Challenger will be up for 6 days and carry a crew of 5.

Landsat D Prime to be Launched in March

The Landsat D Prime Earth Resources Observation Satellite will be launched from Vandenberg Air Force Base on a Delta booster. It will replace the Landsat 4 which is rapidly losing power and has had many onboard failures.

A SHORT HISTORY OF THE MESSIER MARATHON

by Don Machholz

A history of the Messier Marathon - observing most of Charles Messier's catalogue of galaxies, clusters, and nebulae in one night - can only be short since it is no more than twenty years old. In a short period of time we have gone from "just an idea" to the observation of 109 of the 110 Messier Objects in dusk-to-dawn observing sessions.

In the late 1960's a group of observers in Spain were working with the idea, even though their "counts" were not very high. In the mid-1970's, a small group of observers in Florida, led by Tom Hoffelder, took up the idea and held Marathons each year. About the same time the Amateur Astronomers Association of Pittsburgh (Penn.) began this, which was "an informal competition to locate the most Messier Objects by a single observer during a dusk-to-dawn marathon."

In the September 1978 SJAA newsletter, I wrote an article suggesting the Marathon, not knowing of the work done by others on it. I mentioned that a weekend in late March 1979 would be a good time to try this. In the March 1979 issue of Sky and Telescope, Walter Scott Houston wrote of the work done by Hoffelder and the Pittsburgh observers. This seems to have been the first of several widely-published articles on the Messier Marathon.

In 1979 the SJAA had probably its largest turnout for our first Marathon, which also became a non-Messier star party with Mars, Jupiter, and Saturn all visible too. Records of 108 Messier Objects being observed were made by Gerry Rattley and myself, with three others finding over 100 objects.

Between March 1979 and March 1980, several more articles were published about the Marathon, and this sparked more interest around the world. I even received a letter from an observer in Italy who heard of it and wanted more information. March of 1980 saw increased activity and several of us observed 109 of the 110 Messier Objects, which seems to be the maximum visible in one night.

Just as the hobby of meteor observing holds regional interest in certain parts of the country, so too for the Marathon. After March 1980, interest waned in the Pittsburgh group and waxed in the Saguaro Astronomy Club in the Phoenix, Arizona area. There, led by Wally Brown, 1981 was an active year, with many observers seeing at least 107 objects. In 1982 the moon was in unfavorable phases during March, and the weather even more so; I've received only two reports about that year's observations.

Last year was a big year for the Marathon in Arizona, with at least five observers seeing 109 objects and many more also participating. It was cloudy over most of therest of the U. S.

This year the weekdays of March 5-9 and the weekend of March 30 - April 1, weather permitting, will be the best times for the Marathon. We will be setting up on Loma Prieta, with Saturday, March 31 expected to be the best night. Driving directions were in last month's bulletin, or call me. I'll see you there!

Don Machholz
[408] 448-7077

MEMBERSHIP

Please send renewal form, remittance, and if you want to renew S&T, their white notice card, to: Bob Fingerhut, Treasurer, SJAA, 340 Rio Verde Pl. #4, Milpitas, Ca. 95035. (408) 263-4455. Thanks!

SJAA MEMBERSHIP APPLICATION/RENEWAL

NAME _____

ADDRESS _____ CITY _____

PHONE _____ STATE _____ ZIP _____

AREA OF INTEREST _____

MEMBERSHIP/S&T ☐ \$21.00

JUNIOR (UNDER 12) ☐ \$15.00

MEMBERSHIP ONLY ☐ \$8.00

OBSERVATORY PLEDGE FUND

For several years now the SJAA has been talking about a permanent observing site, this site to possibly include a permanently housed telescope for use by members and friends. Some work towards this goal has been accomplished in the form of fund raising through the yearly astronomical auction. Progress has been slow but steady. Now the time has come for all members to show their support and help make the Observatory Project a reality. Consider the following:

The principle goal of this project is to obtain a site to permanently house a 30 inch equatorially mounted reflecting telescope for use by the club members and friends. The telescope is currently under construction by Kevin Medlock. The possibility of housing more than one large instrument exists, as well as providing a meeting place for the SJAA. Also, at the site a series of concrete pads could be constructed for members to set up personal instruments to carry out their various observing and photographic programs. Along these lines the permanent building would provide a place to warm up between observations, perhaps a few cots to catch a few hours sleep, or even a small darkroom to develop that (hopefully) incredible 4 hour astrophoto you just shot! The possibilities here are endless and your input as to what you would like to see at the site is going to be requested and welcomed.

The SJAA would like to hear from its members suggestions as to where the site should be, keeping in mind accessibility and dark, or relative dark, sky conditions. (Remember, not everyone is willing to drive 3 hours to get to a site.)

This is not going to happen overnight and we hope the ideas presented above get you excited and make you want to help make them a reality.

Towards these goals the SJAA has set up a pledge program to raise funds for the observatory project. We are asking members to pledge to the project a contribution of \$5, \$10, \$15, \$20, or more a month for the next 12 months. The funds raised are to be used only for the observatory project. The goal for the first year of this pledge program is to sign up the equivalent of 50 members pledging \$20 a month. Over the next 12 months this could raise \$12,000 towards making this project a reality. Please support this project. We need your ideas and suggestions. We need your pledges.

The Board of the S.J.A.A.

I _____ pledge [] \$5, [] \$10, [] \$15,
[] \$20, [] \$ _____ a month for the next _____ months. I understand that
the funds raised are to be used solely toward establishing a permanent site
for the S.J.A.A.

signed

date

Please make checks out to the San Jose Astronomical Association and mail to:

Robert Fingerhut
340 Rio Verde Place #4
Milpitas, Ca. 95035

Ads

For sale: Meade Model 826, 8" f/6 reflector, with motor drive, 50 mm Celetron Plossl (OD 2"), 5-Meade 1 $\frac{1}{4}$ " filters (#24A, 8, 47, 23A, polar), Meade 1 $\frac{1}{4}$ " camera adapter T-ring for Nikon, Atlas 2000 field edition. All for \$500. Call Michael Worsham at (408) 371-1608


For sale: C-8, coatings, wedge, tripod, 5 eyepieces, Accutrak dual-axis, cold camera, off-axis guider, University Optics Omniguide reticle, much more! \$1200/offer for all.
Call Gary Heathcoat at (408) 734-4980/days, 730-9781/eves.

For sale: 8", f/5 photographic Newtonian tube assembly. Excellent optics, fiberglass tube and short 2" focuser. \$245. Also Vehrenburg's photographic star atlas. Complete and almost new. \$40.
Call Jim Baumgardt at (415) 579-3621 days, or (415) 347-2267 eves and wkens.

BILLION DOLLAR QUESTION

Oh, purge the land of toxic waste;
Go sweep it, scrape it, pump it;
But when the job at last is done,
Where do you plan to dump it?

- Richard F. Barret, Wall Street Journal
8/18/83



EPHEMERIS is published monthly by the San Jose Astronomical Association, 3905 Calico Ave., San Jose, Ca, 95124

Officer:

President	Dave Ambrose	816 Everett St., El Cerrito, CA. 94530
	(415) 524-0869	
Vice-Pres	Denni Frerichs	15022 Broadway Terrace, Oakland, Ca. 94611
	(415) 654-6796	
Sec.	James Van Nuland	3509 Calico Ave., San Jose, Ca 95124
	(408) 371-1307	
Treas.	Robert Fingerhut	340 Rio Verde Place, #4, Milpitas, Ca.
	95035	(408) 263-4455

Board of Directors:

Paul Mancuso	(408) 946-0738	Steve Greenberg	(415) 443-6638
Tom Ahl	(408) 997-1384	Gene Cisneros	(408) 923-6800
Jim Eiselt	(408) 984-8687	Chris Pratt	(408) 629-2994
Bulletin Editor: Tom Ahl	1260 Butterfly Dr. San Jose, 95120		

Bob Fingerhut has been keeping tabs on what renewing and new member have put on their membership renewal forms as to what their major interest(s) are. Curious? Below are listed all the catagories that were written in.

Culteral aspects of astronomy	1
Celestial navagation	1
Optics	1
All areas/general	11
Astrophotography	20
Observing	23
Telescope making	10
Solar eclipses	1
Occultations	3
Crater timings	1
Double stars	1
Variable stars	1
M-objects	4
Daytime observing of planets & stars	1
Mathmatical astronomy	2
Teaching	1
History	1
Comets	2
(I don't suppose Don Machholz was one of those two, huh?)	
Electronics	2
Technology	1
Armchair astronomy	1
Astrometrics	1
Space exploration	2
Star parties	3
Tourist (Tourist?)	1
Astronomical news	2
Stars	1
Physics	1

Now, if anyone ever says the SJAA isn't diverse, don't believe them.

Commercial ads are priced according to size and may be placed by contacting:
Gene Cisneros at (408) 923-6800.



Helix Nebula NGC7293 in Aquarius. This faint nebula is seen best visually with a LUMICON UHC Filter. Photo by Dr. J. Marling using a LUMICON DEEP-SKY Filter and hypered 2415 film prepared in a LUMICON Model 300 HYPER-KIT. 40 min exp on an 8 1/4.5 telescope using a LUMICON Newtonian EASY-GUIDER.

LUMICON®

"Innovation In Astronomy"
Visit or call LUMICON
for the most complete selection
of IN STOCK Telescopes and
Accessories in the West.

★ **WORLD CENTER FOR
ASTROPHOTOGRAPHY** ★

(415) 447-9570
2111 Research Dr #5E,
Livermore CA 94550

ATM coatings

15022 BROADWAY TERRACE, OAKLAND, CA 94611

Specializing in Aluminum Coatings with silicon monoxide
over-coating for telescope mirrors.

4 1/4"	\$8.00
6"	\$12.00
8"	\$16.00
14 1/4"	\$28.00
16"	\$50.00

10"	\$20.00
12 1/2"	\$24.00

Secondaries, when sent with primary mirror, free.
To remove old coatings \$3.00. Minimum charge \$8.00.
Include postage and insurance for return mail.
Mirror will be shipped in container received.

BUSHNELL OPTICAL

UNIVERSITY OPTICS

EDMUND SCIENTIFIC

CELESTRON

ACCUTRACK

LUMICON

DYNAMAX

ODYSSEY

SWIFT INSTRUMENTS

OPTRON SYSTEMS

Everything For Astronomers

Visit Our Showroom Soon!

704 Charcot Avenue, San Jose, CA 95131 USA (408)946-4797

MEADE

KALT CORPORATION

STAR ATLASES

TELE-VUE OPTICS

SJAA EPHEMERIS
3509 CALICO AVE.
SAN JOSE, CA. 95124

BULK RATE
U.S. POSTAGE PAID
PERMIT NO.5381
SAN JOSE, CA. 95125

TIME VALUE - DATED
NEWS MATERIAL