

# SPEChpc™ 2021 Tiny Result

Copyright 2021-2022 Standard Performance Evaluation Corporation

**Cray**

(Test Sponsor: University of Bristol)

SPEChpc 2021\_tny\_base = 0.00

**Isambard 2: XC50 (ThunderX2)**

SPEChpc 2021\_tny\_peak = Not Run

hpc2021 License: ?

Test Sponsor: University of Bristol

Tested by: University of Bristol

Test Date: Jun-2022

Hardware Availability: May-2018

Software Availability: Mar-2020

505.lbm\_t  
513.soma\_t  
518.tealeaf\_t  
519.clvleaf\_t  
521.miniswp\_t  
528.pot3d\_t  
532.sph\_exa\_t  
534.hpgmgfv\_t  
535.weather\_t

**Errors**

'reportable' flag not set during run  
Input set must be 'ref' for a valid run (set to 'test' for this run)

## Results Table

Benchmark	Base										Peak							
	Model	Ranks	Thrds/Rnk	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Model	Ranks	Thrds/Rnk	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
505.lbm_t	MPI	64	1	10.7	0.00	12.7	0.00											
513.soma_t	MPI	64	1	6.65	0.00	6.58	0.00											
518.tealeaf_t	MPI	64	1	6.62	0.00	6.67	0.00											
519.clvleaf_t	MPI	64	1	14.5	0.00	14.7	0.00											
521.miniswp_t	MPI	64	1	7.21	0.00	7.23	0.00											
528.pot3d_t	MPI	64	1	8.04	0.00	8.11	0.00											
532.sph_exa_t	MPI	64	1	9.17	0.00	9.25	0.00											
534.hpgmgfv_t	MPI	64	1	7.68	0.00	7.74	0.00											
535.weather_t	MPI	64	1	31.6	0.00	31.6	0.00											

SPEChpc 2021\_tny\_base = 0.00

SPEChpc 2021\_tny\_peak = Not Run

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

# SPEChpc™ 2021 Tiny Result

Copyright 2021-2022 Standard Performance Evaluation Corporation

**Cray**

(Test Sponsor: University of Bristol)

SPEChpc 2021\_tiny\_base = 0.00

**Isambard 2: XC50 (ThunderX2)**

SPEChpc 2021\_tiny\_peak = Not Run

**hpc2021 License:** ?

**Test Sponsor:** University of Bristol

**Tested by:** University of Bristol

**Test Date:** Jun-2022

**Hardware Availability:** May-2018

**Software Availability:** Mar-2020

## Hardware Summary

Type of System: SMP  
Compute Node: ThunderX2  
Interconnect: Cray Aries  
Compute Nodes Used: 1  
Total Chips: 2  
Total Cores: 64  
Total Threads: 256  
Total Memory: 256 GB  
Max. Peak Threads: --

## Software Summary

Compiler: HPE Cray Programming Environment (CPE),  
C/C++/Fortran: GCC Version 9.3.0  
MPI Library: HPE Cray Programming Environment (CPE),  
Cray-mvapich2 Version 2.3.6  
Other MPI Info: --  
Other Software: --  
Base Parallel Model: MPI  
Base Ranks Run: 64  
Base Threads Run: 1  
Peak Parallel Models: Not Run  
Minimum Peak Ranks: --  
Maximum Peak Ranks: --  
Max. Peak Threads: --  
Min. Peak Threads: --

## Node Description: ThunderX2

### Hardware

Number of nodes: 1  
Uses of the node: Compute  
Vendor: N/A  
Model: N/A  
CPU Name: Marvell ThunderX2 CN9980  
CPU(s) orderable: N/A  
Chips enabled: 2  
Cores enabled: 64  
Cores per chip: 32  
Threads per core: 4  
CPU Characteristics: Permanent turbo to 2.5 GHz  
CPU MHz: 2100  
Primary Cache: 32 KB I + 32 KB D on chip per core  
Secondary Cache: 256 KB I+D on chip per core  
L3 Cache: 32 MB I+D on chip per chip  
0.5 MB shared / 64 cores  
Other Cache: None  
Memory: 256 GB (8 x 32 GB)  
Disk Subsystem: --  
Other Hardware: None  
Accel Count: N/A  
Accel Model: N/A  
Accel Vendor: N/A  
Accel Type: N/A  
Accel Connection: N/A  
Accel ECC enabled: N/A  
Accel Description: N/A  
Adapter: None  
Number of Adapters: 0  
Slot Type: None

(Continued on next page)

### Software

Accelerator Driver: --  
Adapter: None  
Adapter Driver: None  
Adapter Firmware: None  
Operating System: SUSE Linux Enterprise Server 15 SP1  
Linux 4.12.14-197.7\_5.0.99-cray\_ari\_s  
Local File System: xfs  
Shared File System: None  
System State: Multi-user, run level 3  
Other Software: None

# SPEChpc™ 2021 Tiny Result

Copyright 2021-2022 Standard Performance Evaluation Corporation

**Cray**

(Test Sponsor: University of Bristol)

SPEChpc 2021\_tiny\_base = 0.00

**Isambard 2: XC50 (ThunderX2)**

SPEChpc 2021\_tiny\_peak = Not Run

**hpc2021 License:** ?

**Test Sponsor:** University of Bristol

**Tested by:** University of Bristol

**Test Date:** Jun-2022

**Hardware Availability:** May-2018

**Software Availability:** Mar-2020

## Node Description: ThunderX2

### Hardware (Continued)

Data Rate: None  
Ports Used: 0  
Interconnect Type: None

## Interconnect Description: Cray Aries

### Hardware

Vendor: Cray  
Model: N/A  
Switch Model: N/A  
Number of Switches: N/A  
Number of Ports: N/A  
Data Rate: 14 Gb/s  
Firmware: N/A  
Topology: Dragonfly  
Primary Use: MPI Traffic

### Software

: --

## Submit Notes

The config file option 'submit' was used.

## Compiler Version Notes

```
=====
FC 519.clvleaf_t(base) 528.pot3d_t(base) 535.weather_t(base)
=====
```

```
GNU Fortran (GCC) 9.3.0 20200312 (Cray Inc.)
```

```
Copyright (C) 2019 Free Software Foundation, Inc.
```

```
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
=====
```

```
=====
CXXC 532.sph_exa_t(base)
=====
```

```
g++ (GCC) 9.3.0 20200312 (Cray Inc.)
```

```
Copyright (C) 2019 Free Software Foundation, Inc.
```

```
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
=====
```

(Continued on next page)

# SPEChpc™ 2021 Tiny Result

Copyright 2021-2022 Standard Performance Evaluation Corporation

**Cray**

(Test Sponsor: University of Bristol)

SPEChpc 2021\_tiny\_base = 0.00

**Isambard 2: XC50 (ThunderX2)**

SPEChpc 2021\_tiny\_peak = Not Run

**hpc2021 License:** ?

**Test Sponsor:** University of Bristol

**Tested by:** University of Bristol

**Test Date:** Jun-2022

**Hardware Availability:** May-2018

**Software Availability:** Mar-2020

## Compiler Version Notes (Continued)

```
=====
CC 505.lbm_t(base) 513.soma_t(base) 518.tealeaf_t(base) 521.miniswp_t(base)
   534.hpgmgfv_t(base)
=====
```

```
gcc (GCC) 9.3.0 20200312 (Cray Inc.)
Copyright (C) 2019 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
=====
```

## Base Compiler Invocation

C benchmarks:

cc

C++ benchmarks:

CC

Fortran benchmarks:

ftn

## Base Optimization Flags

C benchmarks:

-Ofast

C++ benchmarks:

-Ofast

Fortran benchmarks:

-Ofast

SPEChpc is a trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester. For other inquiries, please contact [info@spec.org](mailto:info@spec.org).

Tested with SPEChpc2021 v1.0.3 on 2022-06-30 13:25:31+0000.

Report generated on 2022-06-30 13:30:56 by hpc2021 PDF formatter v1.0.3.