

MAE3134: Homework 2

Due date: 15 February 2018

Problem 1. Find the transfer function for the following ordinary differential equations.

- (a) Find: $\frac{C(s)}{R(s)}$ for

$$\ddot{c} + 3\ddot{c} + 7\dot{c} + 5c = \ddot{r} + 4\dot{r} + 3r$$

- (b) Find: $\frac{Y(s)}{X(s)}$ for

$$\ddot{y} + 3\ddot{y} + 5\dot{y} + y = \ddot{x} + 4\dot{x} + 6x + 8x$$

Problem 2. Find the ordinary differential equation for the given transfer functions

- (a)

$$G(s) = \frac{C(s)}{R(s)} = \frac{2s + 1}{s^2 + 6s + 2}$$

- (b)

$$G(s) = \frac{X(s)}{F(s)} = \frac{1}{s^2 + 2s + 7}$$

- (c)

$$G(s) = \frac{X(s)}{F(s)} = \frac{10}{(s + 7)(s + 8)}$$

- (d)

$$G(s) = \frac{X(s)}{F(s)} = \frac{s + 2}{s^3 + 8s^2 + 9s + 15}$$

- (e) Find the differential equation for the system in Fig. 1.

$$R(s) \quad \boxed{\frac{s^5 + 2s^4 + 4s^3 + s^2 + 3}{s^6 + 7s^5 + 3s^4 + 2s^3 + s^2 + 3}} \quad C(s)$$

Figure 1: Block Diagram

- (f) Find the ordinary differential equation for the transfer function between input $r(t) = 3t^3$ and the output $C(s)$ shown in Fig. 2.

$$R(s) \quad \boxed{\frac{s^4 + 2s^3 + 5s^2 + s + 1}{s^5 + 3s^4 + 2s^3 + 4s^2 + 5s + 2}} \quad C(s)$$

Figure 2: Block Diagram

Problem 3. Given the following transfer function:

$$G(s) = \frac{C(s)}{R(s)} = \frac{s}{(s + 4)(s + 8)},$$

- (a) Determine the output response, $c(t)$, to a ramp input, $r(t) = t$.
 (b) Create a plot containing both the input and output responses.

Problem 4. Find the inverse Laplace transform of $F(s)$.

$$F(s) = \frac{10}{s(s+2)(s+3)^3}$$

Problem 5. Given the following differential equation, use the Laplace transform to solve for $y(t)$ if all initial conditions are zero. You can assume that $u(t)$ is the unit step function.

$$\frac{d^2y}{dt^2} + 12\frac{dy}{dt} + 32y = 32u(t)$$

- (a) Create a plot of the output response $y(t)$.

Problem 6. Use Python/Matlab or some other tool to find the Laplace/Inverse Laplace transforms for the following functions.

- (a)

$$f(t) = 5t^2 \cos\left(3t + \frac{\pi}{4}\right)$$

- (b)

$$f(t) = 5te^{-2t} \sin\left(4t + \frac{\pi}{3}\right)$$

- (c)

$$G(s) = \frac{(s^2 + 3s + 7)(s + 2)}{(s + 3)(s + 4)(s^2 + 2s + 100)}$$

- (d)

$$G(s) = \frac{(s^3 + 4s^2 + 6s + 5)}{(s + 8)(s^2 + 8s + 3)(s^2 + 5s + 7)}$$