


MAE3145: Homework 6


Due date: TBD

Problem 1. Neptune is now the furthest “planet” in our solar system (since Pluto is classified as a dwarf planet). Voyager 2 passed by Neptune in 1989 but there have not been other spacecraft missions to Neptune. Consider a Neptune mission by doing a few preliminary calculations.

- (a) Begin by examining a Hohmann transfer from the Earth to Neptune. Assume that planetary orbits are coplanar and circular. Compute the total $\|\Delta\vec{v}_T\|$ and the TOF (time of flight in years). Ensure you draw proper vector diagrams, and compute $\|\Delta\vec{v}\|$ and α for each maneuver.
- (b) What is $\|\Delta\vec{v}_1\|$, i.e. the maneuver necessary at Earth departure? What is $\|\Delta\vec{v}_2\|$ to remain in the Neptune system?
- (c) Discuss the feasibility of this mission. Is the total cost ($\|\Delta\vec{v}_T\|$) “a lot”? Is the time of flight reasonable? Even though the Hohmann transfer is the minimum two-impulse transfer, is it likely that we could use this transfer to get to Neptune?
- (d) Compare the time of flight you calculated to the actual Voyager 2 transfer. You can use the Julian date functions, `time.date2jd(yr, mo, day, hr, min, sec)`.
- (e) Compute the phase angle required at departure for this circle-to-circle transfer as seen in the heliocentric view.



(a) Voyager 2 Image of Neptune



(b) Voyager 2 Trajectory

Figure 1: Voyager 2

Problem 2. In NASA’s original plan for a crewed lunar base (Orion), a ground facility near the Moon’s south pole was envisioned, necessitating a polar orbit. The lunar south pole offers areas of continual sunlight, which are ideal locations for continuous power generation, the so called “peaks of eternal light”. Thus, the trajectory design (both arrival at the Moon and the Earth return) included a 90° plane change. Consider the plane change maneuver. Assume that the spacecraft arrives in the plane of the lunar equator and is currently in a circular orbit at 100 km altitude. Two options existed for the plane change to the polar orbit.

1. A single maneuver at the current altitude to shift the orbit to an inclination of 90° .
 2. A bi-elliptic strategy that includes three maneuvers: A maneuver to raise apoapsis to 17 000 km, followed by a plane change maneuver at apoapsis, and a final maneuver to insert back into the 100 km altitude polar orbit.
- (a) Compute and compare the cost, i.e. $\|\Delta\vec{v}\|$, for a 90° plane change accomplished with the two approaches. Assume the single plane change is accomplished instantaneously.
 - (b) How much time (TOF) is devoted to the completion of the bi-elliptic option? How does this compare with the single maneuver at the current altitude.

Problem 3. A vehicle is launched successfully into an orbit with $e = 0.4$ and $a = 6R_\oplus$. A single in-plane maneuver will be implemented when $\nu = 90^\circ$ (true anomaly). Let the maneuver be defined as $\|\Delta\vec{v}\| = 0.75 \text{ km s}^{-1}$, and $\alpha = -60^\circ$.

- (a) Express the $\Delta\vec{v}$ in terms of the rotating local vertical/local horizontal frame $(\hat{r}, \hat{\theta})$, perifocal frame (\hat{p}, \hat{q}) , and VNC reference frames (\hat{v}, \hat{c}) .
- (b) Determine the r, v, γ in the new orbit immediately after the maneuver. Also compute the following characteristics of the new orbit:

$$a \quad e \quad \mathbb{P} \quad \mathcal{E} \quad r_p \quad r_a \quad \nu \quad E \quad (t - T) \quad p \quad \Delta\omega$$


Ensure you include a proper vector diagram.

- (c) Generate a plot of both the old and new orbits. Mark on your plot the vector diagram associated with this maneuver.
- (d) As an alternative, wait until the vehicle reaches the end of the minor axis and is descending and then implement the same maneuver. What is the “wait time” to travel from $\nu = 90^\circ$ to the end of the minor axis?
 - (a) How do you determine the orbital characteristics at the maneuver point, i.e. r^-, v^-, γ^- .
 - (b) Determine the following orbital characteristics immediately following the maneuver:

$$a \quad e \quad \mathbb{P} \quad \mathcal{E} \quad r_p \quad r_a \quad \nu \quad E \quad (t - T) \quad p \quad \Delta\omega$$

- (c) Plot the old and new orbit and the appropriate quantities on the plot.

Problem 4. A spacecraft is returning from an interplanetary mission along a hyperbolic orbit and it is required to rendezvous with a space station already in Earth orbit. Currently, the spacecraft is at $\nu = 0^\circ$ (at periapsis) in the hyperbolic orbit and approaching periapsis. The space station is located at point B in the desired final orbit. Both spacecraft are moving in the same direction, such that the angular momentum vectors are aligned and along the z axis (out of the page). A figure illustrating the problem is shown below.



$$r_A = 7000 \text{ km}, \quad r_B = 14000 \text{ km}, \quad v_{A_1} = 12 \text{ km/s}, \quad \mu = 398600 \text{ km}^3/\text{s}^2.$$

We wish to design an orbital maneuver of the spacecraft such that a rendezvous between the spacecraft and the space station occurs at point B . The maneuver of the spacecraft is composed of the following orbits:

- Hohmann transfer from the hyperbolic orbit to the circular orbit
 - A phasing orbit to ensure a rendezvous at B on the circular orbit
- (a) Find the velocity change at point A , namely ΔV_A , to transfer the spacecraft from the hyperbolic orbit to a transfer ellipse between A and B .
 - (b) Compute the time required to transfer from A to B during the Hohmann transfer.
 - (c) Find the location of the space station when the spacecraft arrives at point B . You can assume the true anomaly for the space station is measured from the positive x axis. How much time is required for the space station to return to B ?
 - (d) Find the period of the phasing orbit such that both the spacecraft and space station will arrive at point B at the same time. Find the semi-major axis a_p , and distance to the periapsis r_C of the phasing orbit.
 - (e) Find the velocity change at point B , namely ΔV_{B_1} , to transfer the spacecraft from the Hohmann transfer ellipse to phasing orbit.
 - (f) Find the velocity change at point B , namely ΔV_{B_2} , to transfer the spacecraft from the phasing orbit onto the target circular orbit.
 - (g) Show that the total velocity change is $\Delta V_{total} = |\Delta V_A| + |\Delta V_{B_1}| + |\Delta V_{B_2}| = 4.2657 \text{ km/s}$.