
MAE3145: Homework 2

Due date: September 13, 2017

Problem 1. The Juno spacecraft was launched August 5, 2011 and is now in orbit of Jupiter, having inserted into an highly elliptical Jovian orbit on July 5, 2016. Juno is the first deep-space vehicle to use solar panels at Juptier, as all previous missions have relied on radioisotope thermoelectric generators. Furthermore, considereable effort has been expended in the design of the orbit of Juno in the Jovian system. Due to the extreme distance, the orbit is chosen to provide nearly continuous solar illumination, and to avoid the intense radition environment of Jupiter.





(a) Juno Spacecraft

(b) Trajectory

After arriving in the Jovian system, Juno first entered a highly elliptical orbit which passed the orbit of the moon Callisto. Assume that during the first capture orbit the bodies are aligned as shown in Figure 2.





Figure 2: Planet alignment

Assume all bodies are in circular orbits with a radius equal to their semimajor axis. A table of constants for some planetary moons has been provided on Blackboard. During orbit insertion, Juno passed within 4000 km from the center of Callisto!

(a) At this instant, calculate the accelerations on the spacecraft with respect to Jupiter due to the gravity fields from the Sun, Callisto and Jupiter. Determine the dominant, direct, and indirect accelerations, including the directions.

Which one is the smallest? Largest? Is the dominant acceleration actually the largest?

- (b) Determine the magnitude and direction of the perturbing accelerations. Which body delivers the largest perturbing acceleration? For this alignment, consider each perturbing term. Does the perturbing acceleration from the Sun tend to pull the spacecraft and Jupiter apart or drive the bodies together? What about the perturbation from Callisto?
- (c) Given this four-body system, for the orbit of the spacecraft with respect to Jupiter, is a two-body orbit model sufficient to represent the path? If you had to decide to keep only one additional body in the model, would you keep the Sun or Callisto at this instant?







Figure 3: Juno orbits about Jupiter. The orbit plane is chosen to lie orthogonal to the Sun-Jupiter vector. In other words, the orbit angular momentum vector is designed such that it aligns with the direction to the Sun. This ensures that Juno is always illuminated and the polar orbits avoid the majority of the radiation environment at Jupiter.

(b) Radiation at Jupiter



Problem 2. Consider the relative two-body problem of the Earth and an orbiting spacecraft. An Earth-orbiting vehicle is tracked from ground stations: the spacecrat mass is $500 \,\mathrm{kg}$. At a certain instant, t_0 , the following position and velocity are obtained rellative to an inertial observer:

- Altitude is 2000 km (remember that altitude above the Earth **IS NOT** the same as distance from the Earth)
- Radial component of relative velocity is $-1.2 \,\mathrm{km/sec}$

Assume that our tracking system is perfect and these measurements are made without any error.

- (a) Compute the total system angular momentum vector C_3 , specific angular momentum, total kinetic energy, total energy C_4 , specific energy and area velocity.
- (b) Within the context of the relative two-body problem, determine the following orbital characteristics: p, e, a, P, θ^* Write the position vector in terms of the inertial unit vectors \hat{e} and \hat{p} .
- (c) Compare this relative velocity to the circular relative velocity at this altitude.

Problem 3. The Trojan asteroids are located at the vertex of an equilateral triangle with the Sun and Jupiter.

- (a) write an expression for the acceleration of a Trojan asteroid relative to the sun. Determine the dominant and the net perturbing accelerations. Compare them in terms of both magnitude and directions. Does Jupiter act to tdrive the asteroid closer to the Sun or further away. Do you think the influence of the sun or Jupiter is more significant? Why?
- (b) Reformulate the problem to determine the acceleration of a Trojan asteroid relative to Jupiter. Now compute the dominant and the net perturbing accelerations. Does the sun drive the asteroid closer to Jupiter or away from the planet? Is the Sun or Jupiter more significant?
- (c) Which of the two formulations is correct? Why?