


The following procedure describes the installation of Kentico in the most basic scenario for development purposes. You need to have an IIS server installed along with access to an SQL server.


Related pages

- [Additional database installation](#)
- [Installing new sites](#)

1. Click **Next** on the welcome screen of the installer.
2. Select your country. The installer automatically tries to pre-select the appropriate country based on your system's locale.
3. Agree to the license terms.
4. Click **Next**.
5. Click **Custom installation**.




6. Check if the installation location for program files suits you (these are only the setup files, not the web project).
 - [When should I install only program files?](#)



7. Click **Next**.

8. Check if the installation location for your web project suits you (the default path is `C:\inetpub\wwwroot\Kentico11`).



Custom installation

1 Program files

2 Installation type

3 Database

4 Components

5 Sample sites

6 Improvement program

[Load XML configuration](#)

[Save XML configuration](#)

Target location

- ☒ Local IIS/IIS Express
- ☐ Built-in web server in Visual Studio
- ☐ Prepare for installation on a remote server

Website:

.NET Framework version

- ☒ .NET Framework 4.6
- ☐ .NET Framework 4.7


Web project type

- ☒ Web site project
- ☐ Web application project
- ☐ Microsoft Azure project

[Back to main menu](#)

9. Choose your installation type configuration. We recommend the default options:

- **Local IIS/IIS Express** – installs the web project into the local Internet Information Services server. If you do not have IIS installed, the tool automatically installs the simplified version, IIS Express.
 - If you have an existing IIS installation on the machine, it must contain at least one *Website* (you can select the target *Website* in the installer). The selected website must have at least one *Site Binding* of the **http** type, otherwise an error will occur during the installation.
- **.NET Framework 4.6** – uses the .NET Framework version 4.6 installed on your machine. If you do not have it installed, the Installer will install it automatically.
- **Web site project** – installs the web site project type.
 - You can read about the differences between the two project types in [Web Application Projects versus Web Site Projects](#) on MSDN.
 - To install a Microsoft Azure project, you need to select the *Built-in web server in Visual Studio* option. See [Installing Kentico Azure projects](#) for more information.

 [How to choose the target location?](#)
[How to install Kentico to the IIS root?](#)
[Which .NET Framework versions can I choose during the installation?](#)
[Which web project type to choose?](#)

10. Click **Next**.

11. Check **I have access to the SQL server**.

- [What if I do not install the database with my web project?](#)

12. Select your SQL server from the list.

13. Choose an authentication option for your SQL server.


- The most common is an SQL Server account, in which case fill in the user name and password.

i If you choose the **Integrated Windows authentication** option:

Make sure that the login of the user you are authenticated as already exists in the SQL server database and has correct schema configured (recommended schema is *dbo*).

14. Click **Establish connection**.

15. Type the name of a new database for your web project.




The screenshot shows the 'Custom installation' window for Kentico. The left sidebar contains a list of steps: 1 Program files, 2 Installation type, 3 Database (selected), 4 Components, 5 Sample sites, and 6 Improvement program. Below the sidebar are links for 'Load XML configuration' and 'Save XML configuration'. The main area shows the 'Database' configuration. It includes checkboxes for 'Installation with database' and 'I have access to SQL server', both of which are checked. The 'SQL server' dropdown is set to 'SQL-03\SQL2012'. Under 'Authentication', 'Integrated Windows authentication' is selected. The 'Establish connection' button is disabled, and a green checkmark indicates the system is 'Connected'. The 'Database name' dropdown is set to 'Kentico11'. There is an unchecked checkbox for 'Overwrite existing database.'. At the bottom of the main area are 'Previous' and 'Next' buttons. At the very bottom of the window are a 'Back to main menu' link and a large green 'Install' button.

16. Click **Next**.

17. Leave the default configuration of components (all components included) and click **Next**.

- [What are performance counters for Health Monitoring](#)
- [What are Windows services for Scheduler and Health Monitoring](#)




18. Choose a site:

- **Dancing Goat** – a showcase of some of the Kentico Integrated Marketing Solution functionality and modern, responsive web design built within Kentico.
- **E-commerce Site** – a model of the Kentico e-commerce solution.
- **Corporate Site** – a showcase of most of Kentico's capabilities.
- **Blank Site** – to begin the development of a new website from scratch.
- **MVC Blank Site** – a blank template used for sites that use an [MVC application](#) for their presentation. The site is only intended to be a repository for content displayed by an external MVC application. The content itself is managed by content editors.




License limitations for sample sites

Some of the sample sites use features that are only available in specific Kentico license editions. If you use a license edition lower than **Kentico EMS**, you may encounter problems when working with certain features ([Content](#), [Personalization](#), for example). The initial trial license is equivalent to an EMS license.



19. Click **Next**.
20. Decide whether to enable the [Kentico improvement program](#) for the installed instance (via the **Send anonymous usage records to Kentico** checkbox).



21. Click **Install**.

After the installation is successfully finished, Kentico automatically opens in the default browser.

Default sign in credentials

The default user name to a newly installed web project is **administrator**, the default password is blank (no password).

It's highly recommended that you change the password after you finish the installation.