

**FLCP AD 2.1 AERODROME LOCATION INDICATOR AND NAME****FLCP - CHIPATA****FLCP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	S 13°33'25.00" E 032°35'14.20" Nil
2	Direction and distance from (city)	5NM NW of Chipata
3	Elevation/Reference temperature	Elev: 3359 FT (1024 M) / T: 32.2° C
4	Geoid undulation at AD ELEV PSN	-
5	MAG VAR/Annual change	5° W ( 2007)
6	AD Administration, address, telephone, telefax, telex, AFS	Zambia Airports Corporation Limited Box 510105 Chipata Airport Tel: 260 - 950-707421 Tel: 260-216-222828 AFS: FLCPZPZX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

**FLCP AD 2.3 OPERATIONAL HOURS**

1	AD Administration	0600-1500
2	Customs and immigration	On Request
3	Health and sanitation	Available within AD hours
4	AIS Briefing Office	As AD Administration
5	ATS Reporting Office (ARO)	As AD Administration
6	MET Briefing Office	As AD Administration
7	ATS	As AD Administration
8	Fuelling	Nil
9	Handling	Nil
10	Security	As AD Administration
11	De-icing	Nil
12	Remarks	Nil

**FLCP AD 2.4 HANDLING SERVICES AND FACILITIES****FLCP AD 2.5 PASSENGER FACILITIES**

1	Hotels	Hotels and rest houses in town
2	Restaurants	In town
3	Transportation	Nil
4	Medical facilities	First aid at AD, Hospital in town
5	Bank and Post Office	Bank and Post Office in town
6	Tourist Office	Tourist Office Jassat Travel Agency PO Box 510040 Tel: 260-216-221471/ 260-216-221029/ 260-216-221767 Telex: 260-212-617250
7	Remarks	Nil

**FLCP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 4
2	Rescue equipment	YES; Two (2) fire tenders, 1 Ambulances, 9 trained personnel per shift.
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

**FLCP AD 2.7 SEASONAL AVAILABILITY**

1	Types of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

**FLCP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Designation, Surface and Strength of Aprons	Designator		Surface		Strength	
		FLCP Apron		Bitumen		SIWL 9500 KG	
2	Designation, Width, Surface and Strength of Taxiways	Designator of TWY	Width	Surface		Strength	
		FLCP Taxiway	18 M	Bitumen			
3	Altimeter checkpoint location and elevation	Location: At Apron		THR36	THR18		
		Elevation: Nil Info		3363FT	3295FT		
4	VOR/INS checkpoints	VOR: Nil INS: Nil					
5	Remarks	Nil					

**FLCP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY: Edge markings and threshold TWY: Nil
3	Stop bars	Nil
4	Remarks	Nil

**FLCP AD 2.10 AERODROME OBSTACLES**

In approach/TKOF areas			
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Remarks
a	b	c	d
18/APCH	FLCP_3911 Elev: 1011.37 m Unlighted	S 13°33'00.64" E 032°35'10.49"	Nil
18/APCH	FLCP_3958 Elev: 1010.296 m Unlighted	S 13°33'02.61" E 032°35'05.21"	Total Area of Object is 61.36 m <sup>2</sup> as the maximum size of the Obstacle_ with this point the Highest Point of Object
18/APCH	FLCP_87 Elev: 1006.72 m Unlighted	S 13°33'00.66" E 032°35'11.40"	Total Area of Object is 58.692 m <sup>2</sup> as the maximum size of the Obstacle_ with this point the Highest Point of Object
36/APCH	FLCP_2495 Elev: 1070.852 m Unlighted	S 13°34'48.92" E 032°35'40.43"	Nil
36/APCH	FLCP_2907_ Elev: 1160.489 m Unlighted	S 13°36'25.06" E 032°35'38.26"	Nil

In approach/TKOF areas			
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Remarks
a	b	c	d
36/APCH	FLCP_3608 Elev: 1030.621 m Unlighted	S 13°33'59.96" E 032°35'19.97"	Nil
36/APCH	FLCP_3673 Elev: 1045.11 m Unlighted	S 13°34'11.41" E 032°35'15.96"	Nil
36/APCH	FLCP_3704 Elev: 1032.429 m Unlighted	S 13°33'58.25" E 032°35'19.58"	Nil
36/APCH	FLCP_4141 Elev: 1057.704 m Unlighted	S 13°34'12.04" E 032°35'19.80"	Nil
36/APCH	FLCP_709 Elev: 1254.464 m Unlighted	S 13°38'25.94" E 032°37'00.72"	Nil
36/TKOF	FLCP_3911 Elev: 1011.37 m Unlighted	S 13°33'00.64" E 032°35'10.49"	Nil
36/TKOF	FLCP_3958 Elev: 1010.296 m Unlighted	S 13°33'02.61" E 032°35'05.21"	Total Area of Object is 61.36 m2_ as the maximum size of the Obstacle_ with this point the Highest Point of Object
In circling area and at AD			
Obstacle type Elevation Markings/LGT		Coordinates	Remarks
a		b	c
NOTE: Nil			

**FLCP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	<i>Associated MET Office</i>	Chipata
2	<i>Hours of service MET Office outside hours</i>	0600 - 1500 UTC Nil
3	<i>Office responsible for TAF preparation Period of validity</i>	Kenenth Kaunda International Airport As required by flights
4	<i>Trend forecast Interval of issuance</i>	Metar - Speci 2 HR
5	<i>Briefing/consultation provided</i>	Prior notice required
6	<i>Flight documentation Language(s) used</i>	Nil
7	<i>Charts and other information available for briefing or consultation</i>	Provided in tabular form for domestic flights only
8	<i>Supplementary equipment available for providing information</i>	Nil
9	<i>ATS units provided with information</i>	Mfuwe Approach Chipata FIS
10	<i>Additional information (limitation of ser- vice, etc.)</i>	Nil

**FLCP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<i>Designa- tions RWY</i>	<i>TRUE &amp; MAG BRG</i>	<i>Dimension of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates</i>	<i>THR elevation and highest elevation of TDZ of preci- sion APP RWY</i>	
1	2	3	4	5	6	
08	078°(True) 000°(Mag)	809 x 21	Grass SWY: Nil	GUND: Nil	THR -	
26	258°(True) 000°(Mag)	809 x 21	Grass SWY: Nil	GUND: Nil	THR -	
18	169°(True) 174°(Mag)	1470 x 21	SIWL 9500 KG SWY: Nil	S 13°33'04.20" E 032°35'08.26" GUND: Nil	THR 3295 FT (1004 M)	
36	349°(True) 354°(Mag)	1470 x 21	SIWL 9500 KG SWY: Nil	S 13°33'51.09" E 032°35'17.90" GUND: Nil	THR 3363 FT (1025 M)	
<i>Slope OF RWY and SWY</i>	<i>SWY dimen- sions (M)</i>	<i>CWY dimen- sions (M)</i>	<i>Strip dimen- sions (M)</i>	<i>RESA dimen- sions (M)</i>	<i>RAG</i>	<i>OFZ</i>
7	8	9	10	11	12	13
For Rwy 08: Nil	Nil	Nil	Nil	Nil	Nil	Nil
For Rwy 26: Nil	Nil	Nil	Nil	Nil	Nil	Nil
For Rwy 18: +1.1%	Nil	Nil	1590 x 140	Nil	Nil	Nil
For Rwy 36: Nil	Nil	Nil	1590 x 140	Nil	Nil	Nil
<i>Designations RWY</i>	<i>Remarks</i>					
1	14					
08						
26						
18	Due slope usually aircraft land RWY 18 and take off at RWY 36. Prevailing wind is EASTERLY.					
36	Due slope usually aircraft land RWY 18 and take off at RWY 36. Prevailing wind is EASTERLY.					

**FLCP AD 2.13 DECLARED DISTANCES**

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
08	809	809	809	809	
18	1470	1470	1470	1470	
26	809	809	809	809	
36	1470	1470	1470	1470	

**FLCP AD 2.14 APPROACH AND RUNWAY LIGHTING**

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Centre Line LGT Length, spacing, colour, INTST</i>	<i>RWY edge LGT LEN, spacing colour INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN (M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Centre Line LGT Length, spacing, colour, INTST</i>	<i>RWY edge LGT LEN, spacing colour INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN (M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
26	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil
36	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil
18	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

**FLCP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY****FLCP AD 2.16 HELICOPTER LANDING AREA**

As guided by AFIS

**FLCP AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	Chipata ATZ Circular area centered on S 13°33'50" E 032°35'08" within a 10NM radius.
2	<i>Vertical limits</i>	GND to 6000 FT AMSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	Mfuwe Approach, English Chipata Radio, English
5	<i>Transition altitude</i>	7000 FT (2134 M)
6	<i>Hours of applicability</i>	0600-1500
7	<i>Remarks</i>	Nil

**FLCP AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>SATVOICE</i>	<i>Logon address</i>	<i>Remarks</i>
1	2	3	4	5	6	7
AFIS	Chipata Radio	118.3 MHZ 6952.0 KHZ	Mon-Fri 0600-1500	Nil	Nil	Primary Freq. Secondary Freq. (HF)

**FLCP AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid MAG VAR CAT of ILS/MLS</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB (05° W)	CP	218.00 KHZ	H24	S 13°33'50.28" E 032°35'07.68"	—	Power output 100w Coverage 50NM

**FLCP AD 2.20 LOCAL AERODROME REGULATIONS**

All flights within Lusaka FIR at or below FL150 within and outside controlled airspace shall be operated in accordance with instrument/visual flight rules. Flights above FL150 within and outside controlled airspace shall be operated in accordance with instrument flight rules only.

**FLCP AD 2.21 NOISE ABATEMENT PROCEDURES****FLCP AD 2.22 FLIGHT PROCEDURES**

All flights within Lusaka FIR at or below FL150 within and outside controlled airspace shall be operated in accordance with instrument/visual flight rules.

Flights above FL150 within and outside controlled airspace shall be operated in accordance with instrument flight rules only.

**FLCP AD 2.23 ADDITIONAL INFORMATION**

**FLCP AD 2.24 CHARTS RELATED TO AN AERODROME**

<i>Charts</i>	<i>Pages</i>
LANDING CHART - ICAO	AD 2 FLCP 2 - 1
AERODROME OBSTACLE CHART - ICAO TYPE A RWY 18-36	AD 2 FLCP 5 - 1
AERODROME OBSTACLE CHART - ICAO TYPE B	AD 2 FLCP 6 - 1
Instrument Approach Chart — ICAO NDB RWY 18	AD 2 FLCP 14 - 1