




INSTRUMENT APPROACH
CHART - ICAOAD ELEV 4288 FT
OCH RELATED TO THR 09 ELEVATION 4267ELEVATIONS AND ALTITUDES ARE IN FEET
DISTANCES IN NAUTICAL MILE
BEARINGS ARE MAGNETIC
VAR 3.47° W (2019)SIMON MWANSA KAPWEPWE INTERNATIONAL AIRPORT / SMKIA / FLSK
VOR Y - RWY 09

VOR/DME VCD	NM	8.8	4.7	4	3	2	1
ALTITUDE	ft	6000	6000	5820	5500	5170	4850
HEIGHT	ft	1730	1730	1550	1220	900	580



		A	B	C	D	DESCENT INFORMATION					
Straight in approach - VOR	OCA(OCH)	FT	4670(400)	4670(400)	4670(400)	4670(400)	SPEED (GS)	knots	90	110	130
	MNM VISIBILITY	M	1500	1700	2400	3700	RATE OF DESCENT	ft/min	480	590	690
CIRCLING	OCA(OCH)	FT	4900(600)	4900(600)	5000(700)	5000(700)	FAP-THR (5.3NM)	Min:s	3 min 32	2 min 53	2 min 27
	MNM VISIBILITY	M	1900	2800	3700	4700	FAP-Mapp (4.7NM)	Min:s	3 min 8	2 min 34	2 min 10

THIS PAGE
INTENTIONALLY
LEFT BLANK



THIS PAGE
INTENTIONALLY
LEFT BLANK