

condvar.cm

```
/*  
  
    Copyright (c) 2012–2016 Seppo Laakko  
    http://sourceforge.net/projects/cmajor/  
  
    Distributed under the GNU General Public License, version 3 (GPLv3).  
    (See accompanying LICENSE.txt or http://www.gnu.org/licenses/gpl.html  
    )  
  
*/  
  
// Copyright (c) 1994  
// Hewlett-Packard Company  
// Copyright (c) 1996  
// Silicon Graphics Computer Systems, Inc.  
// Copyright (c) 2009 Alexander Stepanov and Paul McJones  
  
using System;  
  
namespace System.Threading  
{  
    public class ConditionVariable  
    {  
        public ConditionVariable(): handle(allocate_cond_handle())  
        {  
            int result = init_cond(handle);  
            if (result != 0)  
            {  
                string reason = strerror(result);  
                throw ThreadingException("could not initialize a  
                    condition variable", reason);  
            }  
        }  
        public ~ConditionVariable()  
        {  
            int result = destroy_cond(handle);  
            free_cond_handle(handle);  
        }  
        suppress ConditionVariable(const ConditionVariable&);  
        suppress void operator=(const ConditionVariable&);  
        suppress ConditionVariable(ConditionVariable&&);  
        suppress void operator=(ConditionVariable&&);  
        public void NotifyOne()  
        {  
            int result = signal_cond(handle);  
            if (result != 0)  
            {  
                string reason = strerror(result);  

```

```

        throw ThreadingException("could not signal a condition
                                variable", reason);
    }
}
public void NotifyAll()
{
    int result = broadcast_cond(handle);
    if (result != 0)
    {
        string reason = strerror(result);
        throw ThreadingException("could not broadcast a condition
                                variable", reason);
    }
}
public void Wait(Mutex& m)
{
    mutex_t* mutexHandle = m.Handle();
    int result = wait_cond(handle, mutexHandle);
    if (result != 0)
    {
        string reason = strerror(result);
        throw ThreadingException("could not wait on a condition
                                variable", reason);
    }
}
public bool WaitUntil(Mutex& m, TimePoint tp)
{
    bool timedOut = false;
    mutex_t* mutexHandle = m.Handle();
    long secs = tp.Rep() / 1000000000;
    int nanosecs = cast<int>(tp.Rep() % 1000000000);
    int result = timedwait_cond(handle, mutexHandle, secs,
                                nanosecs, timedOut);
    if (result != 0)
    {
        string reason = strerror(result);
        throw ThreadingException("could not wait on a condition
                                variable", reason);
    }
    return timedOut;
}
public bool WaitFor(Mutex& m, Duration d)
{
    return WaitUntil(m, Now() + d);
}
private cond_t* handle;
}
}

```