

pair.cm

```
/*  
  
    Copyright (c) 2012–2016 Seppo Laakko  
    http://sourceforge.net/projects/cmajor/  
  
    Distributed under the GNU General Public License, version 3 (GPLv3).  
    (See accompanying LICENSE.txt or http://www.gnu.org/licenses/gpl.html  
    )  
  
*/  
  
// Copyright (c) 1994  
// Hewlett–Packard Company  
// Copyright (c) 1996  
// Silicon Graphics Computer Systems, Inc.  
// Copyright (c) 2009 Alexander Stepanov and Paul McJones  
  
using System.Concepts;  
  
namespace System  
{  
    public class Pair<T, U> where T is Semiregular and U is Semiregular  
    {  
        public Pair(): first(), second() {}  
        public Pair(const T& first_, const U& second_): first(first_),  
            second(second_) {}  
        public Pair(T&& first_, U&& second_) : first(Rvalue(first_)),  
            second(Rvalue(second_)) {}  
        public T first;  
        public U second;  
    }  
  
    public nothrow bool operator<<T, U>(const Pair<T, U>& left, const  
        Pair<T, U>& right) where T is TotallyOrdered and U is  
        TotallyOrdered  
    {  
        if (left.first < right.first) return true;  
        else if (left.first > right.first) return false;  
        else return left.second < right.second;  
    }  
  
    public nothrow bool operator==<T, U>(const Pair<T, U>& left, const  
        Pair<T, U>& right) where T is Regular and U is Regular  
    {  
        return left.first == right.first && left.second == right.second;  
    }  
  
    public Pair<T, U> MakePair<T, U>(const T& first, const U& second)  
        where T is Semiregular and U is Semiregular
```

```

{
    return Pair<T, U>(first , second);
}

public class SelectFirst<T, U>: UnaryFun<Pair<T, U>, T> where T is
    Semiregular and U is Semiregular
{
    public nothrow const T& operator()(const Pair<T, U>& p) const
    {
        return p.first;
    }
}

public class SelectSecond<T, U>: UnaryFun<Pair<T, U>, U> where T is
    Semiregular and U is Semiregular
{
    public nothrow const U& operator()(const Pair<T, U>& p) const
    {
        return p.second;
    }
}
}

```