# STP598sta: Spatiotemporal Analysis

#### Homework 4

Name: Your name; NetID: Your ID

Due 11:59pm Friday November 11, 2022

## Question 1

For the non-causal stationary process

$$x_t = \phi x_{t-1} + w_t, \quad |\phi| > 1$$

and  $w_t \stackrel{iid}{\sim} N(0, \sigma_w^2)$ . What is the autocovariance? ACF?

### Question 2

For the AR(2) series  $x_t + 1.6x_{t-1} + 0.64x_{t-2} = w_t$ , use the difference equation (ref pages 19-25 of lecture 8, or the results of Example 3.10 of TSA book) to find the ACF  $\rho(h), h = 0, 1, \cdots$ ; solve for the constants in the ACF using the initial conditions. Then plot the ACF values to lag 10 (use ARMAacf as a check on your answers).

#### Question 3

Generate n = 100 observations from each of the three models: (a) AR(1), (b) MA(1) and (c) ARMA(1,1) with  $\phi = 0.6$  and  $\theta = 0.9$ . Plot the (sample) ACF and PACF for each of the three models and compare with their theoretic values. What do you find about their tailing behavior?

#### Question 4

Consider a system process given by

$$x_t = -.9x_{t-2} + w_t, \quad t = 1, \dots, n$$

where  $x_0 \sim N(0, \sigma_0^2)$ ,  $x_{-1} \sim N(0, \sigma_1^2)$ , and  $w_t$  is Gaussian white noise with variance  $\sigma_w^2$ . The system process is observed with noise:

$$y_t = x_t + v_t,$$

where  $v_t$  is Gaussian white noise with variance  $\sigma_v^2$ . Further, suppose  $x_0, x_{-1}, \{w_t\}$  and  $\{v_t\}$  are independent.

- (a) Write the system and observation equations in the form of a state space model.
- (b) Find the values of  $\sigma_0^2$  and  $\sigma_1^2$  that make the observations,  $y_t$ , stationary.
- (c) Generate n = 100 observations with  $\sigma_w = 1$ ,  $\sigma_v = 1$  and using the values of  $\sigma_0^2$  and  $\sigma_1^1$  found in (b). Do a time plot of  $x_t$  and of  $y_t$  and compare the two processes. Also, compare the sample ACF and PACF of  $x_t$  and  $y_t$ .
- (d) Repeat (c), but with  $\sigma_v = 10$ .