

ALUES: R package for Agricultural Land Use Evaluation System

Al-Ahmadgaid B. Asaad¹², Arnold R. Salvacion³, and Bui Tan Yen⁴

¹ Data Science Solutions, Aboitiz Data Innovation PTE. LTD., Goldbell Towers, 47 Scotts Road, Singapore City, 228233, Singapore ² Data Science Solutions, UnionBank of the Philippines Inc., UnionBank Plaza Bldg, Meralco Avenue, Pasig City, 1605, Philippines ³ Department of Community and Environmental Resource Planning, College of Human Ecology, University of the Philippines Los Baños, Los Baños 4031, Laguna, Philippines ⁴ International Rice Research Institute, Pili Drive, Los Baños 4031, Laguna, Philippines

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: Fabian Scheipl ↗

Reviewers:

- [@corybrunson](#)
- [@kuesterc9](#)

Submitted: 15 January 2022

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

The Agricultural Land Use Evaluation System (ALUES) is an R ([R Core Team, 2020](#)) library developed for evaluating land suitability on different crops. The suitability is assessed based on the standard requirements specified in Sys et al. ([1993](#)). In particular, it evaluates the land units using the concept of fuzzy logic approach ([Zadeh, 1965](#)). The input data are the characteristics of the land units, sub-grouped into rainfall, temperature, topography and soil properties. ALUES is inspired by a similar tool for land evaluation, the Land Use Suitability Evaluation Tool (LUSET) developed by Yen et al. ([2006](#)). The package contains data on crop requirements parameters, and sample land units data for Marinduque, Philippines; and, Lao Cai, Vietnam. Finally, the package is computationally fast and capable of generating suitability score report.

Statement of Need

Several computer systems have been developed for agricultural land suitability assessment. Examples of these include ALES ([Johnson & Cramb, 1991](#)), LEIGIS ([Kalogirou, 2002](#)), Micro-LEIS ([De la Rosa et al., 2004](#)), and ALSE ([Elsheikh et al., 2013](#)). Developed by Johnson & Cramb ([1991](#)), ALES aims to assist in defining land capability and suitability for farm and regional land use planning. The program is based on soil potential ratings which incorporates biophysical crop simulation modelling, expert systems and risk analysis ([Johnson & Cramb, 1991](#)). While ALES offers the structure for a wide range of expert knowledge for a quick assessment, the system is not user friendly, and lacks GIS (Geographic Information System) functionality ([Elsheikh et al., 2013](#)). The LEIGIS software, on the other hand, is a system based on Food and Agriculture Organization (FAO) methodology designed to support rural planners to determine land suitability of wheat, barley, maize, seed cotton, and sugar beet ([Kalogirou, 2002](#)). The limited number of crops covered and non-inclusion of climate in suitability assessment was considered a major disadvantage of LEIGIS system ([Elsheikh et al., 2013](#)). Moving on, Micro-LEIS is another system that uses knowledge-based decision support with GIS and land-data transfer for agro-ecological land evaluation ([De la Rosa et al., 2004](#)). While Micro-LEIS incorporates different database, information, and knowledge system for land evaluation, it does not allow users to build a personal expert system ([Elsheikh et al., 2013](#)). As for the Agriculture Land Suitability Evaluator (ALSE), it offers intelligent system for assessing land suitability of different crops in the tropics and subtropics based on land management expertise, computer modeling, GIS, and multi-criteria analysis ([Elsheikh et al., 2013](#)). The main feature of ALSE is its GIS functionality, which allows it to automatically evaluate land

suitability based on geo-environmental factors of a specific area using the FAO-SYS framework (Elsheikh et al., 2013). However, the ALSE system uses GIS model builder, which is commercial in nature and operating system dependent. This means additional cost to potential users and limits usability of ALSE in other operating system. It is therefore the goal of this paper to introduce a new system and address some of the limitations of the aforementioned software. This new system is called ALUES, Agricultural Land Use Evaluation System.

Data

ALUES comes with 56 crop requirements datasets, each encoded into three separate characteristics: *land and soil*, *water*, and *temperature*. In addition to these, ALUES also comes with 2 land units datasets from two regions: *Marinduque, Philippines*; and, *Lao Cai, Vietnam*.

Functionality

There are two main APIs (Application Programming Interfaces) defined in the package, these are: `suit`, used for computing the suitability scores and classes of the land units for particular crop of a particular characteristics; and, `overall_suit`, used for computing the overall suitability of the land units for a given characteristics. Further, while ALUES does not necessarily have its own APIs for GIS, its results can be visualized through maps using the extensive libraries of R. Examples of these are shown in Figure 1 for suitability scores, and Figure 2 for suitability classes. The code is available in the documentation.




Figure 1: Soil suitability scores of the land units of Marinduque, Philippines for farming banana.




Figure 2: Soil suitability classes (N - not suitable, S3 - marginally suitable, S2 - suitable, S1 - highly suitable) of the land units of Marinduque, Philippines for farming banana.

Speed

The core algorithms of the library are written in C++, which means ALUES is efficient enough in evaluating large sets of land units. The following shows the elapsed time of computing the suitability scores and classes for the land units of Marinduque, which has 881 units (or observations) in total; and, for the region of Lao Cai, Vietnam, which has 2928 land units.

```
> library(microbenchmark)
> microbenchmark(
+   suppressWarnings(
+     suit("banana", terrain=MarinduqueLT, interval="unbias")
+   )
+ )
## Unit: milliseconds
##
##   suppressWarnings(
##     suit("banana", terrain = MarinduqueLT, interval = "unbias")
##   )
##      min       lq    mean  median      uq    max neval
## 6.743769 7.201492 8.565446 7.63077 9.120762 20.10044   100
```

For Lao Cai, Vietnam:

```
> microbenchmark(
+   suppressWarnings(
+     suit("banana", terrain=LaoCaiLT, interval="unbias")
+   )
+ )
## Unit: milliseconds
```

```
##
## suppressWarnings(
##   suit("banana", terrain = LaoCaiLT, interval = "unbias")
## )
##      min      lq      mean      median      uq      max      neval
## 10.53675 11.80469 13.01701 12.29996 13.46417 21.7674   100
```

References

- De la Rosa, D., Mayol, F., Diaz-Pereira, E., Fernandez, M., & de la Rosa, D. (2004). A land evaluation decision support system (MicroLEIS DSS) for agricultural soil protection: With special reference to the mediterranean region. *Environmental Modelling & Software*, 19(10), 929–942. <https://doi.org/10.1016/j.envsoft.2003.10.006>
- Elsheikh, R., Mohamed Shariff, A. R. B., Amiri, F., Ahmad, N. B., Balasundram, S. K., & Soom, M. A. M. (2013). Agriculture land suitability evaluator (ALSE): A decision and planning support tool for tropical and subtropical crops. *Computers and Electronics in Agriculture*, 93, 98–110. <https://doi.org/10.1016/j.compag.2013.02.003>
- Johnson, A. K. L., & Cramb, R. A. (1991). Development of a simulation based land evaluation system using crop modelling, expert systems and risk analysis. *Soil Use and Management*, 7. <https://doi.org/10.1111/j.1475-2743.1991.tb00881.x>
- Kalogirou, S. (2002). Expert systems and GIS: An application of land suitability evaluation. *Computers, Environment and Urban Systems*, 26(2), 89–112. [https://doi.org/10.1016/S0198-9715\(01\)00031-X](https://doi.org/10.1016/S0198-9715(01)00031-X)
- R Core Team. (2020). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing.
- Sys, Ir. C., Ranst, E. V., Debaveve, J., & Beernaert, F. (1993). *Land evaluation part III – crop requirement*. Belgium General Administration for Development Cooperation. Agricultural Productions No. 7.
- Yen, B. T., Pheng, K. S., & Hoanh, C. T. (2006). *LUSET: Land use suitability evaluation tool user's guide*. International Rice Research Institute.
- Zadeh, L. A. (1965). Fuzzy sets. *Information and Control*, 8(3), 338–353. [https://doi.org/10.1016/S0019-9958\(65\)90241-X](https://doi.org/10.1016/S0019-9958(65)90241-X)