Chain-of-thought Prompting

Large Language Models (LLMs)

Learning goals


- illustrate chain-of-thought and point out the benefits it brings to LLMs
- illustrate tree-of-thought and point out the benefits it brings to LLMs

CHAIN-OF-THOUGH MOTIVATION

- Use formal approaches, e.g., logic, symbolic reasoning
 - Example: BeliefBank
 - Difficult to train and deploy, not widely used
- Few-shot learning via prompting works for most tasks
 - Still, it works poorly on tasks that require reasoning
- Chain of thought (CoT) prompting
 - Prompts in the form <input, chain of thought, output>
 - CoT: series of intermediate steps that lead to a final output

CHAIN-OF-THOUGHT PROMPTING PARADIGM

CoT enables LLMs to tackle complex arithmetic, commonsense and symbolic reasoning tasks.



BENEFITS OF CHAIN-OF-THOUGHT

- Decompose multi-step problems and thus allocate more compute to problems requiring more reasoning steps
- By describing the reasoning, interpretability is increased. It provides the possibility to observe where reasoning went wrong
- It is closer to how humans solve tasks using language
- By designing a prompt, existing large language models are able to perform chain-of-thought reasoning.

EXAMPLES (1)

Examples of <input, chain of thought, output> triples for commonsense and symbolic reasoning

StrategyQA

- Q: Yes or no: Would a pear sink in water?
- A: The density of a pear is about 0.6 g/cm^3, which is less than water.
 Thus, a pear would float. So the answer is no.

Date Understanding

- Q: The concert was scheduled to be on 06/01/1943, but was delayed by one day to today. What is the date 10 days ago in MM/DD/YYYY?
- A: One day after 06/01/1943 is 06/02/1943, so today is 06/02/1943. 10 days before today is 05/23/1943. So the answer is 05/23/1943.

Sports Understanding

- Q: Is the following sentence plausible? "Joao Moutinho caught the screen pass in the NFC championship."
- A: Joao Moutinho is a soccer player.
 The NFC championship is part of
 American football, not soccer. So the
 answer is no.

► Source: Wei et al., 2022

EXAMPLES (2)

Examples of <input, chain of thought, output> triples for commonsense and symbolic reasoning

SayCan (Instructing a robot)

Human: How would you bring me something that isn't a fruit?

Explanation: the user wants something to eat that isn't a fruit. An energy bar is not a fruit, so I will bring the user an energy bar.

Plan: 1. find(energy bar) 2. pick(energy bar) 3. find(user) 4. put(energy bar) 5. done().

Last Letter Concatenation

- Q: Take the last letters of the words in "Lady Gaga" and concatenate them.
- A: The last letter of "Lady" is "y". The last letter of "Gaga" is "a".

 Concatenating them is "ya". So the answer is ya

Coin Flip (state tracking)


- Q: A coin is heads up. Maybelle flips the coin. Shalonda does not flip the coin. Is the coin still heads up?
- A: The coin was flipped by Maybelle. So the coin was flipped 1 time, which is an odd number. The coin started heads up, so after an odd number of flips, it will be tails up. So the answer is no.

Source: Wei et al., 2022

COT IMPROVES ARITHMETICS


SVAMP: math word problems with varying structures; MAWPS: repository unifying math problems from different sources;

➤ Source: Wei et al., 2022



COT IMPROVES COMMONSENSE

CSQA: Contains around 200K dialogs with a total of 1.6M turns. Further, unlike existing large scale QA datasets which contain simple questions that can be answered from a single tuple, the questions in the dialogs require a larger subgraph of the KG.




TREE-OF-THOUGHT: MOTIVATION

- The token-level and left-to-right decisions of the autoregressive mechanism pose a limitation for:
 - Tasks where initial decisions play a pivotal role
 - Tasks requiring exploration or strategic lookahead
- Potential strategy to solve those:
 - Maintain and explore diverse alternatives instead of just picking one
 - Evaluates current status and looks ahead or backtrack to make global decisions


TREE-OF-THOUGHT: PROMPTING PARADIGM

Schematic illustrating various approaches to problem solving with LLMs. Each rectangle box represents a *thought*, a coherent language sequence serving as an intermediate step toward problem solving.




TREE-OF-THOUGHT FOR CREATIVE WRITING

A step of deliberate search in a randomly picked Creative Writing task. Given the input, the LM samples five different plans, and then votes five times to decide which plan is best.



TREE-OF-THOUGHT FOR CREATIVE WRITING (2)

(a) Input Write a coherent passage of 4 short paragraphs. The end sentence of each paragraph must be: 1. It isn't difficult to do a handstand if you just stand on your hands. 2. It caught him off guard that space smelled of seared steak. 3. When she didn't like a guy who was trying to pick her up, she started using sign language. 4. Each person who knows you has a different perception of who you are.



(c) **Votes**

Analyzing each choice in detail: Choice 1, while incorporating the required end sentences, seems to lack a clear connection between the paragraphs (...) Choice 2 offers an interesting perspective by using the required end sentences to present a self-help book's content. It connects the paragraphs with the theme of self-improvement and embracing challenges, making for a coherent passage. {...} The best choice is 2.