

Using the Transformer

DistilBERT (Sanh et al., 2019)



Learning goals

- Understand model distillation in general
- Training regime of DistilBERT


Model compression scheme:

- Motivation comes from having computationally expensive, cumbersome ensemble models. ► Bucila et al. (2006)
- Compressing the knowledge of the ensemble into a single model has the benefit of easier deployment and better generalization
- Reasoning:
 - Cumbersome model generalizes well, because it is the average of an ensemble.
 - Small model trained to generalize in the same way typically better than small model trained "the normal way".

Distillation:

- Temperature T in the softmax: $q_i = \frac{\exp(z_i/T)}{\sum_j \exp(z_j/T)}$
- Knowledge transfer via soft targets with high T from original model.
- When true labels are known: Weighted average of two different objective functions

Motivation:



Source: Sanh et al. (2019)

Student architecture (*DistilBERT*):

- Half the number of layers compared to BERT*
- Half of the size of BERT, but retains 95% of the performance
- Initialize from BERT (taking one out of two hidden layers)
- Same pre-training data as BERT (Wiki + BooksCorpus)

Training and performance

- Distillation loss $L_{ce} = \sum_i t_i \cdot \log(s_i) + \text{MLM-Loss } L_{mlm} + \text{Cosine-Embedding-Loss } L_{cos}$
- Drops NSP, use dynamic masking, train with large batches

*Rationale for "only" reducing the number of layers:

Larger influence on the computation efficiency compared to e.g. hidden size dimension

Performance differences to BERT:

Table 1: **DistilBERT retains 97% of BERT performance.** Comparison on the dev sets of the GLUE benchmark. ELMo results as reported by the authors. BERT and DistilBERT results are the medians of 5 runs with different seeds.

Model	Score	CoLA	MNLI	MRPC	QNLI	QQP	RTE	SST-2	STS-B	WNLI
ELMo	68.7	44.1	68.6	76.6	71.1	86.2	53.4	91.5	70.4	56.3
BERT-base	79.5	56.3	86.7	88.6	91.8	89.6	69.3	92.7	89.0	53.5
DistilBERT	77.0	51.3	82.2	87.5	89.2	88.5	59.9	91.3	86.9	56.3

Source: Sanh et al. (2019)

Ablation study regarding the loss:

Table 4: **Ablation study.** Variations are relative to the model trained with triple loss and teacher weights initialization.

Ablation	Variation on GLUE macro-score
$\emptyset - L_{cos} - L_{mlm}$	-2.96
$L_{ce} - \emptyset - L_{mlm}$	-1.46
$L_{ce} - L_{cos} - \emptyset$	-0.31
Triple loss + random weights initialization	-3.69

Source: Sanh et al. (2019)