

# Dissertation Proposal

Jonny Saunders

February 14, 2022 - Version: final-3-gfc08ff7

---

Requirements:

*“defines the plan formulated by the student and the committee regarding (at least):*

- *the topic and scope of the dissertation,*
  - *method and scope of data collection, and*
  - *analysis strategies.*
- 

I see myself as a transdisciplinary researcher: sprawled across worlds, but following a common thread. The closest I’ve come to a simple description of my focus is *communicative systems*: how agents or components interact to create systems of meaning that, reciprocally, structure their interaction within and across what appear as emergent layers of organization. I also believe that the practice of science itself is deeply political, reflective of the systems of belief and power interacting across interlocking institutions and organizations, and have increasingly oriented my work towards understanding and directly counteracting the ways that commercial capture of science poison every part of our work.

This dissertation will be in three chapters, roughly tracing the development of my thoughts over the past seven years.

**Chapter 1: Phonetic Perception** - My work here starts and ends with studying a mouse model of auditory phonetic perception, comprising behavioral neuroscience, an attempted merger of several strains of linguistic, philosophical, and neuroscientific thought, and in the final few months a touch of neurophysiology.

**Chapter 2: Autopilot** - That led, perhaps unwisely, to the development of Autopilot: a Python framework for behavioral neuroscientific experiments based in distributed computing, but in learning lessons from history and critical technology scholars has been mutating into something more like a technical knowledge organization system.

**Chapter 3: Infrastructure** - Finally in my last year my work has focused on the broader infrastructure and practice of science, and weaving between many fields I have tried to plot a course away from the subordination of basic science to surveillance and information capitalism.

These three chapters reflect my study of three interconnected emergent layers of scientific practice: science *qua* science, systems that enable science, and metasystems that structure the systems of science.

# 1 Phonetic Perception

## 1.1 Mice Can Learn Phonetic Categories

I started my work by teaching mice to generalizably discriminate between two sets of naturally produced pitch-shifted consonant-vowel pairs (Published in Journal of Acoustical Society of America [1]). The idea was to establish phonetic perception in mice as a model that would be useful for twin problems in auditory neuroscience and phonetics: Auditory neuroscientists need better models to move beyond simple stimuli like tone pips and noise to understand how the mammalian auditory system processes the complexity that defines natural sound environments. The long history of phonetics research provides auditory neuroscience with a rich body of work, largely ungrounded in neurophysiological observation, that can inform our experimental designs and structure our predictions. Reciprocally, animal models can augment phonetic research by isolating the specifically auditory component of phonetic perception from the syntactic, semantic, motor, and social influences intrinsic to human perception; and mice provide access to observe and perturb neurophysiological processes unavailable in humans.

The experiment consisted of a two-alternative forced choice task in an arena with three water ports with photosensors to detect when they poked their nose in them. The mice would poke their nose in the center port to hear a consonant-vowel (/CV/) pair beginning with a /b/ or /g/, and then were rewarded if they poked their nose in the correct flanking port corresponding to either consonant. They progressed through several shaping stages that expanded the number of possible /CV/ tokens, adding new speakers and vowels, until they could reliably categorize 20 tokens. The mice then were tested in a generalization task where on a small subset of trials the mice were presented novel tokens. We characterized generalization as the measure of having learned an abstract or at least adaptive notion of the acoustic structure of the leading consonants, rather than overlearning the training set. We trained two cohorts of mice with different sets of speakers to test whether and how strongly the particular history of their training patterned their responses (vs. learning some “universal” means of categorizing the tokens).

The primary analysis in the paper used a generalized linear mixed model with a logistic link function to predict binary correct/incorrect responses using the type of token (training tokens, generalization tokens, etc.) as a fixed effect nested within each mouse as a random effect. From this we estimated the relative difficulties of different kinds of generalization (eg. to novel speakers vs. novel vowels), and differences in accuracy patterns across mice and cohorts. We tested the predictions of one neurolinguistic model (“Locus equations”) and found no behavioral support for them. Finally we lesioned auditory cortex and found that it returned the mice to chance accuracy – indicating that cortex is at least involved in the computation.<sup>1</sup>

## 1.2 Models & Mechanisms

Given our behavioral results, the next step, had I not taken the long way around by building Autopilot, would be to see how the brain learns and processes the phoneme pairs. Systems neuroscience is in the midst of a quiet methodological upheaval, moving beyond characterizing the properties of individual neurons sampled in isolation to modeling the brain as a dynamic system whose population activity cannot be extrapolated from its individual components. This move pairs nicely with lessons learned from methodological crises in Psychology and related fields that emphasize iterative formal modeling to inform experimental design and interpretation (eg. [2]). In this case, we can develop formal models to evaluate observed population activity in auditory cortex by working from the broad and multidisciplinary history of phonetic perception research.

---

<sup>1</sup>This work also led to an interesting [side avenue](#) talking with some cybersecurity people about using mouse models for improving deepfake detection technology. Go figure.

Historically, the work of the Haskins lab (eg. [3]), and their acoustic “cue discovery” paradigm (see [4, p. 51]) characterized auditory processing as some mapping function

$$M = f : \mathbf{S} \rightarrow \mathbf{P} \quad (1)$$

from some stimulus space  $\mathbf{S}$  to a fixed[5] perceptual space  $\mathbf{P}$  composed of innate auditory “cues.” The auditory act of phonetic perception, then, is determining the phoneme category  $c_s \in \mathbf{C}$ , the set of possible phonemes in a language, given some perceptual representation  $\mathbf{p}$  such that

$$\mathbf{p} = M(\mathbf{s}) \quad (2)$$

$$c_s = \max(\{p(c_i|\mathbf{p}) : c_i \in \mathbf{C}\}) \quad (3)$$

Finding no set of cues that uniquely identifies a phoneme, they concluded that phonetic perception cannot be purely auditory and instead arrive at a perceptual theory that relies on simulating the motor activity of an utterance[5].

Each of the components of this very simple model has been problematized in parallel branches of research: developmental psychologists like Patricia Kuhl studying infant speech acquisition show the clear plasticity of the auditory system [6], describing a “warped” perceptual space  $\mathbf{P}$  that takes advantage of the “big cuts” of the mammalian auditory system’s sensitivity to basic sound features like frequency and energy changes. Learning a language’s phonemes could then be characterized as learning some weight vector  $\mathbf{w}$  as a function  $W$  of the history of perceptual representations of speech exposure  $\mathbf{p}$  and the category structure of the language  $\mathbf{C}$  that maximizes the separability of the phonetic categories in perceptual space.

$$\mathbf{w} = W(\mathbf{p}, \mathbf{C}) \quad (4)$$

$$c_s = \max(\{p(c_i|\mathbf{p} \cdot \mathbf{w}) : c_i \in \mathbf{C}\}) \quad (5)$$

Cognitive psychologists like Eleanor Rosch studying the nature of cognitive categories emphasize their ill-definedness, that they resemble a Wittgensteinian “game” that does not require a neat mapping from a perceptual space to phonetic category identity[7, 8]. Rather than a “flat” cue space where all cues are evaluated simultaneously, phonologists have described a hierarchy of contrastive features where “lower” cues are evaluated conditionally on the value of “higher” cues[9]. Another perspective dismisses the notion of cues altogether, focusing on the informational content in the temporal dynamics of the whole speech signal[10].

These theories are more compatible with the deeply nonlinear computation of the brain than a simple linear evaluation of cues. The neuroscientific perspective emphasizes the active nature of perception, where the auditory system is not some passive filterbank, but a plastic organ that adapts over multiple timescales to the statistics of its input[11, 12]. This shifts the focus from learning some pre-existing cues to the process by which the brain adapts to create a joint neural-perceptual space that can serve as a flexible basis set for phonetic categorization.

Though I won’t be able to see this experiment through to its completion, in my last months here, I will be working with my labmates to start mesoscopic calcium imaging, measuring a proxy for neural activity, across the course of learning the phonetic discrimination task above. Imaging across the course of learning will let us not only model the computation of phonetic perception as it happens, but how the brain learns to support it. I will be responsible for developing the hardware and software to perform the behavior in a head-fixed context, formalizing our models and analytical techniques by reading

across the array of disciplines that have studied phonetic perception, and then will be leaving the imaging and data collection to my labmates Sam Mehan and Rocky Penick.

## 2 Autopilot

In our struggle through implementing the speech discrimination task, I learned that the state of neuroscientific behavioral tooling had a big hole in it where an extensible, inexpensive, and distributed framework for behavioral experiments should be — so I have spent the last five years trying to fill it (Preprint, BioRxiv: [13]). Autopilot is a software package that also attempts to contend with the social realities of experimental work. To quote the [readme](#):

As a tool, it provides researchers with a toolkit of flexible modules to design experiments without rigid programming & API limitations. As a vision, it dreams of bridging the chaotic hacky creativity of scientific programmers with a standardized, communally developed library of reproducible experiment prototypes.

There is far too much work that has gone into Autopilot to summarize here, but the essence of the design is that by using many small single-board computers that run a full operating system and a high-level language like python<sup>2</sup> that can interact with fast, low-level compiled libraries you can get all the speed you need while keeping the entire library within reach of anyone who uses it. By using the Raspberry Pi I wanted to allow people to use whatever off-the-shelf components they wanted to, rather than restricting it to a [small number of bespoke parts](#), and be able to rely on and contribute to the large community of raspi users.

It's also designed with the knowledge that experimental software is often the first code that many researchers experience, and aims to scaffold that process and give good examples of code structure<sup>3</sup>. Rather than a tool that's a black-box behind the scenes, Autopilot is intended to be understood at whatever level you want to engage with it: if you want to just use it as it is, that's fine, but if you want to dig into it the documentation tries to be exhaustive (and is currently a [336 page book](#), though the [HTML docs](#) are considerably more manageable).

Autopilot is [many things](#), a sample of the 2,000-some commits for illustration include:

- a library of [hardware](#) controllers, including [cameras](#), [GPIO](#)-powered components, a few [sensors](#) like a 9-degree motion sensor and a 2D heat sensor, and a few more that I haven't had time to add yet.
- [Networking](#) modules that make it (increasingly) straightforward to link anything to anything else across computers, stream data, etc.
- A realtime [sound server](#) with millisecond latency and microsecond timestamp precision, as well as a collection of simple to use [sound](#) generation classes
- A system for writing behavioral [tasks](#), including for experiments that need multiple shaping stages with programmatic [graduation](#) between them, and the ability to describe reusable, adaptable, and extensible [task prototypes](#) to avoid writing everything from scratch
- A system of chainable realtime data [transformations](#) that let you compose common [geometric](#) algorithms, filters, unit conversions, and computer vision operations into reproducible pipelines that can be [programmatically reconstructed](#) on any machine. I also had the pleasure of collaborating with the DeepLabCut[14] team to incorporate realtime markerless pose tracking across the network into Autopilot[15]

<sup>2</sup>as opposed to a microcontroller that runs code compiled/generated by the user-facing part of the software, which is the norm in engineering

<sup>3</sup>a process that is under continual development as I myself was learning to program while writing it, and only feel like I've reached a point of being comfortable with best principles recently.

- An extremely permissive **plugin** system that lets people extend many parts of Autopilot and incorporate it naturally with the rest of the system without needing to directly modify the main library. In the next planned **major version** “many parts” will become “all parts” and allow users to replace, rather than extend them as well.
- A means of preserving exhaustive experimental **provenance**, including every parameter change in every task that an experimental subject ever experiences and all the versions of the code that ran them, making exact experimental replication possible from a single file. Autopilot’s separation of the logic of a task from its hardware implementation also makes replication possible without having exactly the same instrumentation.
- A collection of tools to **setup** and configure various parts of the occasionally-cantankerous raspi
- A **GUI** that is at the moment an abomination in need of repair, and a **TUI**
- A densely-linked, semantically tagged **wiki** that integrates technical knowledge about hardware, task design, etc. with the software to use it.
- Dozens of my own hardware designs including **3D CAD**, **2D CAD**, and a few **circuit boards**; along with a few (at the moment incomplete) **guides** to build them

All of which I did myself starting from zero programming experience at the start of my graduate career. I’m quite proud of it.

What remains to be done with Autopilot before I graduate is to revise the paper to reflect the development in my thinking (and the development in the software) that has happened since the preprint was posted all these many years ago and submit it for review.

## 2.1 Interlude: The People’s Ventilator Project

Hopefully we were all a little radicalized in 2020. I always felt that I needed my work to have some practicable impact on the world outside of science, but that feeling grew and became overwhelming and now has largely rewritten the course of my work — in this case by building a piece of open-source medical hardware.

I collaborated with a team of engineers and software developers on **The People’s Ventilator Project**[16]: an inexpensive, fully open, supply chain-resilient pressure-control ventilator. Though there were many open-source ventilator projects, ours was one of the few that was a full replacement for the kind of invasive ventilators in short supply during the pandemic. I was on the software team, and was responsible for much of its **architecture**, the **GUI**, its **alarm system**, and the **documentation**. The development ventilator was built in New Jersey, so I wasn’t able to directly work on the hardware, but I advised on the hardware I/O system “**hal**,” which was directly inspired by Autopilot – the ventilator runs on a raspi. Our paper is under consideration at PLoS One, and we just submitted our first round of revisions at the end of January. PVP has been used in a few downstream projects that wouldn’t be possible with proprietary medical technology, including work by some Google Brain researchers improving ventilator control systems with machine learning[17].

PVP impressed on me the need, and showed me how possible it could be for scientists to use their accrued intellectual capital to unbuild extractive systems that rely on artificial scarcity of “intellectual property<sup>4</sup>” and technical knowledge to surveil and control us<sup>5</sup>[18]. We were unable to get an emergency use authorization from the FDA for PVP because of the need for a corporate sponsor, all of whom required that we make some part of the system proprietary. Even so, PVP was designed as a generalizable framework for different kinds of ventilation using variable components, and ensures that the absence of a public domain design is never a reason that someone is denied ventilation.

<sup>4</sup>(fake)

<sup>5</sup>(real)

### 3 Infrastructure

Through my work on Autopilot and PVP I started pulling the thread of digital scientific infrastructure at large — and, dear reader: all is not well. Despite a broadly<sup>6</sup> held whiggish view that scientific infrastructure will, in fits and starts, get “better” over time, we are circled on all sides by information conglomerates intent on carving the basic practice of science into a series of surveilled platforms that will make us long for the ‘simpler days’ of merely being extorted for publication fees[19] (and see: [20]). We all want to see science made freely available, to be able to collaborate openly, to be able to make cumulative progress on shared tools and research questions. Yet one needs look no further than the judo-flip scam of open access requirements<sup>7</sup>, where the publishing giants were able to transmute our noble intentions into doubling and tripling publication fees in their fastest growing market segment<sup>8</sup>, to see how it is far from trivial to answer the eternal question: “how do we get there from here?”

This is a pandisciplinary problem that needs all hands on deck: carrying on with science as normal, playing into their Faustian bargain by publishing in prestige journals ostensibly for the benefit of trainees, and the attitude that it is “not our job” to take care of the health of the scientific infrastructure is exactly how we got here. Through decades of paying exorbitant publication fees, scientists have created one of the more dangerous surveillance conglomerates in the world that tracks researchers across their workflow, collects personal information like purchases, location, credit and loan applications, and funnels it all straight to insurance companies and government agencies like ICE[22]. The future is grim: Elsevier already sells a product built on workflow surveillance to employers and funding agencies to rank scientists on their productivity and how “trending” their research is, a recipe for supercharged hype cycles that benefit no one but publishers. The NIH’s STRIDES program has paid Amazon Web Services, Google Cloud, and Microsoft Azure nearly \$100 million to train scientists to use their grant funding to pay them more<sup>9</sup> to store their data on their servers — locking them in to perpetual payment.

To counter the encroachment of surveillance and platformization we need to work collectively against concentrated and powerful organizations. To work collectively we need to be able to integrate counter-organizing into existing scientific practices, which requires a combination of technological and social development — with heavier emphasis the latter than the former. To know what to develop and how, we need a *plan*.

Over the last year I have been working on a practical blueprint for developing decentralized infrastructure to displace the publishing oligopolies and data barons that goes beyond the typical calls for new platforms and journals. This work is a collage of techniques and disciplines: merging science and technology studies, information science, investigative journalism, internet archaeology, software engineering, interface design, and so on into a story about how we got here and what we can do about it. I have traced two decades of the history of digital infrastructural development and many of its subcommunities, projects, philosophies, and technologies that shape our contemporary ecosystem. I have been reverse engineering the mechanisms of surveillance and control in our everyday technologies like the humble PDF[23] and publisher websites including their “enhanced readers”[24] to raise the alarm that surveillance publishing is already here and it affects everyone. I have been meeting and trading ideas with a growing group of people across disciplines that typically have little contact to reimagine scientific infrastructure development as a decentralized process that can be built from the “bottom up” to displace the publishers by rendering them irrelevant, rather than competing with them in their own system. Far from a utopian pipe dream that fixes the problem with one silver bullet, what I describe is a way to repurpose existing technologies and integrate

<sup>6</sup>though usually passively

<sup>7</sup>like our own: <https://senate.uoregon.edu/senate-motions/us2021-18-open-access-scholarship-policy>

<sup>8</sup>RELX, parent of Elsevier, describes as one of their strategic priorities “grow article volume through new journal launches, the expansion of open access journals” and describes them as their major driver of revenue growth[21]. The new plan is to charge individual authors a lot to publish, shifting cost burdens from institutions (pitting scientists against librarians against institutions to prevent something like the California University System’s bargaining with them from happening again), provide a suite of platformized tools riddled with spyware, and then repackage our personal data to their dozens of waiting markets — scientific publication is less than a third of their business.

<sup>9</sup>STRIDES does not provide cloud services, just training and discounts

them with existing practice gradually, each component reinforcing the others.

The manuscript is still unfinished, and needs a reasonable amount of editing and polishing before it's ready for releasing. I intend to build some of the linked data tools I describe in the work into the work itself to let different audiences find the information they're interested in to make reading it a bit more manageable<sup>10</sup>. The next phase is a bit of an experiment in open publishing: The document is built such that it automatically compiles to both HTML and PDF from a git repository, and I'm going to see if it's possible to have open collaboration on a living scientific document. Before I release it publicly, I plan on inviting many of the folks I've been talking to about this for comments, edits, additions, and anyone who submits a pull request becomes a co-author. Whenever the paper is updated, I will see if it's within BioRxiv's terms of service to automatically upload a new version.

---

### ToC & TODO Timeline

Each of the three chapters of my dissertation are largely written, and so the remaining work is mostly revising and compiling into a single document. Building the behavioral apparatus for the remaining speech experiment is an extension of my prior art. My goal is to defend at the end of the Spring term, or early in the Summer term if extra time is needed.

Writing always takes me longer than I anticipate it will, but I am determined to not make perfection the enemy of the good in this case, and have set July 1st as a hard deadline where I will cut the process and submit what I have for your evaluation.

Development of the speech task could also run long, but that is something that I'm capable of working on in parallel to writing, and since it relies on relatively mature parts of autopilot as well as previously published designs from the IBL[25], I am confident it's achievable within this timeline.

1. **Phonetic Perception - TODO:**
    - **Feb - March 2022:** Build Behavior Apparatus
    - **April - May:** Complete **partially-written** theory section to be included in later publication (as part of thesis writing)
  2. **Autopilot - TODO:**
    - **April - May:** Revise preprint and submit to eLife (as part of thesis writing)
  3. **Infrastructure - TODO:**
    - **April - May:** Revise draft and submit as preprint/live document (as part of thesis writing)
- 

---

<sup>10</sup>The document as it stands is quite long

## 4 Resources

Since not everything is freely available or a DOI-indexed PDF...

- [SaundersWehr-JASA2019](#) - repository with code, data, and retypset version of “Mice Can Learn Phonetic Categories”
- [SaundersWehr-Autopilot2019](#) - Autopilot manuscript source
- [Autopilot Repository](#)
- [Autopilot Docs](#)
- [Autopilot Wiki](#)
- [Autopilot CI](#)
- [Autopilot test coverage](#)
- [People’s Ventilator Project Repository](#)
- [People’s Ventilator Project Docs](#)
- [Decentralized Infrastructure for \(Neuro\)science](#) (unpublished draft)
- [Infrastructure Repository](#)
- [Infrastructure Presentation](#)
- [Motherboard](#) coverage of PDF tracking
- [Le Monde](#) coverage of web tracking (machine translated, [original](#))



## 5 References

### References

- [1] Jonny L. Saunders and Michael Wehr. “Mice Can Learn Phonetic Categories”. In: *The Journal of the Acoustical Society of America* 145.3 (Mar. 1, 2019), pp. 1168–1177. ISSN: 0001-4966. DOI: [10.1121/1.5091776](https://doi.org/10.1121/1.5091776). URL: <https://asa.scitation.org/doi/abs/10.1121/1.5091776> (visited on 08/12/2019) (cit. on p. 2).
- [2] Iris van Rooij and Giosuè Baggio. “Theory Before the Test: How to Build High-Verisimilitude Explanatory Theories in Psychological Science”. In: *Perspectives on Psychological Science* (Jan. 6, 2021), p. 1745691620970604. ISSN: 1745-6916. DOI: [10.1177/1745691620970604](https://doi.org/10.1177/1745691620970604). URL: <https://doi.org/10.1177/1745691620970604> (visited on 03/29/2021) (cit. on p. 2).
- [3] Jessamyn Schertz and Emily J. Clare. “Phonetic Cue Weighting in Perception and Production”. In: *WIREs Cognitive Science* 11.2 (2020), e1521. ISSN: 1939-5086. DOI: [10.1002/wcs.1521](https://doi.org/10.1002/wcs.1521). URL: <https://onlinelibrary.wiley.com/doi/abs/10.1002/wcs.1521> (visited on 01/26/2021) (cit. on p. 3).
- [4] John J Ohala et al., eds. *A Guide to the History of the Phonetic Sciences in the United States*. 1999. URL: [https://escholarship.org/uc/item/6mr8317x#article\\_main](https://escholarship.org/uc/item/6mr8317x#article_main) (visited on 01/27/2021) (cit. on p. 3).
- [5] Alvin M. Liberman and Ignatius G. Mattingly. “The Motor Theory of Speech Perception Revised”. In: *Cognition* 21.1 (1985), pp. 1–36. ISSN: 00100277. DOI: [10.1016/0010-0277\(85\)90021-6](https://doi.org/10.1016/0010-0277(85)90021-6) (cit. on p. 3).
- [6] Patricia K. Kuhl. “Early Language Acquisition: Cracking the Speech Code”. In: *Nature Reviews Neuroscience* 5.11 (11 Nov. 2004), pp. 831–843. ISSN: 1471-0048. DOI: [10.1038/nrn1533](https://doi.org/10.1038/nrn1533). URL: <https://www.nature.com/articles/nrn1533> (visited on 01/15/2021) (cit. on p. 3).
- [7] Eleanor Rosch. “Wittgenstein and Categorization Research in Cognitive Psychology”. In: *Meaning and the Growth of Understanding: Wittgenstein’s Significance for Developmental Psychology*. Ed. by Michael Chapman and Roger A. Dixon. Berlin, Heidelberg: Springer, 1987, pp. 151–166. ISBN: 978-3-642-83023-5. DOI: [10.1007/978-3-642-83023-5\\_9](https://doi.org/10.1007/978-3-642-83023-5_9). URL: [https://doi.org/10.1007/978-3-642-83023-5\\_9](https://doi.org/10.1007/978-3-642-83023-5_9) (visited on 01/12/2021) (cit. on p. 3).
- [8] Eleanor Rosch and Carolyn B Mervis. “Family Resemblances: Studies in the Internal Structure of Categories”. In: *Cognitive Psychology* 7.4 (Oct. 1, 1975), pp. 573–605. ISSN: 0010-0285. DOI: [10.1016/0010-0285\(75\)90024-9](https://doi.org/10.1016/0010-0285(75)90024-9). URL: <http://www.sciencedirect.com/science/article/pii/0010028575900249> (visited on 01/12/2021) (cit. on p. 3).
- [9] B Elan Dresher. “The Contrastive Hierarchy in Phonology”. In: *Contrast in phonology: theory, perception, acquisition* 13 (2008), p. 11. ISSN: 1718-3510. DOI: [10.1017/CB09780511642005](https://doi.org/10.1017/CB09780511642005) (cit. on p. 3).
- [10] Keith R. Kluender, Christian E. Stilp, and Fernando Llanos Lucas. “Long-Standing Problems in Speech Perception Dissolve within an Information-Theoretic Perspective”. In: *Attention, Perception, & Psychophysics* 81.4 (May 1, 2019), pp. 861–883. ISSN: 1943-393X. DOI: [10.3758/s13414-019-01702-x](https://doi.org/10.3758/s13414-019-01702-x). URL: <https://doi.org/10.3758/s13414-019-01702-x> (visited on 07/10/2019) (cit. on p. 3).
- [11] C Angeloni and MN Geffen. “Contextual Modulation of Sound Processing in the Auditory Cortex”. In: *Current Opinion in Neurobiology*. Neurobiology of Behavior 49 (Apr. 1, 2018), pp. 8–15. ISSN: 0959-4388. DOI: [10.1016/j.conb.2017.10.012](https://doi.org/10.1016/j.conb.2017.10.012). URL: <https://www.sciencedirect.com/science/article/pii/S0959438817302325> (visited on 02/05/2021) (cit. on p. 3).
- [12] Lori L. Holt. “Temporally Nonadjacent Nonlinguistic Sounds Affect Speech Categorization”. In: *Psychological Science* 16.4 (Apr. 2005), pp. 305–312. ISSN: 0956-7976. DOI: [10.1111/j.0956-7976.2005.01532.x](https://doi.org/10.1111/j.0956-7976.2005.01532.x). PMID: [15828978](https://pubmed.ncbi.nlm.nih.gov/15828978/) (cit. on p. 3).

- [13] Jonny L. Saunders and Michael Wehr. “Autopilot: Automating Behavioral Experiments with Lots of Raspberry Pis”. In: *bioRxiv* (Oct. 17, 2019), p. 807693. DOI: [10.1101/807693](https://doi.org/10.1101/807693). URL: <https://www.biorxiv.org/content/10.1101/807693v1> (visited on 03/12/2021) (cit. on p. 4).
- [14] Alexander Mathis et al. “DeepLabCut: Markerless Pose Estimation of User-Defined Body Parts with Deep Learning”. In: *Nature Neuroscience* 21.9 (9 Sept. 2018), pp. 1281–1289. ISSN: 1546-1726. DOI: [10.1038/s41593-018-0209-y](https://doi.org/10.1038/s41593-018-0209-y). URL: <https://www.nature.com/articles/s41593-018-0209-y> (visited on 09/22/2021) (cit. on p. 4).
- [15] Gary A Kane et al. “Real-Time, Low-Latency Closed-Loop Feedback Using Markerless Posture Tracking”. In: *eLife* 9 (Dec. 8, 2020). Ed. by Gordon J Berman et al., e61909. ISSN: 2050-084X. DOI: [10.7554/eLife.61909](https://doi.org/10.7554/eLife.61909). URL: <https://doi.org/10.7554/eLife.61909> (visited on 07/30/2021) (cit. on p. 4).
- [16] Julianne LaChance et al. “PVP1–The People’s Ventilator Project: A Fully Open, Low-Cost, Pressure-Controlled Ventilator”. In: *medRxiv* (Oct. 5, 2020), p. 2020.10.02.20206037. DOI: [10.1101/2020.10.02.20206037v1](https://doi.org/10.1101/2020.10.02.20206037v1). URL: <https://www.medrxiv.org/content/10.1101/2020.10.02.20206037v1> (visited on 02/05/2022) (cit. on p. 5).
- [17] Daniel Suo et al. *Machine Learning for Mechanical Ventilation Control*. Jan. 18, 2022. arXiv: [2102.06779 \[cs\]](https://arxiv.org/abs/2102.06779). URL: <http://arxiv.org/abs/2102.06779> (visited on 02/10/2022) (cit. on p. 5).
- [18] McKenzie Wark. *Capital Is Dead. Is This Something Worse? By McKenzie Wark*. Verso Books, Oct. 8, 2019. ISBN: 978-1-78873-530-8. URL: <https://www.versobooks.com/books/3762-capital-is-dead> (visited on 02/10/2022) (cit. on p. 5).
- [19] Jefferson Pooley. *Surveillance Publishing*. article; <https://web.archive.org/web/20211123130445/https://osf.io/preprints/socarxiv/SocArXiv>, Nov. 18, 2021. DOI: [10.31235/osf.io/j6ung](https://doi.org/10.31235/osf.io/j6ung). URL: <https://osf.io/preprints/socarxiv/j6ung/> (visited on 11/30/2021) (cit. on p. 6).
- [20] Shoshana Zuboff. “Big Other: Surveillance Capitalism and the Prospects of an Information Civilization”. In: *Journal of Information Technology* 30.1 (Mar. 1, 2015), pp. 75–89. ISSN: 1466-4437. DOI: [10.1057/jit.2015.5](https://doi.org/10.1057/jit.2015.5). URL: <https://doi.org/10.1057/jit.2015.5> (visited on 12/08/2021) (cit. on p. 6).
- [21] “RELX Annual Report 2020”. In: (2020), p. 196. URL: <https://www.relx.com/~media/Files/R/RELX-Group/documents/reports/annual-reports/2020-annual-report.pdf> (cit. on p. 6).
- [22] Sam Biddle. *LexisNexis to Provide Giant Database of Personal Information to ICE*. The Intercept. Apr. 2, 2021. URL: <https://theintercept.com/2021/04/02/ice-database-surveillance-lexisnexis/> (visited on 09/24/2021) (cit. on p. 6).
- [23] Lorenzo Franceschi-Bicchieri. *Academic Journal Claims It Fingerprints PDFs for ‘Ransomware,’ Not Surveillance*. Vice. Jan. 31, 2022. URL: <https://www.vice.com/en/article/4aw48g/academic-journal-claims-it-fingerprints-pdfs-for-ransomware-not-surveillance> (visited on 02/10/2022) (cit. on p. 6).
- [24] Aurelien Defer. “Comment les éditeurs scientifiques surveillent les chercheurs”. In: *Le Monde.fr* (Jan. 17, 2022). URL: [https://www.lemonde.fr/sciences/article/2022/01/17/comment-les-editeurs-scientifiques-surveillent-les-chercheurs\\_6109840\\_1650684.html](https://www.lemonde.fr/sciences/article/2022/01/17/comment-les-editeurs-scientifiques-surveillent-les-chercheurs_6109840_1650684.html) (visited on 02/10/2022) (cit. on p. 6).
- [25] The International Brain Laboratory et al. “Standardized and Reproducible Measurement of Decision-Making in Mice”. In: (Oct. 9, 2020), p. 2020.01.17.909838. DOI: [10.1101/2020.01.17.909838](https://doi.org/10.1101/2020.01.17.909838). URL: <https://www.biorxiv.org/content/10.1101/2020.01.17.909838v5> (visited on 02/14/2022) (cit. on p. 7).