



Avalanche danger
updated on 22.3.2025, 17:00




region A

Considerable (3=)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The new snow and wind slabs are prone to triggering. Even single snow sport participants can release avalanches. They can in some cases penetrate deep layers and reach large size. In addition individual natural avalanches are possible. Backcountry touring and other off-piste activities call for experience in the assessment of avalanche danger.

Moderate (2)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

region B

Considerable (3=)



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The new snow and wind slabs are prone to triggering. Even single snow sport participants can release avalanches. They can in some cases penetrate deep layers and reach large size. In addition individual natural avalanches are possible. Backcountry touring and other off-piste activities call for experience in the assessment of avalanche danger.


Low (1)

Wet snow, Gliding snow

As a consequence of the precipitation more small and medium-sized wet and gliding avalanches are possible.

region C

Moderate (2+)



Wind slab, Persistent weak layers

Avalanche prone locations



Danger description

As a consequence of a strong southerly wind, avalanche prone wind slabs formed. They are to be bypassed in steep terrain. In some places avalanches can also be triggered in the old snowpack and reach large size in isolated cases. Backcountry touring and other off-piste activities call for defensive route selection.

Moderate (2)


Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.




region D

Moderate (2=)



Wind slab

Avalanche prone locations



Danger description

As a consequence of a sometimes strong southerly wind, sometimes avalanche prone wind slabs formed in the last few days in particular in gullies and bowls and behind abrupt changes in the terrain. Avalanches can reach medium size.
The fresh wind slabs are to be bypassed in steep terrain.


Moderate (2)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.


region E

Moderate (2=)



Wind slab, Persistent weak layers

Avalanche prone locations



Danger description

As a consequence of a moderate to strong southerly wind, sometimes avalanche prone wind slabs formed. They are to be evaluated with care and prudence in steep terrain. In some places avalanches can also be triggered in the old snowpack and reach medium size. Backcountry touring and other off-piste activities call for defensive route selection.


Moderate (2)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.


region F

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description

The mostly small wind slabs of the last few days are in some cases prone to triggering. They are to be evaluated with care and prudence in very steep terrain. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.


Moderate (2)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.


region G

Moderate (2-)



Wind slab

Avalanche prone locations



Danger description

The mostly small wind slabs of the last few days are in some cases prone to triggering. They are to be evaluated with care and prudence in very steep terrain. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Moderate (2)

Wet snow, Gliding snow

Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.



region H

Moderate (2)




Wet snow, Gliding snow
Outgoing longwave radiation during the night will be reduced over a wide area. As a consequence of warming during the day and solar radiation more medium-sized and large wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes below approximately 2200 m, and elsewhere below approximately 2600 m.

Low (1)

Wind slab
Wind slabs are in many cases only small but can be released in isolated cases. They are to be evaluated with care and prudence in particular in extremely steep terrain. Even a small avalanche can sweep people along and give rise to falls.

region I

Low (1)




Wind slab
Wind slabs are in many cases only small but can be released in isolated cases. They are to be evaluated with care and prudence in particular in extremely steep terrain. Even a small avalanche can sweep people along and give rise to falls.

Low (1)

Wet snow, Gliding snow
Outgoing longwave radiation during the night will be reduced. As a consequence of warming during the day and solar radiation more small to medium-sized wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes.

region J

Low (1)



Wet snow, Gliding snow
Outgoing longwave radiation during the night will be reduced. As a consequence of warming during the day and solar radiation more small to medium-sized wet and gliding avalanches are to be expected. This applies especially on steep north and east facing slopes.

Snowpack and weather

updated on 22.3.2025, 17:00

Snowpack

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Observed weather

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Weather forecast

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.

Outlook

"Snowpack and weather" is currently being translated into English and will be published here at 6.00 pm. The product is already available in German.